

Clinical Outcomes, Physical Disorders (O-R)

- Ober, C., Cox, N. J., Abney, M., Di Rienzo, A., Lander, E. S., Changyaleket, B., Gidley, H., Kurtz, B., *et al.* (1998). Genome-wide search for asthma susceptibility loci in a founder population. The collaborative study on the genetics of asthma. *Human Molecular Genetics* **7**: 1393-1398.
- O'Brien, E., Jorde, L. B., Rönnlöf, B., Fellman, J. O. and Eriksson, A. W. (1988). Founder effect and genetic disease in Söttunga, Finland. *American Journal of Physical Anthropology* **77**: 335-346.
- Ocal, G., Adiyaman, P., Berberoglu, M., Cetinkaya, E., Akar, N., Uysal, A., Duman, T., Evliyaoglu, *et al.* (2002). Mutations of the 5alpha-steroid reductase type 2 gene in six Turkish patients from unrelated families and a large pedigree of an isolated Turkish village. *Journal of Pediatric Endocrinology and Metabolism* **15**: 411-21.
- Odievre, M. H., Lombes, A., Dessemme, P., Santer, R., Brivet, M., Chevallerier, B., Lagardere, B. and Odievre, M. (2002). A secondary respiratory chain defect in a patient with Fanconi-Bickel syndrome. *Journal of Inherited Metabolic Disease* **25**: 379-384.
- O'Driscoll, M., Ruiz-Perez, V. L., Woods, C. G., Jeggo, P. A. and Goodship, J. A. (2003). A splicing mutation affecting expression of ataxia-telangiectasia and Rad3-related protein (ATR) results in Seckel syndrome. *Nature Genetics* **33**: 497-501.
- Ogawa, K., Bando, T., Ogawa, M., Miyazaki, A., Nakanishi, T. and Shimizu, A. (2003). [A variant hemoglobin found by dissociation of blood glucose from HbA1c on routine physical examination] *Rinsho Byori. The Japanese Journal of Clinical Pathology* **51**: 508-515 [In Japanese].
- Ohadi, M., Laloz, M. R., Sham, P., Zhao, J., Dearlove, A. M., Shiach, C., Kinsey, S., Rhodes, M., *et al.* (1999). Localization of a gene for familial hemophagocytic lymphohistiocytosis at chromosome 9q21.3-22 by homozygosity mapping. *American Journal of Human Genetics* **64**: 165-171.
- O'Hara, J., Khan, S. W., Inam, N., Chughtai, F., Tariq, M. A. and Quraishi, M. S. (2002). Prevalence of hearing impairment in siblings of deaf children. *Journal of the Pakistani Medical Association* **52**: 73-77.
- Ohara, S., Kondo, K., Morita, H., Maruyama, K., Ikeda, S. and Yanagisawa, N. (1992). Progressive supranuclear palsy-like syndrome in two siblings of a consanguineous marriage. *Neurology* **42**: 1009-1014.
- Ohkubo, E., Aida, K., Chen, J., Hayashi, J. I., Isobe, K., Tawata, M. and Onaya, T. (2000). A patient with type 2 diabetes mellitus associated with mutations in calcium sensing receptor gene and mitochondrial DNA. *Biochemical and Biophysical Research Communications* **278**: 808-813.

- Ohno, K., Anlar, B., Ozdirim, E., Brengman, J. M., DeBleecker, J. L. and Engel, A. G. (1998). Myasthenic syndromes in Turkish kinships due to mutations in the acetylcholine receptor. *Annals of Neurology* **44**: 234-241.
- Okada, M., Yamamoto, S., Watanabe, H., Inoue, Y., Tsujikawa, M., Maeda, N., Shimomura, Y., Nishida, K., *et al.* (1998). Granular corneal dystrophy with homozygous mutations in the kerato-epithelin gene. *American Journal of Ophthalmology* **126**: 169-176.
- Okten, A., Gedik, Y., Demirici, A., Mocan, H., Erduran, E. and Aslan, Y. (1995). Various clinical aspects of DIDMOAD (Wolfram) syndrome. *Turkish Journal of Pediatrics* **37**: 235-240.
- Okubo, M., Kanda, F., Horinishi, A., Takahashi, K., Okuda, S., Chihara, K. and Murase, T. (1999). Glycogen storage disease type IIIa: first report of a causative missense mutation (G1448R) of the glycogen debranching enzyme gene found in a homozygous patient. *Human Mutation* **14**: 542-543.
- Olivier, M., Lenard, H. G., Aksu, F. and Gartner, J. (1998). A new leukoencephalopathy with bilateral anterior temporal lobe cysts. *Neuropediatrics* **29**: 225-228.
- Omran, H., Fernandez, C., Jung, M., Haffner, K., Fargier, B., Villaquiran, A., Waldherr, R., Gretz, N., *et al.* (2000). Identification of a new gene locus for adolescent nephronophthisis, on chromosome 3q22 in a large Venezuelan pedigree. *American Journal of Human Genetics* **66**: 118-127.
- Omran, H., Haffner, K., Volkel, A., Kuehr, J., Ketelsen, U. P., Ross, U. H., Konietzko, N., Wienker, T., *et al.* (2000). Homozygosity mapping of a gene locus for primary ciliary dyskinesia on chromosome 5p and identification of the heavy dynein chain DNAH5 as a candidate gene. *American Journal of Respiratory Cell and Molecular Biology* **23**: 696-702.
- Omran, H., Sasmaz, G., Haffner, K., Volz, A., Olbrich, H., Melkaoui, R., Otto, E., Wienker, T. F., *et al.* (2002). Identification of a gene locus for Senior-Loken syndrome in the region of the nephronophthisis type 3 gene. *Journal of the American Society of Nephrology* **13**: 75-79.
- Öner, A., Demiriçin, G., Tinaztepe, K., Bulbul, M. and Tezic, T. (1998). Fatal outcome of infantile oxalosis: case reports from three families and a review of literature. *Turkish Journal of Pediatrics* **40**: 237-243.
- Öner, C., Öner, R., Birben, E., Balkan, H., Gümrük, F., Gürgery, A. and Altay, C. (1998). Hb disease with homozygosity for red cell G6PD deficiency in a Turkish female. *Hemoglobin* **22**: 157-160.
- Oner, N., Basaran, O. N., Yalcin, O., Vatansever, U. and Acunas, B. (2004). A newborn infant with left diaphragm agenesis, radial aplasia and preauricular appendices. *Clinical Dysmorphology* **13**: 59-60.

- Ordookhani, A., Mirmiran, P., Najafi, R., Hedayati, M. and Azizi, F. (2003). Congenital hypothyroidism in Iran. *Indian Journal of Pediatrics* **70**: 625-628.
- Orr, A. C., Robitaille, J. M., Price, P. A., Hamilton, J. R., Falvey, D. M., De Saint-Sardos, A. G., Pasternak, S. and Guernsey, D. L. (2001). Exfoliation syndrome: clinical and genetic features. *Ophthalmic Genetics* **22**: 171-185.
- Orrico, A., Galli, L., Zappella, M., Orsi, A. and Hayek, G. (2001). Additional case of Marden-Walker syndrome: support for the autosomal-recessive inheritance and refinement of phenotype in a surviving patient. *Journal of Child Neurology* **16**: 150-153.
- Ørstavik, K. H., Bechensteen, A., Fugelseth, D. and Orderud, W. (1998). Sibs with Ritscher-Schinzel (3C) syndrome and anal malformations. *American Journal of Medical Genetics* **75**: 300-303.
- Ørstavik, K. H., Lindemann, R. and Steen, J. (1994). Infant death and consanguineous marriage [letter]. *British Medical Journal* **308**: 659.
- Osorio, M. G., Kopp, P., Marui, S., Latronico, A. C., Mendonca, B. B. and Arnhold, I. J. (2000). Combined pituitary hormone deficiency caused by a novel mutation of a highly conserved residue (F88S) in the homeodomain of PROP-1. *Journal of Clinical Endocrinology and Metabolism* **85**: 2779-2785.
- Ost, A., Nilsson-Ardnor, S. and Henter, J. I. (1998). Autopsy findings in 27 children with haemophagocytic lymphohistiocytosis. *Histopathology* **32**: 310-316.
- Ostergaard, E., Pedersen, V. F., Skriver, E. B. and Brondum-Nielsen, K. (2004). Brothers with Chudley-McCullough syndrome: sensorineural deafness, agenesis of the corpus callosum, and other structural brain abnormalities. *American Journal of Medical Genetics* **124A**: 74-78.
- Özalp, I., Coskun, T., Tokol, S., Demircin, G. and Mönch, E. (1990). Inherited metabolic disorders in Turkey. *Journal of Inherited Metabolic Diseases* **13**: 732-738.
- Ozand, P. T., Gascon, G., al Aqeel, A., Roberts, G., Dhalla, M. and Subramanyam, S. B. (1990). Prevalence of different types of lysosomal diseases in Saudi Arabia. *Journal of Inherited Metabolic Disease* **13**: 849-861.
- Ozata, M., Ozdemir, I. C. and Licinio, J. (1999). Human leptin deficiency caused by a missense mutation: multiple endocrine defects, decreased sympathetic tone, and immune system dysfunction indicate new targets for leptin action, greater central than peripheral resistance to the effects of leptin, and spontaneous correction of leptin-mediated defects. *Journal of Clinical Endocrinology and Metabolism* **84**: 3686-3695.
- Özgül, T., Evrücke, C., Kadayifçi, O., Demir, C., Aridogan, N. and Vardar, M. A. (1995). Case report Fraser syndrome. *International Journal of Gynecology and Obstetrics* **49**: 187-189.

- Özkara, H. A., Akerman, B. R., Ciliv, G., Topçu, M., Renda, Y. and Gravel, R. A. (1995). Donor splice site mutation in intron 5 of the HEXA gene in a Turkish infant with Tay-Sachs disease. *Human Mutation* **5**: 186-187.
- Özkara, H. A. and Navon, R. (1998). At least six different mutations in HEXA gene cause Tay-Sachs disease among the Turkish population. *Molecular Genetics and Metabolism* **65**: 250-253.
- Paesalves, A. F., Azevedo, E. S., Sousa, M. D. F., Almeidamelo, N. and Oliveira, O. J. (1991). Autosomal recessive malformation syndrome with minor manifestation in the heterozygotes - a preliminary report of a possible new syndrome. *American Journal of Medical Genetics* **41**: 141-152.
- Panicker, S. G., Reddy, A. B., Mandal, A. K., Ahmed, N., Nagarajaram, H. A., Hasnain, S. E. and Balasubramanian, D. (2002). Identification of novel mutations causing familial primary congenital glaucoma in Indian pedigrees. *Investigative Ophthalmology and Visual Science* **43**: 1358-1366.
- Pannain, S., Weiss, R. E., Jackson, C. E., Dian, D., Beck, J. C. and Sheffield, V. C. (1999). Two different mutations in the thyroid peroxidase gene of a large inbred Amish kindred: power and limits of homozygosity mapping. *Journal of Clinical Endocrinology & Metabolism* **84**: 1061-1071.
- Panter-Brick, C. (1991). Parental responses to consanguinity and genetic disease in Saudi Arabia. *Social Science and Medicine* **33**: 1295-1302.
- Papponen, H., Toppinen, T., Baumann, P., Myllyla, V., Leisti, J., Kuivaniemi, H., Tromp, G. and Myllyla, R. (1999). Founder mutations and the high prevalence of myotonia congenita in Northern Finland. *Neurology* **53**: 297-302.
- Parano, E., Pavone, L., Fiumara, A., Falsaperla, R., Trifiletti, R. R. and Dobyns, W. B. (1995). Congenital muscular dystrophies: clinical review and proposed classification. *Pediatric Neurology* **13**: 97-103.
- Parker, M. J., Groggins, R. C., Rees, P. G. and Young, I. D. (1998). Distal arthrogyrosis, ectodermal dysplasia and dilated cardiomyopathy - a new syndrome. *Clinical Dysmorphology* **7**: 205-208.
- Parmentier, L., Blanchet-Bardon, C., Nguyen, S., Prud'homme, J. F., Dubertret, L. and Weissenbach, J. (1995). Autosomal recessive lamellar ichthyosis: identification of a new mutation in transglutaminase 1 and evidence for genetic heterogeneity. *Human Molecular Genetics* **4**: 1391-1395.
- Parvari, R., Hershkovitz, E., Kanis, A., Gorodischer, R., Shalitin, S., Sheffield, V. and Carmi, R. (1998). Homozygosity and linkage-disequilibrium mapping of the syndrome of congenital hypoparathyroidism, growth and mental retardation, and dysmorphism to a 1-cM interval on chromosome 1q42-43. *American Journal of Human Genetics* **63**: 163-169.

- Passos-Bueno, M. R., Marie, S. K., Monteiro, M., Neustein, I., Whittle, M. R., Vainzof, M. and Zatz, M. (1994). Knobloch syndrome in a large Brazilian consanguineous family: confirmation of autosomal recessive inheritance. *American Journal of Medical Genetics* **52**: 170-173.
- Patino, P. J., Rae, J., Noack, D., Erickson, R., Ding, J., de Olarte, D. G. and Curnutte, J. T. (1999). Molecular characterization of autosomal recessive chronic granulomatous disease caused by a defect of the nicotinamide adenine dinucleotide phosphate (reduced form) oxidase component p67-phox. *Blood* **94**: 2505-2514.
- Paton, B. C. and Pollard, A. N. (2000). Molecular changes in the D-bifunctional protein cDNA sequence in Australasian patients belonging to the bifunctional protein complementation group. *Cell Biochemistry and Biophysics* **32**: 247-251.
- Paton, B. C., Solly, P. B., Nelson, P. V., Pollard, A. N., Sharp, P. C. and Fietz, M. J. (2002). Molecular analysis of genomic DNA allows rapid, and accurate, prenatal diagnosis of peroxisomal D-bifunctional protein deficiency. *Prenatal Diagnosis* **22**: 38-41.
- Pelin, K., Hilpela, P., Donner, K., Sewry, C., Akkari, P. A., Wilton, S. D., Wattanasirichaigoon, D., Bang, M. L., *et al.* (1999). Mutations in the nebulin gene associated with autosomal recessive nemaline myopathy. *Proceedings of the National Academy of Sciences of the United States of America* **96**: 2305-2310.
- Pellegrino, J. E., Engel, J. M., Chavez, D. and Day-Salvatore, D. (2001). Oculopalatal-cerebral syndrome: a second case. *American Journal of Medical Genetics* **99**: 200-203.
- Pemde, H. K., Bakhshi, S. and Kalra, V. (1995). Olivopontocerebellar atrophy: a case report. *Brain and Development* **17**: 130-132.
- Pennarun, G., Bridoux, A. M., Escudier, E., Dastot-Le Moal, F., Cacheux, V., Amselem, S. and Duriez, B. (2002). Isolation and expression of the human hPF20 gene orthologous to Chlamydomonas PF20: evaluation as a candidate for axonemal defects of respiratory cilia and sperm flagella. *American Journal of Respiratory Cell and Molecular Biology* **26**: 362-370.
- Pernasetti, F., Toledo, S. P., Vasilyev, V. V., Hayashida, C. Y., Cogan, J. D., Ferrari, C., Lourenco, D. M. and Mellon, P. L. (2000). Impaired adrenocorticotropin-adrenal axis in combined pituitary hormone deficiency caused by a two-base pair deletion (301-302delAG) in the prophet of Pit-1 gene. *Journal of Clinical Endocrinology and Metabolism* **85**: 390-397.
- Perniola, T., Krajewska, G., Carnevale, F. and Lospalluti, M. (1980). Congenital alopecia, psychomotor retardation, convulsions in two sibs of a consanguineous marriage. *Journal of Inherited Metabolic Disease* **3**: 49-53.

- Perrine, R. P., Pembrey, M. E., John, P., Perrine, S. and Shoup, F. (1978). Natural history of Sickle Cell Anemia in Saudi Arabs. *Annals of Internal Medicine* **88**: 1-6.
- Peter, M., Nikischin, W., Heinz-Erian, P., Fussenegger, W., Kapelari, K. and Sippell, W. G. (1998). Homozygous deletion of arginine-173 in the CYP11B2 gene in a girl with congenital hypoaldosteronism. Corticosterone methyl oxidase deficiency type 11. *Hormone Research* **50**: 222-225.
- Petrikovsky, B. M., Gross, B., Bialer, M., Solamanzadeh, K. and Simhaee, E. (1997). Prenatal diagnosis of pseudothalidomide syndrome on consecutive pregnancies of a consanguineous couple. *Ultrasound and Obstetric Gynecology* **10**: 425-428.
- Peyvandi, F., Asselta, R. and Mannucci, P. M. (2001). Autosomal recessive deficiencies of coagulation factors. *Reviews in Clinical and Experimental Hematology* **5**: 369-388.
- Peyvandi, F., Duga, S., Akhavan, S. and Mannucci, P. M. (2002). Rare coagulation deficiencies. *Haemophilia* **8**: 308-321.
- Peyvandi, F., Menegatti, M., Santagostino, E., Akhavan, S., Uprichard, J., Perry, D. J., Perkins, S. J. and Mannucci, P. M. (2002). Gene mutations and three-dimensional structural analysis in 13 families with severe factor X deficiency. *British Journal of Haematology* **117**: 685-692.
- Phadke, S. R., Pahi, J., Pandey, A. and Agarwal, S. S. (1999). Oral-facial-digital syndrome with acromelic short stature: a new variant--overlap with Ellis Van Creveld syndrome. *Clinical Dysmorphology* **8**: 185-188.
- Philip, M. J. and Caurdy, J. (1985). Inheritance of hypodontia in consanguineous families of Arabic descent: case report. *Annals of Dentistry* **44**: 39-41.
- Phillips, C. I., Levy, A. M., Newton, M. and Stokoe, L. N. (1987). Blindness in school children: importance of heredity, congenital cataract and prematurity. *British Journal of Ophthalmology* **71**: 578-584.
- Pinotti, M., Camire, R. M., Baroni, M., Rajab, A., Marchetti, G. and Bernardi, F. (2003). Impaired prothrombinase activity of factor X Gly381Asp results in severe familial CRM+ FX deficiency. *Thrombosis and Haemostasis* **89**: 243-248.
- Plante-Bordeneuve, V., Parman, Y., Guiochon-Mantel, A., Alj, Y., Deymeer, F., Serdaroglu, P., Eraksoy, M. and Said, G. (2001). The range of chronic demyelinating neuropathy of infancy: a clinico-pathological and genetic study of 15 unrelated cases. *Journal of Neurology* **248**: 795-803.
- Plauchu, H., Encha-Razavi, F., Hermier, M., Attia-Sobol, J., Vitrey, D. and Verloes, A. (2001). Lissencephaly type III, stippled epiphyses and loose, thick skin: a new recessively inherited syndrome. *American Journal of Medical Genetics* **99**: 14-20.

- Polymeropoulos, M. H., Ortiz de Luna, R. I., Ide, S. E., Torres, R., Rubenstein, J. and Francomano, C. A. (1995). The gene for pycnodysostosis maps to human chromosome 1cen-q21. *Nature Genetics* **10**: 238-239.
- Poulain, P., Odent, S., Maire, I., Milon, J., Proudhon, J. F., Jouan, H. and Le-Marec, B. (1995). Fetal ascites and oligohydramnios: prenatal diagnosis of a sialic acid storage disease (index case). *Prenatal Diagnosis* **15**: 864-867.
- Powell, J. E., Kelly, A. M., Parkes, S. E., Cole, T. R. and Mann, J. R. (1995). Cancer and congenital abnormalities in Asian children: a population based study from the West Midlands. *British Journal of Cancer* **72**: 1563-1569.
- Prabhu, V., Kozma, C., Leftridge, C., Helmbrecht, G. and France, M. (1998). Dyssegmental dysplasia Silverman-Handmaker type in a consanguineous Druze Lebanese family: long term survival and documentation of the natural history. *American Journal of Medical Genetics* **75**: 164-170.
- Pradhan, M., Phadke, S. R., Jain, S. and Agarwal, S. S. (1999). Pachygyria/hypogenitalism: A monogenic syndrome. *American Journal of Medical Genetics* **87**: 254-257.
- Pras, E., Bakhan, T., Levy-Nissenbaum, E., Lahat, H., Assia, E. I., Garzosi, H. J., Kastner, D. L., Goldman, B., *et al.* (2001). A gene causing autosomal recessive cataract maps to the short arm of chromosome 3. *The Israel Medical Association Journal* **3**: 559-562.
- Pras, E., Frydman, M., Levy-Nissenbaum, E., Bakhan, T., Raz, J., Assia, E. I. and Goldman, B. (2000). A nonsense mutation (W9X) in CRYAA causes autosomal recessive cataract in an inbred Jewish Persian family. *Investigative Ophthalmology and Visual Science* **41**: 3511-3515.
- Pras, E., Levy-Nissenbaum, E., Bakhan, T., Lahat, H., Assia, E., Geffen-Carmi, N., Frydman, M. and Goldman, B. (2002). A missense mutation in the LIM2 gene is associated with autosomal recessive presenile cataract in an inbred Iraqi Jewish family. *American Journal of Human Genetics* **70**: 1363-1367.
- Pratchyapruit, W. O. and Kullavanijaya, P. (2002). Papillon-Lefevre syndrome: a case report. *Journal of Dermatology* **29**: 329-335.
- Priori, S. G., Schwartz, P. J., Napolitano, C., Bianchi, L., Dennis, A., De Fusco, M., Brown, A. M. and Cassari, G. (1998). A recessive variant of the Romano-Ward long-QT syndrome. *Circulation* **23**: 2420-2425.
- Pugliatti, M., Solinas, G., Sotgiu, S., Castiglia, P. and Rosati, G. (2002). Multiple sclerosis distribution in northern Sardinia: spatial cluster analysis of prevalence. *Neurology* **58**: 277-282.
- Pulleyn, L. J., Jackson, A. P., Roberts, E., Carridice, A., Muxworthy, C., Houseman, M., Al-Gazali, L. I., Lench, N. J., *et al.* (2000). A new locus for autosomal

- recessive non-syndromal sensorineural hearing impairment (DFNB27) on chromosome 2q23-q31. *European Journal of Human Genetics* **8**: 991-993.
- Puri, R. K., Khanna, K. K., Bhargava, I. and Balakrishnan, S. (1977). Role of consanguinity in chromosomal syndromes. *Indian Journal of Medical Research* **65**: 859-864.
- Quattrone, A., Gambardella, A., Bono, F., Aguglia, U., Bolino, A., Bruni, A. C., Montesi, M. P., Oliveri, R. L., *et al.* (1996). Autosomal recessive hereditary motor and sensory neuropathy with focally folded myelin sheaths: clinical, electrophysiologic, and genetic aspects of a large family. *Neurology* **46**: 1318-1324.
- Qureshi, N., Gilbert, P. and Raeburn, J. A. (2003). Consanguinity and genetic morbidity in a British primary care setting: a pilot study with trained linkworkers. *Annals of Human Biology* **30**: 140-147.
- Raas-Rothschild, A., Nir, A., Ergaz, Z., Bar Ziv, J. and Rein, A. J. (1999). Agenesis of tibia with ectrodactyly/Gollop-Wolfgang complex associated with congenital heart malformations and additional skeletal abnormalities. *American Journal of Medical Genetics* **84**: 361-364.
- Radha Rama Devi, A., Appaji Rao, N. and Bittles, A. H. (1987). Consanguinity and the incidence of childhood genetic disease in Karnataka, South India. *Journal of Medical Genetics* **24**: 362-365.
- Rady, P. L., Penzien, J. M., Vargas, T., Tyring, S. K. and Matalon, R. (2000). Novel splice site mutation of aspartoacylase gene in a Turkish patient with Canavan disease. *European Journal of Paediatric Neurology* **4**: 27-30.
- Rafiq, M. A., Ansar, M., Pham, T., Amin-ud-Din, M., Anwar, M., Haque, S., Chahrour, M. H., Yan, K., *et al.* (2004). Localization of a novel locus for hereditary nail dysplasia to chromosome 17q25.1-17q25.3. *Clinical Genetics* **66**: 73-78.
- Rafique, M. A., Ansar, M., Jamal, S. M., Malik, S., Sohail, M., Faiyaz-Ul-Haque, M., Haque, S., Leal, S. M., *et al.* (2003). A locus for hereditary hypotrichosis localized to human chromosome 18q21.1. *European Journal of Human Genetics* **11**: 623-628.
- Ragothaman, M., Sarangmath, N., Chaudhary, S., Khare, V., Mittal, U., Sharma, S., Komatireddy, S., Chakrabarti, S., *et al.* (2004). Complex phenotypes in an Indian family with homozygous SCA2 mutations. *Annals of Neurology* **55**: 130-133.
- Rahi, J. S., Sripathi, S., Gilbert, C. E. and Foster, A. (1995). Childhood blindness in India: causes in 1318 blind school students in nine states. *Eye* **9**: 545-550.
- Rahman, S., Blok, R. B., Dahl, H. H., Kirby, D. M., Chow, C. W., Christodoulou, J. and Thornburn, D. R. (1996). Leigh syndrome: clinical features and biochemical and DNA abnormalities. *Annals of Neurology* **39**: 343-351.

- Rajab, A., Freeman, N. V. and Patton, M. A. (1997). Hirschsprung's disease in Oman. *Journal of Pediatric Surgery* **32**: 724-727.
- Rajab, A., Heathcote, K., Joshi, S., Jeffery, S. and Patton, M. (2002). Heterogeneity for congenital generalized lipodystrophy in seventeen patients from Oman. *American Journal of Medical Genetics* **110**: 219-225.
- Rajab, A., Khaburi, M., Spranger, S., Kunze, J. and Spranger, J. (2003). Congenital generalized lipodystrophy, mental retardation, deafness, short stature, and slender bones: a newly recognized syndrome? *American Journal of Medical Genetics* **121A**: 271-276.
- Rajab, A., Kunze, J. and Mundlos, S. (2004). Spondyloepiphyseal dysplasia Omani type: a new recessive type of SED with progressive spinal involvement. *American Journal of Medical Genetics* **126A**: 413-419.
- Rajab, A., Mochida, G. H., Hill, A., Ganesh, V., Bodell, A., Riaz, A., Grant, P. E., Shugart, Y. Y., *et al.* (2003). A novel form of pontocerebellar hypoplasia maps to chromosome 7q11-21. *Neurology* **60**: 1664-1667.
- Rajab, A., Vaishnav, A., Freeman, N. V. and Patton, M. A. (1998). Neural tube defects and congenital hydrocephalus in the Sultanate of Oman. *Journal of Tropical Pediatrics* **44**: 300-303.
- Rajabian, M. H. and Sherkat, M. (2000). An epidemiologic study of oral clefts in Iran: analysis of 1,669 cases. *Cleft Palate-Craniofacial Journal* **37**: 191-196.
- Ramachandran, P., Penhoat, A., Naville, D., Begeot, M., Osama Abdel-Wareth, L. and Reza Sedaghatian, M. (2003). Familial glucocorticoid deficiency type 2 in two neonates. *Journal of Perinatology* **23**: 62-66.
- RamachandranNair, R., Parameswaran, M. and Girija, A. S. (2004). Vialetto-Van Laere syndrome in two sisters born to consanguineous parents. *Pediatric Neurology* **30**: 354-355.
- Ramadan, D. G., Badawi, M. H., Zaki, M., El Mazidi, Z., Ismail, E. A. R. and El Anzi, H. (1999). Persistent hyperinsulinaemic hypoglycaemia of infancy (nesidioblastosis): a report from Kuwait. *Annals of Tropical Paediatrics* **19**: 55-59.
- Ramoz, N., Rueda, L. A., Bouadjar, B., Favre, M. and Orth, G. (1999). A susceptibility locus for epidermodysplasia verruciformis, an abnormal predisposition to infection with the oncogenic human papillomavirus type 5, maps to chromosome 17qter in a region containing a psoriasis locus. *Journal of Investigative Dermatology* **112**: 259-263.
- Ramoz, N., Taieb, A., Rueda, L. A., Montoya, L. S., Bouadjar, B., Favre, M. and Orth, G. (2000). Evidence for a nonallelic heterogeneity of epidermodysplasia

- verruciformis with two susceptibility loci mapped to chromosome regions 2p21-p24 and 17q25. *Journal of Investigative Dermatology* **114**: 1148-1153.
- Rao, R. S., Subramanyam, M. A., Nair, N. S. and Rajashekhar, B. (2002). Hearing impairment and ear diseases among children of school entry age in rural South India. *International Journal of Pediatric Otorhinolaryngology* **64**: 105-110.
- Rashed, M., Ozand, P. T., Al Aqeel, A. and Gascon, G. G. (1994). Experience of King Faisal Specialist Hospital and Research Center with Saudi organic acid disorders. *Brain and Development* **16**: 1-6.
- Rawashdeh, M. and Manal, H. (2000). Cystic fibrosis in Arabs: a prototype from Jordan. *Annals of Tropical Paediatrics* **20**: 283-286.
- Raz, T., Barrett, T., Szargel, R., Mandel, H., Neufeld, E. J., Nosaka, K., Viana, M. B. and Cohen, N. (1998). Refined mapping of the gene for thiamine-responsive megaloblastic anemia syndrome and evidence for genetic homogeneity. *Human Genetics* **103**: 455-461.
- Reardon, W., Lewis, N. and Hughes, H. E. (1993). Consanguinity, cardiac arrest, hearing impairment, and ECG abnormalities: counselling pitfalls in the Romano-Ward syndrome. *Journal of Medical Genetics* **30**: 325-327.
- Reddy, T. P. K. and Govinda Reddy, P. (1996). Effects on inbreeding on morbidity: a study among three South Indian communities. *Journal of Human Ecology* **7**: 19-23.
- Rein, A. J., Dollberg, S. and Gale, R. (1990). Genetics of conotruncal malformations - review of the literature and report of a consanguineous kindred with various conotruncal malformations. *American Journal of Medical Genetics* **36**: 353-355.
- Reis, E. S., Nudelman, V. and Isaac, L. (2004). Nonsense-codon-mediated decay in human hereditary complement C3 deficiency. *Immunogenetics* **55**: 667-673.
- Rellos, P., Ali, M., Vidailhet, M., Sygusch, J. and Cox, T. M. (1999). Alteration of substrate specificity by a naturally-occurring aldolase B mutation (Ala337->Val) in fructose intolerance. *Biochemical Journal* **340**: 321-327.
- Renner, E. D., Puck, J. M., Holland, S. M., Schmitt, M., Weiss, M., Frosch, M., Bergmann, M., Davis, J., *et al.* (2004). Autosomal recessive hyperimmunoglobulin E syndrome: a distinct disease entity. *Journal of Pediatrics* **144**: 93-99.
- Requena Caballero, I., Arias Gomez, M., Lema Devesa, C., Sanchez Herrero, J., Barros Angueira, F. and Coton Vilas, J. C. (2000). Autosomal recessive chorea-acanthocytosis linked to 9q21. *Neurologia* **15**: 132-135.
- Reutter, H., Shapiro, E. and Gruen, J. R. (2003). Seven new cases of familial isolated bladder exstrophy and epispadias complex (BEEC) and review of the literature. *American Journal of Medical Genetics* **120A**: 215-221.

- Rezai-Delui, H., Lotfi, N., Mamoori, G. and Rahimi, M. B. (1999). Hereditary Gottron's acrogeria with recessive transmission: a report of four cases in one family. *Pediatric Radiology* **29**: 124-130.
- Riazuddin, S., Castelein, C. M., Ahmed, Z. M., Lalwani, A. K., Mastroianni, M. A., Naz, S., Smith, T. N., Liburd, N. A., *et al.* (2000). Dominant modifier DFNM1 suppresses recessive deafness DFNB26. *Nature Genetics* **26**: 431-434.
- Richieri-Costa, A. (1987). Tibial hemimelia-cleft lip/palate in a Brazilian child born to consanguineous parents. *American Journal of Medical Genetics* **28**: 325-329.
- Richieri-Costa, A. and Orquizas, L. C. (1987). Ectrodactyly, cleft lip/palate, ventricular septal defect, micropenis and mental retardation in a Brazilian child born to consanguineous parents. *Revista Brasileira de Genetica* **10**: 787-.
- Richieri-Costa, A. and Pereira, S. C. S. (1992). Short stature, Robin sequence, cleft mandible, pre/postaxial hand anomalies, and clubfoot - a new autosomal recessive syndrome. *American Journal of Medical Genetics* **42**: 681-687.
- Richieri-Costa, A. and Pereira, S. C. S. (1993). Autosomal recessive short stature, Robin sequence, cleft mandible, pre/postaxial hand anomalies, and clubfoot in male patients. *American Journal of Medical Genetics* **47**: 707-709.
- Richieri-Costa, A., Pirollo, L. and Cohen, M. M. (1993). Carpenter syndrome with normal intelligence: Brazilian girl born to consanguineous parents. *American Journal of Medical Genetics* **47**: 281-283.
- Rickert, C. H., Rieder, H., Rehder, H., Hulskamp, G., Hornig-Franz, I., Louwen, F. and Paulus, W. (2002). Neuropathology of Raine syndrome. *Acta Neuropathologica (Berlin)* **103**: 281-287.
- Rinat, C., Wanders, R. J. A., Drukker, A., Halle, D. and Frishberg, Y. (1999). Primary hyperoxaluria type I: a model for multiple mutations in a monogenic disease within a distinct ethnic group. *Journal of the American Society of Nephrology* **10**: 2352-2358.
- Risch, N., de Leon, D., Ozelius, L., Kramer, P., Almasy, L. and Singer, B. (1995). Genetic analysis of idiopathic torsion dystonia in Ashkenazi Jews and their recent descent from a small founder population. *Nature Genetics* **9**: 152-159.
- Rittler, M., Liascovich, R., Lopez-Camelo, J. and Castilla, E. E. (2001). Parental consanguinity in specific types of congenital anomalies. *American Journal of Medical Genetics* **102**: 36-43.
- Roberts, D. F. (1980). Genetic structure and the pathology of an isolated population, In *Population structure and genetic disorders* (eds. Eriksson, A. W.) 7-26 (Academic Press, London).

- Roberts, D. F. (1991). Consanguinity and multiple sclerosis in Orkney. *Genetic Epidemiology* **8**: 147-151.
- Robertson, S. P., Kirk, E., Bernier, F., Brereton, J., Turner, A. and Bankier, A. (1999). Congenital hypertrichosis, osteochondrodysplasia, and cardiomegaly: Cantu syndrome. *American Journal of Medical Genetics* **85**: 395-402.
- Robinson, R., Murray, P., Willshaw, H. E., Raafat, F. and Kelly, D. (1995). Primary ocular posttransplant lymphoproliferative disease. *Journal of Pediatric Ophthalmology and Strabismus* **32**: 393-394.
- Rodini, E. S. and Richieri-Costa, A. (1992). Autosomal recessive blepharoptosis, cleft-lip palate, dental anomalies and ectrodactyly. *American Journal of Medical Genetics* **42**: 340-342.
- Rodrigues Martineli, A. M., Braga, M., De Lacerda, L., Raskin, S. and Graf, H. (1998). Description of a Brazilian patient bearing the R271W Pit-1 gene mutation. *Thyroid* **8**: 299-304.
- Rodriguez Costa, T. (2001). Infantile neuroaxonal dystrophy. A report of two new cases and a review of the literature published over the past ten years. *Revista de Neurologia* **33**: 443-448.
- Roetto, A., Totaro, A., Cazzola, M., Cicilano, M., Bosio, S., D'Ascola, G., Carella, M., Zelante, L., *et al.* (1999). Juvenile hemochromatosis locus maps to chromosome 1q. *American Journal of Human Genetics* **64**: 1388-1393.
- Rogers, N. K., Gilbert, C. E., Foster, A., Zakhidov, B. O. and McCollum, C. J. (1999). Childhood blindness in Uzbekistan. *Eye* **13**: 65-70.
- Roifman, C. M., Zhang, J., Chitayat, D. and Sharfe, N. (2000). A partial deficiency of interleukin-7R alpha is sufficient to abrogate T-cell development and cause severe combined immunodeficiency. *Blood* **96**: 2803-2807.
- Rojas, C. V., Maria, L. S., Santos, J. L., Cortes, F. and Alliende, M. A. (2002). A frameshift insertion in the cone cyclic nucleotide gated cation channel causes complete achromatopsia in a consanguineous family from a rural isolate. *European Journal of Human Genetics* **10**: 638-642.
- Romeo, G., Menozzi, P., Ferlini, A., Fadda, S., Di Donato, S., Uziel, G., Lucci, B., Capodaglio, L., *et al.* (1983). Incidence of Friedreich Ataxia in Italy estimated from consanguineous marriages. *American Journal of Human Genetics* **35**: 523-529.
- Romeo, G., Menozzi, P., Ferlini, A., Prospero, L., Cerone, R., Scalisi, S., Romano, C., Antonozzi, I., *et al.* (1983). Incidence of classic PKU in Italy estimated from consanguineous marriages and from neonatal screening. *Clinical Genetics* **24**: 339-345.

- Romeo, G., Menozzi, P., Mastella, G., Giunta, A., Lodi, G. and Constantini, D. (1981). Studio genetico ed epidemiologico della fibrosi cistica in Italia. *Rivista Italiana di Pediatria* **7**: 201-209 [In Italian].
- Rosenberg, N., Yatuv, R., Orion, Y., Zivelin, A., Dardik, R., Peretz, H. and Seligsohn, U. (1997). Glanzmann thrombasthenia caused by an 11.2-kb deletion in the glycoprotein IIIa (β_3), is a second mutation in Iraqi Jews that stemmed from a distinct founder. *Blood* **89**: 3654-3662.
- Rosenbloom, A. L., Aguirre, J. G., Rosenfeld, R. G. and Fielder, P. J. (1990). The Little Women of Toja - growth hormone receptor deficiency in an inbred population of Southern Ecuador. *New England Journal of Medicine* **323**: 1367-137.
- Rosenthal, M., Addison, G. M. and Price, D. A. (1988). Congenital hypothyroidism: increased incidence in Asian families. *Archives of Disease in Childhood* **63**: 790-793.
- Rosser, E. M., Kaariainen, H., Hurst, J. A., Baraitser, M., Hall, C. M., Clayton, P. and Leonard, J. V. (1998). Three patients with the osteochondrodysplasia and hypertrichosis syndrome - Cantu syndrome. *Clinical Dysmorphology* **7**: 79-85.
- Roume, J., Genin, E., Cormier-Daire, V., Ma, H. W., Mehaye, B., Attie, T., Razavi-Encha, F., Faller-Bianco, C., *et al.* (1998). A gene for Meckel syndrome maps to chromosome 11q13. *American Journal of Human Genetics* **63**: 1095-1101.
- Rozendaal, L., Del Canho, H., Waterham, H. R. and Hennekam, R. C. (2003). Midface hypoplasia, obesity, developmental delay and neonatal hypotonia in two brothers. *Clinical Dysmorphology* **12**: 9-13.
- Ruas, P. M. and Freire-Maia, N. (1984). Inbreeding effects on morbidity: I. Three analyses (one with cousin and sib controls) of two surveys among Brazilian Whites and Negros. *American Journal of Medical Genetics* **18**: 381-387.
- Rudan, I. (1999). Inbreeding and cancer incidence in human isolates. *Human Biology* **71**: 173-187.
- Rudan, I., Campbell, H., Ranzani, G. N., Strnad, M., Vorko-Jovic, A., John, V., Kern, J., Ivankovic, D., *et al.* (1999). Cancer incidence in eastern Adriatic isolates, Croatia: examples from the islands of Krk, Cres, Losinj, Rab and Pag. *Collegium Antropologicum* **23**: 547-556.
- Rudan, I., Padovan, M., Rudan, D., Campbell, H., Biloglav, Z., Janicjevic, B., Smolej-Narancic, N. and Rudan, P. (2002). Inbreeding and nephrolithiasis in Croatian island isolates. *Collegium antropologicum* **26**: 11-21.
- Rudan, I., Ranzani, G. N., Strnad, M., Vorko-Jovic, A., John, V., Unusic, J., Kern, J., Ivankovic, D., *et al.* (1999). Surname as 'cancer risk' in extreme isolates: example from the island of Lastovo, Croatia. *Collegium Antropologicum* **23**: 557-569.

- Rudolph, G., Kalpadakis, P., Bettecken, T., Lichtner, P., Haritoglou, C., Hergersberg, M., Meitinger, T. and Schmidt, H. (2003). Spondylo-ocular syndrome: a new entity with crystalline lens malformation, cataract, retinal detachment, osteoporosis, and platyspondyly. *American Journal of Ophthalmology* **135**: 681-687.
- Ruf, R., Rensing, C., Topaloglu, R., Guay-Woodford, L., Klein, C., Vollmer, M., Otto, E., Beekmann, F., *et al.* (2003). Confirmation of the ATP6B1 gene as responsible for distal renal tubular acidosis. *Pediatric Nephrology* **18**: 105-109.
- Ruf, R. G., Fuchshuber, A., Karle, S. M., Lemainque, A., Huck, K., Wienker, T., Otto, E. and Hildebrandt, F. (2003). Identification of the first gene locus (SSNS1) for steroid-sensitive nephrotic syndrome on chromosome 2p. *Journal of the American Society for Nephrology* **14**: 1897-1900.
- Ruf, R. G., Wolf, M. T., Hennies, H. C., Lucke, B., Zinn, C., Varnholt, V., Lichtenberger, A., Pasch, A., *et al.* (2003). A gene locus for steroid-resistant nephrotic syndrome with deafness maps to chromosome 14q24.2. *Journal of the American Society for Nephrology* **14**: 1519-1522.
- Ruggieri, M., Carbonara, C., Magro, G., Migone, N., Grasso, S., Tinè, A. and Gomez, M. R. (1997). Tuberous sclerosis complex: neonatal deaths in three of four children of consanguineous non-expressing parents. *Journal of Medical Genetics* **34**: 256-260.
- Russo, D., Betterle, C., Arturi, F., Chiefari, E., Girelli, M. E. and Filetti, S. (2000). A novel mutation in the thyrotropin (TSH) receptor gene causing loss of TSH binding but constitutive receptor activation in a family with resistance to TSH. *Journal of Clinical Endocrinology and Metabolism* **85**: 4238-4242.
- Rybojad, M., Moraillon, I., Bonafe, J. L., Cambon, L. and Evrard, P. (1998). Pilar dysplasia: an early marker of giant axonal neuropathy. *Annales de Dermatologie et de Venereologie* **125**: 892-893.