

Clinical Outcomes, Behavioural and Psychiatric Disorders

- Ahmed, A. H. (1979). Consanguinity and schizophrenia in Sudan. *British Journal of Psychiatry* **134**: 635-636.
- Åkesson, H. D., Hagberg, B., Wahlström, J. and Engerström, I. W. (1992). Rett syndrome: A search for gene sources. *American Journal of Medical Genetics* **42**: 104-108.
- Åkesson, H. O., Wahlström, J., Engerström, I. W. and Gagberg, B. (1995). Rett syndrome: potential gene sources - phenotypical variability. *Clinical Genetics* **48**: 169-172.
- al Rashed, A. A., al-Jarallah, A. A., Salih, M. A., Kolawole, T. and al-Jarallah, J. (1999). Sotos syndrome (cerebral gigantism): a clinical and radiological study of 14 cases from Saudi Arabia. *Annals of Tropical Paediatrics* **19**: 197-203.
- Al-Ansari, A. (1993). Etiology of mild mental retardation among Bahraini children: A community-based case control study. *Mental Retardation* **31**: 140-143.
- Al-Eissa, Y. A. (1995). Febrile seizures: Rate and risk factors of recurrence. *Journal of Child Neurology* **10**: 315-319.
- Alfi, O. S., Chang, R. and Azen, S. P. (1980). Evidence for genetic control of nondisjunction in man. *American Journal of Human Genetics* **32**: 477-483.
- Alikasifoglu, M., Topaloglu, H., Tuncbilek, E., Ceviz, N., Anar, B., Demir, E. and Ozme, S. (1999). Clinical and genetic correlates in childhood onset Friedreich ataxia. *Neuropediatrics* **30**: 72-76.
- Al-Sulaiman, A. A. and Ismail, H. M. (1999). Clinical pattern of newly-diagnosed seizures in Saudi Arabia: a prospective study of 263 children. *Child's Nervous System* **15**: 468-471.
- Alvarez, V., Guisasola, L. M., Moreira, V. G., Lahoz, C. H. and Coto, E. (2001). Early-onset Parkinson's disease associated with a new parkin mutation in a Spanish family. *Neuroscience Letters* **313**: 108-110.
- Atakli, D., Soysal, A., Atay, T., Altintas, H., Arpaci, B. and Baybas, S. (1999). Somatosensory evoked potentials and EEG findings in siblings of juvenile myoclonic epilepsy patients. *Epileptic Disorders* **1**: 173-177.
- Badaruddoza, A. M. and Afzal, M. (1993). Inbreeding depression and intelligence quotient among North Indian children. *Behavior Genetics* **23**: 343-347.
- Başaran, N., Cenani, A., Şayli, B. S., Özkinay, C., Artan, S., Seven, H., Basaran, A. and Dinçer, S. (1992). Consanguineous marriages among parents of Down patients. *Clinical Genetics* **42**: 13-15.

- Böök, J. A. and Modrzewska, K. (1980). Late fetal death rates and schizophrenia in a North Swedish isolate, 1800-1975, In *Population Structure and Genetic Disorders* (eds. Eriksson, A. W.) 405-408 (Academic Press, London).
- Böök, J. A., Wetterberg, L. and Modrzewska, K. (1980). Epidemiological and genetic investigations of schizophrenia in a North Swedish geographical isolate, In *Population structure and genetic disorders* (eds. Eriksson, A. W.) 391-404 (Academic Press, London).
- Borglum, A. D., Balslev, T., Haagerup, A., Birkebaek, N., Binderup, H., Kruse, T. A. and Hertz, J. M. (2001). A new locus for Seckel syndrome on chromosome 18p11.31-q11.2. *European Journal of Human Genetics* **9**: 753-757.
- Bremer, J. A. (1951). A social psychiatric investigation of a small community in northern Norway. *Acta Psychiatrica Neurologica* **62**: Supplement 76-84.
- Bulaeva, K. B., Pavlova, T. A., Kurbanov, R. M. and Bulaev, O. A. (2002). [Mapping genes of complex diseases in genetic isolates of Dagestan] *Genetika* **38**: 1539-1548 [In Russian].
- Bulaeva, K. B., Pavlova, T. A., Kurbanov, R. M., Leal, S. and Bulaev, O. A. (2003). [Genetic and epidemiological studies in Dagestan highland isolates] *Genetika* **39**: 413-422 [In Russian].
- Bulayeva, K. B., Leal, S. M., Pavlova, T. A., Kurbanov, R., Coover, S., Bulayev, O. and Byerley, W. (2000). The ascertainment of multiplex schizophrenia pedigrees from Dagestan genetic isolates (Northern Caucasus, Russia). *Psychiatric Genetics* **10**: 67-72.
- Bunday, S., Webb, T. P., Thake, A. and Todd, J. (1985). A community study of severe mental retardation in the West Midlands and the importance of the fragile X-chromosome in its aetiology. *Journal of Medical Genetics* **22**: 258-266.
- Carothers, A. D., Castilla, E. E., Dutra, M. G. and Hook, E. B. (2001). Search for ethnic, geographic, and other factors in the epidemiology of Down syndrome in South America: analysis of data from the ECLAMC project, 1967-1997. *American Journal of Medical Genetics* **103**: 49-156.
- Cereijo, A. I. and Martínez-Frias, M. L. (1993). Consanguineous marriages among parents of patients with Down syndrome. *Clinical Genetics* **44**: 221-222.
- Chaleby, K. (1988). Traditional Arabian marriages and mental health in a group of outpatient Saudis. *Acta Psychiatrica Scandinavica* **77**: 139-142.
- Chaleby, K. and Tuma, T. A. (1987). Cousin marriages and schizophrenia in Saudi Arabia. *British Journal of Psychiatry* **150**: 547-549.
- Chen, K. W., Juang, J. H. and Lin, J. D. (2001). Extreme insulin resistance syndrome. *Chang Gung Medical Journal* **24**: 640-645.

- Choueiri, R. N., Fayad, M. N., Farah, A. and Mikati, M. A. (2001). Classification of epilepsy syndromes and role of genetic factors. *Pediatric Neurology* **24**: 37-43.
- Christopher, R. and Nalini, A. (2002). Cerebral lipidoses in patients with progressive neurodegeneration: a study from south India. *Community Genetics* **5**: 186-191.
- Cohn, D. H., Ehtesham, N., Krakow, D., Unger, S., Shanske, A., Reinker, K., Powell, B. R. and Rimoin, D. L. (2003). Mental retardation and abnormal skeletal development (Dyggve-Melchior-Clausen dysplasia) due to mutations in a novel, evolutionarily conserved gene. *American Journal of Human Genetics* **72**: 419-428.
- Cormier-Daire, V., Dagonneau, N., Nabbout, R., Burglen, L., Penet, C., Soufflet, C., Desguerre, I., Munnich, A., *et al.* (2000). A gene for pyridoxine-dependent epilepsy maps to chromosome 5q31. *American Journal of Human Genetics* **67**: 991-993.
- Corry, P. C. (2002). Intellectual disability and cerebral palsy in a UK community. *Community Genetics* **5**: 201-204.
- Costeff, H. and Cohen, B. E. (1972). Parental consanguinity among Israeli mental retardates. *Acta Paediatrica Scandinavica* **61**: 452-458.
- Costeff, H., Cohen, B. E., Weller, L. and Rahman, D. (1977). Consanguinity analysis in Israeli mental retardates. *American Journal of Human Genetics* **29**: 339-349.
- Criado, G. R. and Aytes, A. P. (1999). Mobius sequence, hypogenitalism, cerebral, and skeletal malformations in two brothers. *American Journal of Medical Genetics* **86**: 492-496.
- Danciger, M., Hendrickson, J., Lyon, J., Toomes, C., McHale, J. C., Fishman, G. A., Inglehearn, C. F., Jacobson, S. G., *et al.* (2001). CORD9 a new locus for arCRD: mapping to 8p11, estimation of frequency, evaluation of a candidate gene. *Investigative Ophthalmology & Visual Science* **42**: 2458-2465.
- de Braekeleer, M., Landry, T. and Cholette, A. (1994). Consanguinity and kinship in Down syndrome in Saguenay Lac-Saint-Jean (Québec). *Annals of Genetics* **37**: 86-88.
- de Costa, M., Jenkins, G. J. and Edwards, L. P. (2001). Consanguineous marriage and pregnancy outcomes in western Sydney, 1999. *Medical Journal of Australia* **175**: 443-444.
- Delague, V., Bareil, C., Bouvagnet, P., Salem, N., Chouery, E., Loiselet, J., Megarbane, A. and Claustres, M. (2001). Nonprogressive autosomal recessive ataxia maps to chromosome 9q34-9qter in a large consanguineous Lebanese family. *Annals of Neurology* **50**: 250-253.
- Devoto, M., Prosperi, L., Bricarelli, F. D., Coviello, D. A., Croci, G., Zelante, L., Ferranti, G., Tenconi, R., *et al.* (1985). Frequency of consanguineous marriages among parents of Down patients. *Human Genetics* **70**: 256-258.

- Dewey, W. J., Barrai, I., Morton, N. E. and Mi, M. P. (1965). Recessive genes in severe mental defect. *American Journal of Human Genetics* **17**: 237-256.
- Durkin, M. S. (2002). The epidemiology of developmental disabilities in low-income countries. *Mental Retardation and Developmental Disability Research Review* **8**: 206-211.
- Durkin, M. S., Hasan, Z. M. and Hasan, K. Z. (1998). Prevalence and correlates of mental retardation among children in Karachi, Pakistan. *American Journal of Epidemiology* **147**: 281-288.
- Durkin, M. S., Khan, N. Z., Davidson, L. L., Huq, S., Munir, S., Rasul, E. and Zaman, S. S. (2000). Prenatal and postnatal risk factors for mental retardation among children in Bangladesh. *American Journal of Epidemiology* **152**: 1024-1033.
- Eapen, V., al-Gazali, L., Bin-Othman, S. and Abou-Saleh, M. (1998). Mental health problems among school children in United Arab Emirates: prevalence and risk factors. *Journal of the American Academy of Childhood and Adolescent Psychiatry* **37**: 880-886.
- el Harim el Mdouar, L., Ôuld Doua, M. and Lahrech, M. T. (1984). Aspects épidémiologiques des déficiences intellectuelles de l'enfant. Expérience de L'Hôpital d' Enfants de Rabat. *Maroc Médical* **6**: 329-337 [In French].
- Farag, T. I., Al-Awadi, S. A., El-Badramary, M. H., Aref, M. A., Kasrawi, B., Krishna Murthy, D. S., el-Khalifa, M. Y., Yadav, G., *et al.* (1993). Disease profile of 400 institutionalized mentally retarded patients in Kuwait. *Clinical Genetics* **44**: 329-334.
- Farag, T. I. and Teebi, A. S. (1988). Possible evidence for genetic predisposition to nodisjunction in man. *Journal of Medical Genetics* **25**: 136-137.
- Fernell, E. (1998). Aetiological factors and prevalence of severe mental retardation in children in a Swedish municipality: the possible role of consanguinity. *Developmental Medicine and Child Neurology* **40**: 608-611.
- Flynn, J. R. (2000). IQ gains, WISC subtests and fluid g: g theory and the relevance of Spearman's hypothesis to race. *Novartis Foundation Symposium* **233**: 202-16; discussion 216-27.
- Flynn, M. P., Martin, M. C., Moore, P. T., Stafford, J. A., Fleming, G. A. and Phang, J. M. (1989). Type II hyperprolinaemia in a pedigree of Irish travellers (nomads). *Archives of Disease in Childhood* **64**: 1699-1707.
- Garner, C., McInnes, L. A., Service, S. K., Spesny, M., Fournier, E., Leon, P. and Freimer, N. B. (2001). Linkage analysis of a complex pedigree with severe bipolar disorder, using a Markov chain Monte Carlo method. *American Journal of Human Genetics* **68**: (4) 1061-1064.

- Girimaji, S. R., Srinath, S. and Seshhadri, S. P. (1994). A clinical study of infants presenting to a mental retardation clinic. *Indian Journal of Pediatrics* **61**: 373-378.
- Grosso, S., Mostadini, R., Cioni, M., Galluzzi, P., Morgese, G. and Balestri, P. (2002). Pontocerebellar hypoplasia type 2: Further clinical characterization and evidence of positive response of dyskinesia to levodopa. *Journal of Neurology* **249**: 596-600.
- Guerrini, R., Barkovich, A. J., Sztriha, L. and Dobyns, W. B. (2000). Bilateral frontal polymicrogyria: a newly recognized brain malformation syndrome. *Neurology* **54**: 909-913.
- Gunduz, E., Demirbilek, V. and Korkmaz, B. (1999). Benign rolandic epilepsy: neuropsychological findings. *Seizure* **8**: 246-249.
- Hafez, M., El-Tahan, H., El-Morsy, Z., Emara, M., Setten, S. and Abdalla, A. (1985). Autosomal recessive genes causing mental deficiency in Egyptian children. *Egyptian Journal of Genetics and Cytology* **14**: 259-264.
- Hamamy, H. A., Al-Hakkak, Z. S. and Al-Taha, S. (1990). Consanguinity and the genetic control of Down syndrome. *Clinical Genetics* **37**: 24-29.
- Hattori, T., Tanaka, S., Shimo, Y., Anno, M., Ohta, S., Ishi, K., Mori, H., Ohkuma, Y., *et al.* (1999). [A 40-year-old woman with progressive dementia and abnormal behavior]. *No To Shinkei* **51**: 185-194 [In Japanese].
- Hoffmann, A. L., Baekgard, P., Beck, B. and Brondum-Nielsen, K. (2002). [Causes of mental retardation in children of immigrant background. A registry study of the occurrence of consanguinity among parents of mentally retarded children at the Center for Handicapped, Glostrup hospital, county of Copenhagen] *Ugeskrift for Laeger* **165**: 42-46 [In Danish].
- Hook, E. B. (1992). Consanguinity and Down syndrome in the Shetland Islands. *Human Genetics* **89**: 462.
- Horn, D., Krebsová, A., Kunze, J. and Reis, A. (2000). Homozygosity mapping in a family with microcephaly, mental retardation, and short stature to a Cohen syndrome region on 8q21.3-8q22.1: Redefining a clinical entity. *American Journal of Medical Genetics* **92**: 285-292.
- Ibrahim, S., Habib, Z., Hyder, S., Azam, I. S. and Ahmed, R. (2001). Perinatal consanguinity: a risk factor for developmental delay in Pakistani children. *Journal of the Pakistani Medical Association* **51**: 418-422.
- Illarioshkin, S. N., Bagieva, G. K., Klyushnikov, S. A., Ovchinnikov, I. V., Markova, E. D. and Ivanova-Smolenskaya, I. A. (2000). Different phenotypes of Friedreich's ataxia within one 'pseudo-dominant' genealogy: relationships between trinucleotide (GAA) repeat lengths and clinical features. *European Journal of Neurology* **7**: 535-540.

- Ippel, P., Breslau-Siderius, E., Hack, W., van der Blij, H., Bouve, S. and Bijlsma, J. (1998). Atelencephalic microcephaly: a case report and review of the literature. *European Journal of Pediatrics* **157**: 493-497.
- Jancar, J. and Johnston, S. J. (1990). Incest and mental handicap. *Journal of Mental Deficiency Research* **34**: 483-490.
- Jensen, A. R. (2000). The g factor: psychometrics and biology. *Novartis Foundation Symposium* **233**: 37-47; discussion 47-57, 116-21.
- Jobard, F., Lefevre, C., Karaduman, A., Blanchet-Bardon, C., Emre, S., Weissenbach, J., Ozguc, M., Lathrop, M., *et al.* (2002). Lipoxygenase-3 (ALOXE3) and 12 (R)-lipoxygenase (ALOX12B) are mutated in non-bullous congenital ichthyosiform erythroderma (NCIE) linked to chromosome 17p13.1. *Human Molecular Genetics* **11**: 107-113.
- Kambouris, M., Bohlega, S., Al-Tahan, A. and Meyer, B. F. (2000). Localization of the gene for a novel autosomal recessive neurodegenerative Huntington-like disorder to 4p15.3. *American Journal of Human Genetics* **66**: 445-452.
- Kamin, L. J. (1980). Inbreeding depression and IQ. *Psychology Bulletin* **87**: 469-478.
- Kayes-Wandover, K. M., Tannin, G. M., Shulman, D., Peled, D., Jones, K. L., Karaviti, L. and White, P. C. (2001). Congenital hyperreninemic hypoaldosteronism unlinked to the aldosterone synthase (CYP11B2) gene. *Journal of Clinical Endocrinology and Metabolism* **86**: 5379-5382.
- Kerr, W. E. and Freire-Maia, N. (1983). Probable inbreeding effect on male homosexuality. *Revista do Brasileira Genetica* **XI**: 177-180.
- Khumalo, N. P., Joss, D. V., Huson, S. M. and Burge, S. (2001). Pigmentary anomalies in ataxia-telangiectasia: a clue to diagnosis and an example of twin spotting. *British Journal of Dermatology* **144**: 369-3671.
- Larson, C. A. (1957). Some aspects of kin matings with mentally defective offspring. *Acta Genetica et Statistica Medica* **7**: 382-385.
- Liburd, N., Ghosh, M., Riazuddin, S., Naz, S., Khan, S., Ahmed, Z., Liang, Y., Menon, P. S., *et al.* (2001). Novel mutations of MYO15A associated with profound deafness in consanguineous families and moderately severe hearing loss in a patient with Smith-Magenis syndrome. *Human Genetics* **109**: 535-541.
- Madhavan, T. and Narayan, J. (1991). Consanguinity and mental retardation. *Journal of Metal Deficiency Research* **35**: 133-139.
- Mahapatra, A. K., Gupta, P. K. and Dev, E. J. (2002). Posterior fonanelle giant encephalocele. *Pediatric Neurosurgery* **36**: 40-43.

- McHale, D. P., Mitchell, S., Bunday, S., Moynihan, L., Campbell, D. A., Woods, C. G., Lench, N. J., Mueller, R. F., *et al.* (1999). A gene for autosomal recessive symmetrical spastic cerebral palsy maps to chromosome 2q24-25. *American Journal of Human Genetics* **64**: 526-532.
- Megarbane, A., Delague, V., Ruchoux, M. M., Rizkallah, E., Maurage, C. A., Viollet, L., Rouaix-Emery, N. and Urtizberea, A. (2001). New autosomal recessive cerebellar ataxia disorder in a large inbred Lebanese family. *American Journal of Medical Genetics* **101**: 135-141.
- Megarbane, A., Delague, V., Salem, N. and Loiselet, J. (1999). Autosomal recessive congenital cerebellar hypoplasia and short stature in a large inbred family (Letter to the Editor). *American Journal of Medical Genetics* **87**: 88-90.
- Megarbane, A., Haddad-Zebouni, S., Nabbout, R., Khoury, A. and Traboulsi, E. (1999). Microcephaly, colobomatous microphthalmia, short stature, and severe psychomotor retardation in two male cousins: a new MCA/MR syndrome? *American Journal of Medical Genetics* **83**: 82-87.
- Miller, R. M. (1967). Parental origins of mental retardation: epidemiological approach. *Journal of Pediatrics* **71**: 455-458.
- Mimouni, D. and Ben-Amitai, D. (2002). Hereditary pincer nail. *Curtis* **69**: 51-52.
- Mitchell, S. J., McHale, D. P., Campbell, D. A., Lench, N. J., Mueller, R. F., Bunday, S. E. and Markham, A. F. (1998). A syndrome of severe mental retardation, spasticity, and tapetoretinal degeneration linked to chromosome 15q24. *American Journal of Human Genetics* **62**: 1070-1076.
- Mitsui, T., Kawai, H., Sakoda, S., Miyata, M. and Saito, S. (1994). Hereditary parkinsonism with multiple system degeneration: beneficial effect of anticholinergics, but not of levodopa. *Journal of the Neurological Sciences* **125**: 153-157.
- Morton, N. E. (1978). Effect of inbreeding on IQ and mental retardation. *Proceedings of the National Academy of Science, U.S.A* **75**: 3906-3908.
- Morton, N. E., Matsuura, J., Bart, R. and Lew, R. (1978). Genetic epidemiology of an institutionalized cohort of mental retardates. *Clinical Genetics* **13**: 449-461.
- Moynihan, L., Jackson, A. P., Roberts, E., Karbani, G., Lewis, I., Corry, P., Turner, G., Mueller, R. F., *et al.* (2000). A third novel locus for primary autosomal recessive microcephaly maps to chromosome 9q34. *American Journal of Human Genetics* **66**: 724-727.

- Muglia, M., Criscuolo, C., Magariello, A., De Michele, G., Scarano, V., D'Adamo, P., Ambrosio, G., Gabriele, A. L., *et al.* (2004). Narrowing of the critical region in autosomal recessive spastic paraplegia linked to the SPG5 locus. *Neurogenetics* **5**: 49-54.
- Nagata, T., Aoki, M., Hasegawa, T., Shiga, Y., Hayashi, T., Higuchi, J., Abe, K., Tanno, T., *et al.* (2001). [An autopsy case of atypical Friedreich's ataxia with chronic idiopathic intestinal pseudo-obstruction]. *Rinsho Shinkeigaku* **41**: 412-417 [In Japanese].
- Naguib, K. K., Al-Awadi, S. A., Moussa, M. A. A., Farag, T. I. and Teebi, A. S. (1989). Effect of parental age, birth order and consanguinity on nondisjunction in the population of Kuwait. *Journal of the Kuwait Medical Association* **23**: 37-43.
- Nakazato, H., Hattori, S., Karashima, S., Kawano, T., Seguchi, S., Kanahori, M. and Endo, F. (2002). Another autosomal recessive form of focal glomerulosclerosis with neurological findings. *Pediatric Nephrology* **17**: 16-19.
- Neitzel, H., Neumann, L. M., Schindler, D., Wirges, A., Tonnie, H., Trimborn, M., Krebsova, A., Richter, R., *et al.* (2002). Premature chromosome condensation in humans associated with microcephaly and mental retardation: a novel autosomal recessive condition. *American Journal of Human Genetics* **70**: 1015-1022.
- Nisipeanu, P., Inzelberg, R., Blumen, S. C., Carasso, R. L., Hattori, N., Matsumine, H. and Mizuno, Y. (1999). Autosomal-recessive juvenile parkinsonism in a Jewish Yemenite kindred: mutation of Parkin gene. *Neurology* **53**: 1602-1604.
- Ohara, K., Takauchi, S., Kokai, M., Morimura, Y., Nakajima, T. and Morita, Y. (1999). Familial dementia with Lewy bodies (DLB). *Clinical Neuropathology* **18**: 232-239.
- Overall, A. D. and Nichols, R. A. (2001). A method for distinguishing consanguinity and population substructure using multilocus genotype data. *Molecular Biology and Evolution* **18**: 2048-2056.
- Pandey, B. N., Jha, A. K. and Das, P. K. L. (1994). Effects of consanguinity of blood groups and intelligence quotient among Muslim children of Purnia, Bihar. *Journal of Human Ecology* **5**: 221-223.
- Panigrahi, I., Phadke, S. R. and Agarwal, S. S. (2002). Mental retardation, ptosis and polydactyly: a new autosomal recessive syndrome? *Clinical Dysmorphology* **11**: 289-292.
- Parvari, R., Hershkovitz, E., Kanis, A., Gorodischer, R., Shalitin, S., Sheffield, V. C. and Carmi, R. (1998). Homozygosity and linkage-disequilibrium mapping of the syndrome of congenital hypoparathyroidism, growth and mental retardation, and dysmorphism to a 1-cM interval on chromosome 1q42-43. *American Journal of Human Genetics* **63**: 163-169.
- Pascual-Castroviejo, I., Pascual-Pascual, S. I., Gutierrez-Molina, M., Urich, H. and Katsetos, C. D. (2003). Cerebellar hypoplasia with heterotopic purkinje cells in the molecular layer and

preservation of the granule layers associated with severe encephalopathy. A new entity? *Neuropediatrics* **34**: 160-164.

Pastor, P., Pastor, E., Carnero, C., Vela, R., Garcia, T., Amer, G., Tolosa, E. and Oliva, R. (2001). Familial atypical progressive supranuclear palsy associated with homozygosity for the delN296 mutation in the tau gene. *Annals of Neurology* **49**: 263-267.

Pawley, N. H., Wang, C., Koide, S. and Nicholson, L. K. (2001). An improved method for distinguishing between anisotropic tumbling and chemical exchange in analysis of ¹⁵N relaxation parameters. *Journal of Biomolecular NMR* **20**: 149-65.

Piao, X., Basel-Vanagaite, L., Straussberg, R., Grant, P. E., Pugh, E. W., Doheny, K., Doan, B., Hong, S. E., *et al.* (2002). An autosomal recessive form of bilateral frontoparietal polymicrogyria maps to chromosome 16q12.2-21. *American Journal of Human Genetics* **70**: 1028-1033.

Pohlenz, J., Dumitrescu, A., Aumann, U., Koch, G., Melchior, R., Prawitt, D. and Refetoff, S. (2002). Congenital secondary hypothyroidism caused by exon skipping due to a homozygous donor splice site mutation in the TSHbeta-subunit gene. *Journal of Clinical Endocrinology and Metabolism* **87**: 336-339.

Pradhan, M., Phadke, S. R., Jain, S. and Agarwal, S. S. (1999). Pachygyria/hypogenitalism: A monogenic syndrome. *American Journal of Medical Genetics* **87**: 254-257.

Prasad, A. J. (1985). First-cousin marriages and psychiatric morbidity. *Canadian Journal of Psychiatry* **30**: 69-70.

Riveline, J. P., Capeau, J., Robert, J. J., Varroud-Vial, M., Cerf-Baron, I., Deburge, A. and Charpentier, G. (2001). Extreme subcutaneous insulin resistance successfully treated by an implantable pump. *Diabetes Care* **24**: 2155-2156.

Roberts, D. F. (1967). Incest, inbreeding and mental abilities. *British Medical Journal* **4**: 336-337.

Roberts, D. F., Roberts, M. J. and Johnston, A. W. (1991). Genetic epidemiology of Down's syndrome in Shetland. *Human Genetics* **87**: 57-60.

Roberts, E., Jackson, A. P., Carradice, A. C., Deeble, V. J., Mannan, J., Rashid, Y., Jafri, H., McHale, D. P., *et al.* (1999). The second locus for autosomal recessive primary microcephaly (MCPH2) maps to chromosome 19q13.1-13.2. *European Journal of Human Genetics* **7**: 815-820.

Roberts, G. E. (1966). A survey of mentally retarded children. I. General findings. *Developmental Medicine and Child Neurology* **8**: 26-33.

- Ruggieri, M., Carbonara, C., Magro, G., Migone, N., Grasso, S., Tinè, A. and Gomez, M. R. (1997). Tuberous sclerosis complex: neonatal deaths in three of four children of consanguineous non-expressing parents. *Journal of Medical Genetics* **34**: 256-260.
- Rystedt, E., Olin, M., Seyama, Y., Buchmann, M., Berstad, A., Eggertsen, G. and Bjorkhem, I. (2002). Cerebrotendinous xanthomatosis: molecular characterization of two Scandinavian sisters. *Journal of Internal Medicine* **252**: 259-264.
- Safi, W., Maiorano, J. N. and Davidson, W. S. (2001). A proteolytic method for distinguishing between lipid-free and lipid-bound apolipoprotein A-I. *Journal of Lipid Research* **42**: 864-872.
- Santhi Devi, K., Veerajju, P. and Sridhara Rama Rao, B. S. (1997). Screening for mucopolysaccharidoses among mentally retarded children. *Journal of Human Ecology* **8**: 73-74.
- Saugstad, L. and Ødegård, Ø. (1986). Inbreeding and schizophrenia. *Clinical Genetics* **30**: 261-275.
- Saugstad, L. and Ødegård, Ø. (1986). Inbreeding and the epidemiology of schizophrenia. In *Human Genetics: Proceedings of the 7th International Congress*, (eds. Vogel, F. and Sperling, K.) 466-473, (Berlin, Springer-Verlag).
- Sayee, R. and Thomas, I. M. (1998). Consanguinity, non-disjunction, parental age and Down's syndrome. *Journal of the Indian Medical Association* **96**: 335-337.
- Shields, J. and Slater, E. (1956). An investigation into the children of cousins. *Acta Genetica et Statistica Medica* **6**: 60-79.
- Sinclair, S. (1972). Etiological factors in mental retardation: a study of 470 cases. *Indian Pediatrics* **9**: 391-396.
- Sinclair, S. (1972). Familial mental retardation and parental consanguinity. *Indian Journal of Medical Research* **60**: 1718-1723.
- Singh, R., Andermann, E., Whitehouse, W. P., Harvey, A. S., Keene, D. L., Seni, M. H., Crossland, K. M., Andermann, F., *et al.* (2001). Severe myoclonic epilepsy of infancy: extended spectrum of GEFS+? *Epilepsia* **42**: 837-844.
- Sinha, G., Corry, P., Subesinghe, D., Wild, J. and Levene, M. I. (1997). Prevalence and type of cerebral palsy in a British ethnic community: the role of consanguinity. *Developmental Medicine and Child Neurology* **39**: 259-262.
- Sogaard, M. and Vedsted-Jakobsen, A. (2003). [Consanguinity and congenital abnormalities]. *Ugeskrift for Laeger* **165**: 1851-1855 [In Danish].

- Sprecher, E., Bergman, R., Richard, G., Lurie, R., Shalev, S., Petronius, D., Shalata, A., Anbinder, Y., *et al.* (2001). Hypotrichosis with juvenile macular dystrophy is caused by a mutation in CDH3, encoding P-cadherin. *Nature Genetics* **29**: 134-136.
- Sridhara Rama Rao, B. S. and Nerayanan, H. S. (1976). Consanguinity and familial mental retardation. *Journal of Medical Genetics* **13**: 27-29.
- Sridhara Rama Rao, B. S., Subash, M. N. and Reddy Narayanan, H. S. (1977). Metabolic anomalies detected during a systematic biochemical screening of mentally retarded cases. *Indian Journal of Medical Research* **65**: 241-247.
- Stoll, C., Alembik, Y., Dott, B. and Roth, M. P. (1998). Study of Down syndrome in 238,942 consecutive births. *Annales de Génétique* **41**: 44-51.
- Straussberg, R., Kornreich, L., Harel, L. and Varsano, I. (1998). Autosomal recessive microcephaly with neonatal myoclonic seizures: clinical and MRI findings. *American Journal of Medical Genetics* **80**: 136-139.
- Strømme, P. and Valvatne, K. (1998). Mental retardation in Norway: prevalence and sub-classification in a cohort of 30,037 children born between 1980 and 1985. *Acta Paediatrica* **87**: 291-296.
- Takei, K., Yamamoto, T., Asano, Y., Iwasaki, S. and Shimazu, K. (2000). [A case of autosomal recessive juvenile parkinsonism (AR-JP) with onset at the age of 6 years]. *Rinsho Shinkeigaku* **40**: 596-599 [In Japanese].
- Temtany, S. A., Kandil, M. R., Demerdash, A. M., Hassan, W. A., Neguid, N. A. and Afifi, H. H. (1994). An epidemiological/genetic study of mental subnormality in Assuit Governate, Egypt. *Clinical Genetics* **46**: 347-351.
- Terreni, L., Calabrese, E., Calella, A. M., Forloni, G. and Mariani, C. (2001). New mutation (R42P) of the parkin gene in the ubiquitinlike domain associated with parkinsonism. *Neurology* **56**: 463-436.
- Topaloglu, H., Talim, B., Vignier, N., Helbling-Leclerc, A. H., Yetuk, M., Afsin, I. E., Caglar, M., Kale, G., *et al.* (1998). Merosin-deficient congenital muscular dystrophy with severe mental retardation and normal cranial MRI: a report of two siblings. *Neuromuscular Disorders* **8**: 169-174.
- Triki, C. and Mhiri, C. (1999). [Rett's syndrome: report of 5 cases in Tunisia]. *Revue Neurologique (Paris)* **155**: 955-959 [In French].
- Tyrer, P. (1996). Comorbidity or consanguinity (Editorial). *British Journal of Psychiatry* **168**: 669-671.

- Ujike, H., Yamamoto, M., Kanzaki, A., Okumura, K., Takaki, M. and Kuroda, S. (2001). Prevalence of homozygous deletions of the parkin gene in a cohort of patients with sporadic and familial Parkinson's disease. *Movement Disorders* **16**: 111-113.
- Valente, E. M., Brancati, F., Ferraris, A., Graham, E. A., Davis, M. B., Breteler, M. M., Gasser, T., Bonifati, V., *et al.* (2002). PARK6-linked parkinsonism occurs in several European families. *Annals of Neurology* **51**: 14-18.
- Van Balkom, I. D., Alders, M., Allanson, J., Bellini, C., Frank, U., De Jong, G., Kolbe, I., Lacombe, D., *et al.* (2002). Lymphedema-lymphangiectasia-mental retardation (Hennekam) syndrome: a review. *American Journal of Medical Genetics* **112**: 412-421.
- van Duijn, C. M., Dekker, M. C., Bonifati, V., Galjaard, R. J., Houwing-Duistermaat, J. J., Snijders, P. J., Testers, L., Breedveld, G. J., *et al.* (2001). Park7, a novel locus for autosomal recessive early-onset parkinsonism, on chromosome 1p36. *American Journal of Human Genetics* **69**: 629-634.
- Vestergaard, H., Lund, S. and Pedersen, O. (2001). Rosiglitazone treatment of patients with extreme insulin resistance and diabetes mellitus due to insulin receptor mutations has no effects on glucose and lipid metabolism. *Journal of Internal Medicine* **250**: 406-414.
- Vézina, H., Heyer, E., Fortier, I., Ouellette, G., Robitaille, Y. and Gauvreau, D. (1999). A genealogical study of Alzheimer disease in the Saguenay region of Quebec. *Genetic Epidemiology* **16**: 412-425.
- Vijaikumar, M., Thappa, D. M. and Jeevankumar, B. (2001). An Indian case of keratoderma hereditarium mutilans (Vohwinkel's syndrome) associated with ichthyosiform dermatosis. *Journal of Dermatology* **28**: 560-563.
- Wakamoto, H., Hayashi, M., Nagao, H., Morimoto, T. and Kida, K. (2004). Clinical investigation of genetic contributions to childhood-onset epilepsies and epileptic syndromes. *Brain Development* **26**: 184-189.
- Wilkinson, P. A., Crosby, A. H., Turner, C., Patel, H., Wood, N. W., Schapira, A. H. and Warner, T. T. (2003). A clinical and genetic study of SPG5A linked autosomal recessive hereditary spastic paraplegia. *Neurology* **61**: 235-238.
- Yamashita, I., Sasaki, H., Yabe, I., Kikuchi, S., Chin, S., Fukazawa, T., Okumura, H. and Tashiro, K. (2000). Recessively inherited spastic paraplegia associated with ataxia, congenital cataracts, thin corpus callosum and axonal neuropathy. *Acta Neurologica Scandinavica* **102**: 65-69.
- Yaqoob, M., Bashir, A., Tareen, K., Gustavson, K. H., Nazir, R., Jalil, F., von Döbeln, U. and Ferngren, H. (1995). Severe mental retardation in 2 to 24-month-old children in Lahore, Pakistan: a prospective cohort study. *Acta Paediatrica* **84**: 267-272.

Yasseen, A. A. and Al-Musawi, T. A. (2001). Cytogenetics study in severely mentally retarded patients. *Saudi Medical Journal* **22**: 444-449.

Yassin, K. M. (2000). Incidence and socioeconomic determinants of abortion in rural Upper Egypt. *Public Health* **114**: 269-272.

Yokoyama, S., Reich, T. and Morgan, K. (1981). Inbreeding and the genetic control of non-disjunction. *Human Genetics* **59**: 125-128.