

## Clinical Outcomes, Physical Disorders (G)

- Gahukamble, D. B. and Gahukamble, L. D. (2002). Multiple gastrointestinal atresias in two consecutive siblings. *Pediatric Surgery International* **18**: 175-177.
- Galera, M. F., de Silva Patricio, F. R., Lederman, H. M., Porciuncula, C. G., Lopes Monleo, I. and Brunoni, D. (1999). Blomstrand chondrodysplasia: a lethal sclerosing skeletal dysplasia. Case report and review. *Pediatric Radiology* **29**: 842-845.
- Galron, D., Birk, O. S., Kazanovitz, A., Moses, S. W. and Hershkovitz, E. (2004). Carnitine-acylcarnitine translocase deficiency: identification of a novel molecular defect in a Bedouin patient. *Journal of Inherited Metabolic Disease* **27**: 267-273.
- Ganga, N. and Rajagopal, B. (1991). Deafness in children - an analysis. *Indian Pediatrics* **28**: 273-276.
- Garaev, Z. I. (1999). Maxillodental anomalies and consanguineous marriages. *Stomatologija (Mosk)* **78**: 50-52.
- Garcia-Minaur, S. and Botella, M. P. (2000). Further case of aminopterin syndrome sine aminopterin in a Spanish child. *American Journal of Medical Genetics* **95**: 320-324.
- Garrett, C. and Tripp, J. H. (1988). Unknown syndrome: mental retardation with postaxial polydactyly, congenital absence of hair, severe seborrhoeic dermatitis, and Perthes' disease of the hip. *Journal of Medical Genetics* **25**: 270-272.
- Garrod, A. E. (1902). The incidence of alkaptonuria: a study in chemical individuality. *Lancet* **ii**: 1616-1620.
- Garrod, A. E. (1908). Inborn errors of metabolism (Croonian Lectures). *Lancet* **ii**: 1-7, 73-79, 142-148, 214-220.
- Gasser, B., Lindner, V., Dreyfus, M., Feidt, X., Leissner, P., Treisser, A. and Stoll, C. (1998). Prenatal diagnosis of Walker-Warburg syndrome in three sibs. *American Journal of Medical Genetics* **5**: 107-110.
- Gatrad, A. R., Read, A. P. and Watson, G. H. (1984). Consanguinity and complex cardiac anomalies with situs ambiguus. *Archives of Disease in Childhood* **59**: 242-245.
- Gat-Yablonski, G., Lazar, L., Pertzelan, A. and Phillip, M. (2002). A novel mutation in PIT-1: phenotypic variability in familial combined pituitary hormone deficiencies. *Journal of Pediatric Endocrinology and Metabolism* **15**: 325-330.
- Gat-Yablonski, G., Mandel, H., Fowler, B., Taleb, O. and Sela, B. A. (2000). Homocystinuria in the Arab population of Israel: identification of two novel mutations using DGGE analysis. *Human Mutation* **16**: 372.

- Gaucher, C., Uno, H., Yamazaki, T., Mashiba, H. and Mazurier, C. (1998). A new candidate mutation (N528S) within the von Willebrand factor propeptide identified in a Japanese patient with phenotype IIC of von Willebrand disease. *European Journal of Haematology* **61**: 145-148.
- Gelb, B. D., Edelson, J. G. and Desnick, R. J. (1995). Linkage of pycnodynostosis to chromosome 1q21 by homozygosity mapping. *Nature Genetics* **10**: 235-237.
- Gencik, A., Gencikova, A. and Ferák, V. (1982). Population genetical aspects of primary congenital glaucoma. I. Incidence, prevalence, gene frequency, and age of onset. *Human Genetics* **61**: 193-197.
- Geneste, O., Bidaud, C., De Vita, G., Hofstra, R. M., Tartare-Deckert, S., Buys, C. H., Lenoir, G. M., Santoro, M., *et al.* (1999). Two distinct mutations of the RET receptor causing Hirschsprung's disease impair the binding of signalling effectors to a multifunctional docking site. *Human Molecular Genetics* **8**: 1989-1999.
- Genin, E., Huebner, A., Jaillard, C., Faure, A., Halaby, G., Saka, N., Clark, A. J., Durand, P., *et al.* (2002). Linkage of one gene for familial glucocorticoid deficiency type 2 (FGD2) to chromosome 8q and further evidence of heterogeneity. *Human Genetics* **111**: 428-434.
- George, K., Vedamony, J., Idikulla, J. and Rao, P. S. (1992). The effect of consanguinity on pregnancy-induced hypertension. *Australian and New Zealand Journal of Obstetrics and Gynecology* **32**: 231-232.
- Geraghty, M. T., Vaughn, D., Nicholson, A. J., Lin, W. W., Jimenez-Sanchez, G., Obie, C., Flynn, M. P., Valle, D., *et al.* (1998). Mutations in the Delta1-pyrroline 5-carboxylate dehydrogenase gene cause type II hyperprolinemia. *Human Molecular Genetics* **7**: 1411-1415.
- Gerber, S., Perrault, I., Hanein, S., Barbet, F., Ducrocq, D., Ghazi, I., Martin-Coignard, D., Leowski, C., *et al.* (2001). Complete exon-intron structure of the RPGR-interacting protein (RPGRIP1) gene allows the identification of mutations underlying Leber congenital amaurosis. *European Journal of Human Genetics* **9**: 561-571.
- Gerber, S., Perrault, I., Hanein, S., Shalev, S., Zlotogora, J., Barbet, F., Ducrocq, D., Dufier, J., *et al.* (2002). A novel mutation disrupting the cytoplasmic domain of CRB1 in a large consanguineous family of Palestinian origin affected with Leber congenital amaurosis. *Ophthalmic Genetics* **23**: 225-235.
- Gerber, S., Rozet, J. M., Takezawa, S. I., dos Santos, L. C., Lopes, L., Gribouval, O., Penet, C., Perrault, I., *et al.* (2000). The photoreceptor cell-specific nuclear receptor gene (PNR) accounts for retinitis pigmentosa in the Crypto-Jews from Portugal (Marranos), survivors from the Spanish Inquisition. *Human Genetics* **107**: 276-284.

- German, J., Roe, A. M., Leppert, M. F. and Ellis, N. A. (1994). Bloom syndrome: an analysis of consanguineous families assigns the locus mutated to chromosome band 15q26.1. *Proceedings of the National Academy of Science U.S.A.* **91**: 6669-6673.
- Gershoni-Baruch, R., Shinawi, M., Shamaly, H., Katsinets, L. and Brik, R. (2002). Familial Mediterranean fever: The segregation of four different mutations in 13 individuals from one inbred family: Genotype-phenotype correlation and intrafamilial variability. *American Journal of Medical Genetics* **109**: 198-201.
- Gertner, J. M., Wajnrajch, M. P. and Leibel, R. L. (1998). Genetic defects in the control of growth hormone secretion. *Hormone Research* **49**: 9-14.
- Gev, D., Roguin, N. and Freundlich, E. (1986). Consanguinity and congenital heart disease in the rural Arab population in Northern Israel. *Human Heredity* **36**: 213-217.
- Ghaffer, K. A., Zahran, F. M., Fahmy, H. M. and Brown, R. S. (1999). Papillon-Lefevre syndrome: neutrophil function in 15 cases from 4 families in Egypt. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics* **88**: 320-325.
- Ghiasvand, N. M., Shirzad, E., Naghavi, M. and Vaez Mahavi, M. R. (1998). High incidence of autosomal recessive nonsyndromal congenital retinal nonattachment (NCRNA) in an Iranian founding population. *American Journal of Medical Genetics* **78**: 226-232.
- Gilbert, C., Rahi, J., Eckstein, M. and Foster, A. (1995). Hereditary disease as a cause of childhood blindness: regional variation. *Ophthalmic Genetics* **16**: 1-10.
- Gilbert, C. E., Canovas, R., Hagan, M., Rao, S. and Foster, A. (1993). Causes of childhood blindness: results from West Africa, South India and Chile. *Eye* **7**: 184-188.
- Ginter, E. K., Zinchenko, R. A., El'chinova, G. I., Galkina, V. A., Rudenskaia, G. E., Kirillov, A. G., Khlebnikova, O. V., Larina, T., et al. (2001). [Genetic epidemiological study of populations in three regions of Chuvashia Republic]. *Genetika* **37**: 840-847 [In Russian].
- Giordano, P. C., Harteveld, C. L., Bok, L. A., van Delft, P., Batelaan, D., Beemer, F. A. and Bernini, L. F. (1999). A complex haemoglobinopathy diagnosis in a family with both beta zero- and alpha (zero/+) thalassaemia homozygosity. *European Journal of Human Genetics* **7**: 163-168.
- Girimaji, S. R., Srinath, S. and Seshhadri, S. P. (1994). A clinical study of infants presenting to a mental retardation clinic. *Indian Journal of Pediatrics* **61**: 373-378.

- Giunta, C., Nuytinck, L., Raghunath, M., Hausser, I., De Paepe, A. and Steinmann, B. (2002). Homozygous Gly530Ser substitution in COL5A1 causes mild classical Ehlers-Danlos syndrome. *American Journal of Medical Genetics* **109**: 284-290.
- Glaser, D., Herbst, J., Roggenkamp, K., Tünte, W. and Lenz, W. (1989). Robinow syndrome with parental consanguinity. *European Journal of Pediatrics* **148**: 652-654.
- Glinka, J., Artaria, T. and Koesbardiati, S. (1996). On the relationship between cleft lip and cleft palate and consanguinity. *Homo* **46**: 253-255.
- Gögüs, S., Topcu, M., Küçükali, T., Akçoren, Z., Berkel, I., Ersoy, F., Günay, M. and Saatçi, I. (1995). Griscelli syndrome: report of three cases. *Pediatric Pathology and Laboratory Medicine* **15**: 309-319.
- Gohlich-Ratmann, G., Lackner, A., Schaper, J., Voit, T. and Gillessen-Kaesbach, G. (2000). Syndrome of gingival hypertrophy, hirsutism, mental retardation and brachymetacarpia in two sisters: specific entity or variant of a described condition? *American Journal of Medical Genetics* **95**: 241-246.
- Goldman, A. S. (1967). Congenital malformations and a world survey. *Clinical Pediatrics of Philadelphia* **6**: 675-677.
- Gomes, K. B., Fernandes, A. P., Ferreira, A. C., Pardini, H., Garg, A., Magre, J. and Pardini, V. C. (2004). Mutations in the seipin and AGPAT2 genes clustering in consanguineous families with Berardinelli-Seip congenital lipodystrophy from two separate geographical regions of Brazil. *Journal of Clinical Endocrinology and Metabolism* **89**: 357-361.
- Goodship, J., Gill, H., Carter, J., Jackson, A., Splitter, M. and Wright, M. (2000). Autozygosity mapping of a Seckel syndrome locus to chromosome 3q22. 1-q24. *American Journal of Human Genetics* **67**: 498-503.
- Goransdotter Ericson, K., Fadeel, B., Nilsson-Ardnor, S., Soderhall, C., Samuelsson, A., Janka, G., Schneider, M., Gurgey, A., et al. (2001). Spectrum of perforin gene mutations in familial hemophagocytic lymphohistiocytosis. *American Journal of Human Genetics* **68**: 590-597.
- Gordon, C. R., Bar-Ziv, Y., Frydman, M., Zlotogora, J. and Gadoth, N. (1990). Mucolipidosis III and Bardet-Biedl syndrome in the same family: Diagnostic pitfalls. *Brain Development* **12**: 403-407.
- Gouider, R., Ibrahim, S., Fredj, M., Gargouri, A., Saidi, H., Quezzani, R., Malafosse, A., Yahiaoui, M., et al. (1998). Unverricht-Lundborg disease: clinical and electrophysiologic study of 19 Maghreb families. *Revue Neurologique (Paris)* **154**: 503-507 [In French].
- Gouider-Khouja, N., Belal, S., Hamida, M. B. and Hentati, F. (2000). Clinical and genetic study of familial Parkinson's disease in Tunisia. *Neurology* **54**: 1603-1609.

- Gourie-Devi, M. and Nalini, A. (2003). Madras motor neuron disease variant, clinical features of seven patients. *Journal of Neurological Science* **209**: 13-17.
- Gozukara, E. M., Khan, S. G., Metin, A., Emmert, S., Busch, D. B., Shahlav, T., Coleman, D. M., Miller, M., et al. (2001). A stop codon in xeroderma pigmentosum group C families in Turkey and Italy: molecular genetic evidence for a common ancestor. *The Journal of Investigative Dermatology* **117**: 197-204.
- Grattan-Smith, P. J., Wevers, R. A., Steenbergen-Spanjers, G. C., Fung, V. S., Earl, J. and Wilcken, B. (2002). Tyrosine hydroxylase deficiency: clinical manifestations of catecholamine insufficiency in infancy. *Movement Disorders* **17**: 354-359.
- Green, J. S. and Johnston, G. J. (1983). Hereditary diseases as causes of blindness in Newfoundland: preliminary report. *Canadian Journal of Ophthalmology* **18**: 281-284.
- Groggin, M. and O' Keefe, M. (1991). Childhood blindness in the Republic of Ireland: a national survey. *British Journal of Ophthalmology* **75**: 425-429.
- Grohmann, K., Varon, R., Stoltz, P., Schuelke, M., Janetzki, C., Bertini, E., Bushby, K., Muntoni, F., et al. (2003). Infantile spinal muscular atrophy with respiratory distress type 1 (SMARD1). *Annals of Neurology* **54**: 719-724.
- Gross, O., Netzer, K. O., Lambrecht, R., Seibold, S. and Weber, M. (2003). Novel COL4A4 splice defect and in-frame deletion in a large consanguine family as a genetic link between benign familial haematuria and autosomal Alport syndrome. *Nephrology, Dialysis and Transplantation* **18**: 1122-1127.
- Grossman, R. F., Tu, S.-H., Duh, Q.-Y., Siperstein, A. E., Novosolov, F. and Clark, O. H. (1995). Familial nonmedullary thyroid cancer - an emerging entity that warrants aggressive treatment. *Archives of Surgery* **130**: 892-899.
- Grosso, S., Mostadini, R., Cioni, M., Galluzzi, P., Morgese, G. and Balestri, P. (2002). Pontocerebellar hypoplasia type 2: further clinical characterization and evidence of positive response of dyskinesia to levodopa. *Journal of Neurological Science* **249**: 596-600.
- Gu, S., Kumaramanickavel, G., Srikanth, C. R., Denton, M. J. and Gal, A. (1999). Autosomal recessive retinitis pigmentosa locus RP28 maps between D2S1337 and D2S286 on chromosome 2p11-p15 in an Indian family. *Journal of Medical Genetics* **36**: 705-707.
- Guay-Woodford, L. M. and Desmond, R. A. (2003). Autosomal recessive polycystic kidney disease: the clinical experience in North America. *Pediatrics* **111**: 1072-1080.
- Guicheney, P., Vignier, N., Zhang, X., He, Y., Craud, C., Frey, V., Helbling-Leclerc, A., Richard, P., et al. (1998). PCR based mutation screening of the laminin alpha2 chain gene (LAMA2): application to prenatal diagnosis and search for

founder effects in congenital muscular dystrophy. *Journal of Medical Genetics* **35**: 211-217.

Guilbot, A., Ravise, N., Bouhouche, A., Coullin, P., Birouk, N., Maisonobe, T., Kuntzer, T., Vial, C., et al. (1999). Genetic, cytogenetic and physical refinement of the autosomal recessive CMT linked to 5q31-q33: exclusion of candidate genes including EGR1. *European Journal of Human Genetics* **7**: 849-859.

Guilbot, A., Williams, A., Ravise, N., Verny, C., Brice, A., Sherman, D. L., Brophy, P. J., LeGuern, E., et al. (2001). A mutation in periaxin is responsible for CMT4F, an autosomal recessive form of Charcot-Marie-Tooth disease. *Human Molecular Genetics* **10**: 415-421.

Guillen-Navarro, E., Wallwestein, R., Moran, E., Chu, M. L. and Grant, A. (1998). A new form of complicated hereditary spastic paraparesis with cataracts, atretic ear canals and hypopigmentation. *Clinical Neurology and Neurosurgery* **100**: 64-67.

Guion-Almeida, M. L. and Richieri-Costa, A. (1999). New syndrome of growth and mental retardation, structural anomalies of the central nervous system, and first branchial arch, anophthalmia, heminasal a/hypoplasia, and atypical clefting: report on four Brazilian patients. *American Journal of Medical Genetics* **87**: 237-244.

Guion-Almeida, M. L. and Richieri-Costa, A. (2000). Amniotic band sequence versus the autosomal recessive microcephaly, facial clefting, and preaxial polydactyly syndrome. *Clinical Dysmorphology* **9**: 297-299.

Guion-Almeida, M. L. and Rodini, E. S. (1995). Michels syndrome in a Brazilian girl born to consanguineous parents. *American Journal of Medical Genetics* **57**: 377-379.

Gul, D. and Oktenli, C. (2002). Evidence for autosomal recessive inheritance of split hand/split foot malformation: a report of nine cases. *Clinical Dysmorphology* **11**: 183-186.

Gul, D., Oktenli, C., Saglam, M. and Erdem, U. (2000). Craniofacial anomalies, ocular findings, pigmented nevi, camptodactyly, and skeletal changes: a possible new autosomal recessive disorder. *Clinical Dysmorphology* **9**: 61-62.

Gunduz, E., Demirbilek, V. and Korkmaz, B. (1999). Benign rolandic epilepsy: neuropsychological findings. *Seizure* **8**: 246-249.

Gupta, R., Memon, A., Al-Khawaril, H., Kehinde, E. O., Al-Eisa, A., Humad, S., Hebbar, S. and Ashebu, S. D. (2002). The prevalence and pattern of congenital anomalies of the urinary tract detected by intravenous urography in Kuwait. *International Urology and Nephrology* **34**: 477-483.

Gurakan, F., Kocak, N. and Yuce, A. (1995). Congenital generalized lipodystrophy: Berardinelli syndrome. Report of two siblings. *Turkish Journal of Pediatrics* **37**: 241-246.

- Guran, S. and Tali, E. T. (1999). p53 and p16INK4A mutations during the progression of glomus tumor. *Pathology Oncology Research* **5**: 41-45.
- Gürer, Y. K., Küknar, S., Kunak, B. and Yilmaz, S. (1995). Congenital ocular motor apraxia in two siblings. *Pediatric Neurology* **13**: 261-262.
- Gurgey, A., Gogus, S., Ozyurek, E., Aslan, D., Gumruk, F., Cetin, M., Yuce, A., Ceyhan, M., et al. (2003). Primary hemophagocytic lymphohistiocytosis in Turkish children. *Pediatric Hematology and Oncology* **20**: 367-371.
- Guttenbach, M., Feichtinger, W., Nassar, N., Steinlein, C., Nanda, I., Wanner, G., Kerem, B. and Schmid, M. (1998). An interstitial nucleolus organizer region in the long arm of human chromosome 7: cytogenetic characterization and familial segregation. *Cytogenetics and Cell Genetics* **80**: 104-112.
- Guy, R., Forsyth, J. M., Cooper, A. and Morton, R. E. (2001). Co-existence of lysosomal storage diseases in a consanguineous family. *Child: Care, Health and Development* **27**: 173-181.