

Clinical Outcomes, Physical Disorders (S-T)

- Saar, K., Al-Gazali, L., Sztriha, L., Rueschendorf, F., Nur, E. K. M., Reis, A. and Bayoumi, R. (1999). Homozygosity mapping in families with Joubert syndrome identifies a locus on chromosome 9q34.3 and evidence for genetic heterogeneity. *American Journal of Human Genetics* **65**: 1666-1671.
- Saar, K., Schindler, D., Wegner, R. D., Reis, A., Wienker, T. F., Hoehn, H., Joenje, H., Sperling, K., *et al.* (1998). Localisation of a Fanconi anaemia gene to chromosome 9p. *European Journal of Human Genetics* **6**: 501-508.
- Saatci, A. O., Yaman, A., Oner, F. H., Ergin, M. H. and Cingil, G. (2002). Indocyanine green angiography in Bietti's crystalline retinopathy. *Canadian Journal of Ophthalmology* **37**: 346-351.
- Sabry, M., Zaki, M., Abul Hassan, S., Ramadan, D., Abdel Rasool, M., al Awadi, S. and al Saleh, Q. (1998). Kenny-Caffey syndrome is part of the CATCH 22 haploinsufficiency cluster. *Journal of Medical Genetics* **35**: 31-36.
- Sack, J., Feldman, I. and Kaiserman, I. (1998). Congenital hypothyroidism screening in the West Bank: a test case for screening in developing regions. *Hormone Research* **50**: 151-154.
- Sacksteder, K. A., Biery, B. J., Morrell, J. C., Goodman, B. K., Geisbrecht, B. V., Cox, R. P., Gould, S. J. and Geraghty, M. T. (2000). Identification of the alpha-aminoadipic semialdehyde synthase gene, which is defective in familial hyperlysinemia. *American Journal of Human Genetics* **66**: 1736-43.
- Sahu, S., Banavali, S. D., Pai, S. K., Nair, C. N., Kurkure, P. A., Motwani, S. A. and Advani, S. H. (1998). Retinoblastoma: problems and perceptives from India. *Pediatric Hematology and Oncology* **15**: 501-508.
- Saito, T. (1988). An expected decrease in the incidence of autosomal recessive disease due to decreasing consanguineous marriages. *Genetic Epidemiology* **5**: 421-432.
- Sakimoto, T., Kanno, H., Shoji, J., Kashima, Y., Nakagawa, S., Miwa, S. and Sawa, M. (2003). A novel nonsense mutation with a compound heterozygous mutation in TGFBI gene in lattice corneal dystrophy type I. *Japanese Journal of Ophthalmology* **47**: 13-17.
- Saleh, E. A., Mahfouz, A. A., Tayel, K. Y., Naguib, M. K. and Bin-al-Shaikh, N. M. (2000). Hypertension and its determinants among primary-school children in Kuwait: an epidemiological study. *Eastern Mediterranean Health Journal* **6**: 333-337.
- Salemi, S., Besson, A., Eble, A., Gallati, S., Pfaffle, R. W. and Mullis, P. E. (2003). New N-terminal located mutation (Q4ter) within the POU1F1-gene (PIT-1) causes recessive combined pituitary hormone deficiency and variable phenotype. *Growth Hormone and IGF Research* **13**: 264-268.

- Salgado, L. J., Ali, C. A. and Castilla, E. E. (1989). Brief clinical report: acrocallosal syndrome in a girl born to consanguineous parents. *American Journal of Medical Genetics* **32**: 298-300.
- Salih, M. A., Al Rayess, M., Cutshall, S., Urtizberea, J. A., Al-Turaiki, M. H., Ozo, C. O., Straub, V., Akbar, M., *et al.* (1998). A novel form of familial congenital muscular dystrophy in two adolescents. *Neuropediatrics* **29**: 289-293.
- Salih, M. A., Mahdi, A. H., al-Jarallah, A. A., al-Jarallah, A. S., al-Saadi, M., Hafeez, M. A. and Aziz, S. A. (1996). Childhood neuromuscular disorders: a decade's experience in Saudi Arabia. *Annals of Tropical Paediatrics* **16**: 271-280.
- Sandford-Smith, J. (1995). Editorial - childhood blindness in India. *Eye* **9**: 545-550.
- Santadusit, S., Visitsunthon, N., Ochs, H. D. and Vichyanond, P. (2000). X-linked hyper IgM syndrome: a report of the first case in Thailand with a confirmed mutation of CD40 ligand gene. *Asian Pacific Journal of Allergy and Immunology* **18**: 165-168.
- Sarioglu, A., Tanyel, F. C., Buyukpamukeu, N. and Hicsonmez, A. (1997). Hirschsprung-associated congenital anomalies. *European Journal of Pediatric Surgery* **7**: 331-337.
- Sarper, N., Ipek, I. O., Ceran, O., Karaman, S., Bozaykut, A. and Inan, S. (2003). A rare syndrome in the differential diagnosis of hepatosplenomegaly and pancytopenia: report of identical twins with Griscelli disease. *Annals of Tropical Paediatrics* **23**: 69-73.
- Sasaki, M., Kondo, E., Yamashita, Y., Toda, T. and Nonaka, I. (1999). A patient of Walker-Warburg syndrome with a haplotype different from that in Fukuyama-type congenital muscular dystrophy. *No To Hattatsu* **31**: 445-451.
- Sasaki, R., Ichiyasu, H., Ito, N., Ikeda, T., Takano, H., Ikeuchi, T., Kuzuhara, S., Uchino, M., *et al.* (1999). Novel chloride channel gene mutations in two unrelated Japanese families with Becker's autosomal recessive generalized myotonia. *Neuromuscular Disorders* **9**: 587-592.
- Sauer, I., Klein, B., Leeners, B., Cotarelo, C., Heyl, W. and Funk, A. (2000). [Lethal osteochondrodysplasias: prenatal and postnatal differential diagnosis]. *Ultraschall in der Medizin* **21**: 112-121 [In German].
- Saxena, A., Hanukoglu, I., Saxena, D., Thompson, R. J., Gardiner, R. M. and Hanukoglu, A. (2002). Novel mutations responsible for autosomal recessive multisystem pseudohypoadosteronism and sequence variants in epithelial sodium channel alpha-, beta-, and gamma-subunit genes. *Journal of Clinical Endocrinology and Metabolism* **87**: 3344-3350.
- Sayee, R. and Thomas, I. M. (1998). Consanguinity, non-disjunction, parental age and Down's syndrome. *Journal of the Indian Medical Association* **96**: 335-337.

- Sayli, B. S., Akarsu, A. N. and Altan, S. (1995). Anophthalmos-syndactyly (Waardenburg) syndrome without oligodactyly of toes. *American Journal of Medical Genetics* **58**: 18-20.
- Scaap, T., Even-Paz, Z., Hodes, M. E., Cohen, M. M. and Hacham-Zadeh, S. (1982). The genetic analysis of monilethrix in a large inbred kindred. *American Journal of Medical Genetics* **11**: 469-474.
- Schaap, C., Taylor, D. and Baraitser, M. (1995). Three mildly retarded siblings with congenital cataracts, sensorineural deafness, hypogonadism, hypertrichosis and short stature: a new syndrome? *Clinical Dysmorphology* **4**: 283-288.
- Schaefer, G. B., Rosenbloom, A. L., Guevara-Aguirre, J., Campbell, E. A., Ullrich, F., Patil, K. and Frias, J. L. (1994). Facial morphometry of Ecuadorian patients with growth hormone receptor deficiency/Laron syndrome. *Journal of Medical Genetics* **31**: 635-639.
- Schara, U., Tucke, J., Mortier, W., Nusslein, T., Rouan, F., Pfendner, E., Zillikens, D., Bruckner-Tuderman, L., *et al.* (2004). Severe mucous membrane involvement in epidermolysis bullosa simplex with muscular dystrophy due to a novel plectin gene mutation. *European Journal of Pediatrics* **163**: 218-222.
- Scharfe, C., Hauschild, M., Klopstock, T., Janssen, A. J., Heidemann, P. H., Meitinger, T. and Jaksch, M. (2000). A novel mutation in the thiamine responsive megaloblastic anaemia gene SLC19A2 in a patient with deficiency of respiratory chain complex I. *Journal of Medical Genetics* **37**: 669-673.
- Schmidt, H., Rudolph, G., Hergersberg, M., Schneider, K., Moradi, S. and Meitinger, T. (2001). Retinal detachment and cataract, facial dysmorphism, generalized osteoporosis, immobile spine and platyspondyly in a consanguineous kindred--a possible new syndrome. *Clinical Genetics* **59**: 99-105.
- Schorderet, D. F., Dahoun, S., Defrance, I., Nusslé, D. and Morris, M. A. (1992). Robinow syndrome in two siblings from consanguineous parents. *European Journal of Pediatrics* **151**: 586-589.
- Schrader, H., Lund, R. T., Halvorsen, T. B., Moen, K. M. and Bergan, U. (2000). Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy. *Tidsskrift for den Norske Laegeforening* **120**: 2520-2523 [In Norwegian].
- Schuermann, M. J., Otto, E., Becker, A., Saar, K., Ruschendorf, F., Polak, B. C., Ala-Mello, S., Hoefele, J., *et al.* (2002). Mapping of gene loci for nephronophthisis type 4 and Senior-Loken syndrome, to chromosome 1p36. *American Journal of Human Genetics* **70**: 1240-1246.
- Schull, W. J. (1958). Empirical risks in consanguineous marriages: sex ratio, malformation and viability. *American Journal Human Genetics* **10**: 294-343.
- Schull, W. J. and Neel, J. V. (1965). *The Effects of Inbreeding on Japanese Children*. (Harper and Row, New York).

- Schulman, H., Tsodikow, V., Einhorn, M., Levy, Y., Shorer, Z. and Hertzanu, Y. (2001). Congenital insensitivity to pain with anhidrosis (CIPA): the spectrum of radiological findings. *Pediatric Radiology* **31**: 701-705.
- Schwab, K. O., Ensenauer, R., Matern, D., Uyanik, G., Schnieders, B., Wanders, R. A. and Lehnert, W. (2003). Complete deficiency of mitochondrial trifunctional protein due to a novel mutation within the beta-subunit of the mitochondrial trifunctional protein gene leads to failure of long-chain fatty acid beta-oxidation with fatal outcome. *European Journal of Pediatrics* **162**: 90-95.
- Schwarz, M. J., Super, M., Wallis, C., Beighton, P., Newton, C., Heptinstall, L. E., Summers, C., Markham, A., *et al.* (1990). Delta F508 testing of the DNA bank of the Royal Manchester Children's Hospital. *Human Genetics* **85**: 426-430.
- Schwytzer, U., Briner, J. and Schinzel, A. (1987). Fryn's syndrome in a girl born to consanguineous parents. *Acta Paediatrica Scandinavica* **76**: 167-171.
- Scott, D. A., Carmi, R., Elbedour, K., Duyk, G. M., Stone, E. M. and Sheffield, V. C. (1995). Nonsyndromic autosomal recessive deafness is linked to DFNB1 locus in a large inbred Bedouin family from Israel. *American Journal of Human Genetics* **57**: 965-968.
- Scott, D. A., Carmi, R., Elbedour, K., Yosefsberg, S., Stone, E. M. and Sheffield, V. C. (1996). A autosomal recessive nonsyndromic-hearing loss locus identified by DNA pooling using two inbred Bedouin kindreds. *American Journal of Human Genetics* **59**: 385-391.
- Scrimgeour, E. M., Koul, R., Chand, P., Tharakan, J. K. J. and Frew, C. A. (1997). Juvenile onset Huntington's disease in an Omani child with asymptomatic, at risk parents. *Journal of Medical Genetics* **34**: 701.
- Seemanova, E., Passarge, E., Beneskova, D., Houstek, J., Kasal, P. and Sevcikova, M. (1985). Familial microcephaly with normal intelligence, immunodeficiency, and risk for lymphoreticular malignancies: a new autosomal recessive disorder. *American Journal of Medical Genetics* **20**: 639-648.
- Segura, J. J. and Jimenez-Rubio, A. (1999). Talon cusp affecting permanent maxillary lateral incisors in 2 family members. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics* **88**: 90-92.
- Seliem, M. A., Mansara, K. B., Palileo, M., Ye, X., Zhang, Z. and Benson, D. W. (2000). Evidence for autosomal recessive inheritance of infantile dilated cardiomyopathy: studies from the Eastern Province of Saudi Arabia. *Pediatric Research* **48**: 770-775.
- Selimoglu, M. A., Alp, H., Bitlisli, H., Orbak, Z., Energin, M. and Karakelleoglu, C. (1998). Urinary calcium excretion of children living in the east region of Turkey. *Turkish Journal of Pediatrics* **40**: 399-404.

- Sellick, G. S., Garrett, C. and Houlston, R. S. (2003). A novel gene for neonatal diabetes maps to chromosome 10p12.1-p13. *Diabetes* **52**: 2636-2638.
- Semerci, C. N., Onat, N., Gunce, S., Demirel, N., Yilmazer, M. B., Oznur, I., Turkyilmaz, C. and Balci, S. (2002). Cerebro-oculo-facio-skeletal syndrome: report of two cases from Turkey with postmortem findings. *Turkish Journal of Pediatrics* **44**: 269-273.
- Seminara, S. B., Messenger, S., Chatzidaki, E. E., Thresher, R. R., Acierno, J. S., Jr., Shagoury, J. K., Bo-Abbas, Y., Kuohung, W., *et al.* (2003). The GPR54 gene as a regulator of puberty. *New England Journal of Medicine* **349**: 1614-1627.
- Sen, C., Madazli, R., Aksoy, F. and Ocak, V. (1995). Antenatal diagnosis of lethal osteopetrosis. *Ultrasound in Obstetrics and Gynecology* **5**: 278-280.
- Senzaki, H., Kiyozuka, Y., Uemura, Y., Shikata, N., Ueda, S. and Tsubura, A. (1998). Juvenile hyaline fibromatosis: a report of two unrelated adult sibling cases and a literature review. *Pathology International* **48**: 230-236.
- Seoud, M., Khalil, A., Frangieh, A., Zahed, L., Azar, G. and Nuwayri-Salti, N. (1995). Recurrent molar pregnancies in a family with excessive intermarriage: report of a family and review of the literature. *Obstetrics and Gynecology* **86**: 692-695.
- Serratosa, J. M., Delgado-Escueta, A. V., Posada, I., Shih, S., Drury, I., Berciano, J., Zabala, J. A., Antunez, M. C., *et al.* (1995). The gene for progressive myoclonus epilepsy of the Lafora type maps to chromosome 6q. *Human Molecular Genetics* **4**: 1657-1663.
- Sertie, A. L., Sossi, V., Camargo, A. A., Zatz, M., Brahe, C. and Passos-Bueno, M. R. (2000). Collagen XVIII, containing an endogenous inhibitor of angiogenesis and tumor growth, plays a critical role in the maintenance of retinal structure and in neural tube closure (Knobloch syndrome). *Human Molecular Genetics* **9**: 2051-2058.
- Shafeghati, Y., Karimi-Nejad, A. and Karimi-Nejad, R. (1999). Supernumerary nipples in a Bartsocas-Papas patient in a consanguineous Iranian family. *Clinical Dysmorphology* **8**: 155-156.
- Shahcheraghi, G. H. and Hobbi, M. H. (1999). Patterns and progression in congenital scoliosis. *Journal of Pediatric Orthopaedics* **19**: 766-775.
- Shahin, H., Walsh, T., Sobe, T., Lynch, E., King, M. C., Avraham, K. B. and Kanaan, M. (2002). Genetics of congenital deafness in the Palestinian population: multiple connexin 26 alleles with shared origins in the Middle East. *Human Genetics* **110**: 284-289.
- Shakir, R. A. and Abdulwahab, B. (1991). Congenital malformations before and after the onset of maternal epilepsy. *Acta Neurologica Scandinavica* **84**: 153-156.

- Shalata, A., Mandel, H., Reiss, J., Szargel, R., Cohen-Akenine, A., Dorche, C., Zobot, M., van Gennip, A., *et al.* (1998). Localization of a gene for molybdenum cofactor deficiency, on the short arm of chromosome 6, by homozygosity mapping. *American Journal of Human Genetics* **63**: 148-154.
- Shalev, S. A., Shalev, E., Reich, D. and Borochoowitz, Z. U. (1999). Osteosclerosis, hypoplastic nose, and proptosis (Raine syndrome): further delineation. *American Journal of Medical Genetics* **86**: 274-277.
- Shami, S. A., Qaisar, R. and Bittles, A. H. (1991). Consanguinity and adult morbidity in Pakistan [letter]. *Lancet* **338**: 954-955.
- Shanmugasundaram, S. (2002). Familial primary pulmonary hypertension. *Indian Heart Journal* **54**: 193-195.
- Shanske, A., Caride, D. G., Menasse-Palmer, L., Bogdanow, A. and Marion, R. W. (1997). Central nervous system anomalies in Seckel syndrome: Report of a new family and review of the literature. *American Journal of Medical Genetics* **70**: 155-158.
- Sharony, R., Kidron, D., Amiel, A., Fejgin, M. and Borochoowitz, Z. U. (2002). Familial lethal skeletal dysplasia with cloverleaf skull and multiple anomalies of brain, eye, face and heart: a new autosomal recessive multiple congenital anomalies syndrome. *Clinical Genetics* **61**: 369-374.
- Shatzky, S., Moses, S., Levy, J., Pinsk, V., Hershkovitz, E., Herzog, L., Shorer, Z., Luder, A., *et al.* (2000). Congenital insensitivity to pain with anhidrosis (CIPA) in Israeli-Bedouins: genetic heterogeneity, novel mutations in the TRKA/NGF receptor gene, clinical findings, and results of nerve conduction studies. *American Journal of Medical Genetics* **92**: 353-360.
- Sheen, V. L., Topcu, M., Berkovic, S., Yalnizoglu, D., Blatt, I., Bodell, A., Hill, R. S., Ganesh, V. S., *et al.* (2003). Autosomal recessive form of periventricular heterotopia. *Neurology* **60**: 1108-1112.
- Sheiner, E., Shoham-Vardi, I., Sheiner, E. K., Mazor, M., Katz, M. and Carmi, R. (1999). Maternal factors associated with severity of birth defects. *International Journal of Gynaecology and Obstetrics* **64**: 227-232.
- Shibuya, T., Yoshioka, K., Sato, M., Ishigaki, A. and Tat-Keung, N. (1962). Congenital leukemia within a family with two cases of stomach cancer and parental consanguinity. *Tohoku Journal of Experimental Medicine* **78**: 254-257.
- Shield, J. P., Gough, R., Allen, J. and Newbury-Ecob, R. (2001). 3-Hydroxyisobutyric aciduria: phenotypic heterogeneity within a single family. *Clinical Dysmorphology* **10**: 189-191.
- Shimozawa, N., Suzuki, Y., Zhang, Z., Miura, K., Matsumoto, A., Nagaya, M., Castillo-Taucher, S. and Kondo, N. (1999). A novel nonsense mutation of the

- PEX7 gene in a patient with rhizomelic chondrodysplasia punctata. *Journal of Human Genetics* **44**: 123-125.
- Sigaudy, S., Toutain, A., Moncla, A., Fredouille, C., Bourliere, B., Ayme, S. and Philip, N. (1998). Microcephalic osteodysplastic primordial dwarfism Taybi-Linder type: report of four cases and review of the literature. *American Journal of Medical Genetics* **80**: 16-24.
- Simha, V., Agarwal, A. K., Oral, E. A., Fryns, J. P. and Garg, A. (2003). Genetic and phenotypic heterogeneity in patients with mandibuloacral dysplasia-associated lipodystrophy. *Journal of Clinical Endocrinology and Metabolism* **88**: 2821-2824.
- Simoni, G., Dalpra, L., Terzoli, G. L., Rossella, F. and Tibiletti, N. G. (1980). The offspring of marriage between two 1st cousins with the same reciprocal translocation (2;7) (p11;q31). *Human Genetics* **55**: 199-202.
- Simpson, E. R. (1998). Genetic mutations resulting in estrogen insufficiency in the male. *Molecular and Cellular Endocrinology* **145**: 55-59.
- Simpson, J. L., Martin, A. O., Ellias, S. and Dunn, J. K. (1981). Cancers of the breast and female genital system: search for recessive genetic factors through analysis of human isolate. *American Journal of Obstetrics and Gynecology* **141**: 629-636.
- Simpson, J. L., New, M., Peterson, R. E. and German, J. (1971). Pseudovaginal perineoscrotal hypospadias (PPSH) in sibs. *Birth Defects Original Article Series* **6**: 14-144.
- Sinha, G., Corry, P., Subesinghe, D., Wild, J. and Levene, M. I. (1997). Prevalence and type of cerebral palsy in a British ethnic community: the role of consanguinity. *Developmental Medicine and Child Neurology* **39**: 259-262.
- Sinha, S., Satishchandra, P., Santosh, V., Gayatri, N. and Shankar, S. K. (2004). Neuronal ceroid lipofuscinosis: a clinicopathological study. *Seizure* **13**: 235-240.
- Sirdah, M., Bילו, Y. Y., el Jabour, S. and Najjar, K. (1998). Screening secondary school students in the Gaza strip for beta-thalassaemia trait. *Clinical and Laboratory Haematology* **20**: 279-283.
- Slavotinek, A. M., Hurst, J. A., Dunger, D. and Wilkie, A. O. (1998). ACTH receptor mutation in a girl with familial glucocorticoid deficiency. *Clinical Genetics* **53**: 57-62.
- Slavotinek, A. M., Stone, E. M., Mykytyn, K., Heckenlively, J. R., Green, J. S., Heon, E., Musarella, M. A., Parfrey, P. S., *et al.* (2000). Mutations in MKKS cause Bardet-Biedl syndrome. *Nature Genetics* **26**: 15-16.
- Sleight, E., Coombs, R. C., Gibson, A. T. and Primhak, R. A. (1997). Neonatal respiratory distress in near-term infants - consider surfactant protein B deficiency. *Acta Paediatrica* **86**: 428-430.

- Slingsby, J. H., Norsworthy, P., Pearce, G., Vaishnav, A. K., Issler, H., Morley, B. J. and Walport, M. J. (1996). Homozygous hereditary CIq deficiency and systemic lupus erythematosus. *Arthritis and Rheumatology* **39**: 663-670.
- Slutsky, A. S., Zamel, N. and The University of Toronto Genetics of Asthma Research Group (1995). Genetics of asthma: University of Toronto. *Clinical and Experimental Allergy* **25**: 33-34.
- Smits, A., Smeets, D., Hamel, B., Dreesen, J. and van Oost, B. (1992). High prevalence of the Fra(X) syndrome cannot be explained by a high mutation rate. *American Journal of Medical Genetics* **43**: 345-352.
- Soares, C. N., de Freitas, M. R., Nascimento, O. J., da Silva, L. F., de Freitas, A. R. and Werneck, L. C. (2003). Myopathy of distal lower limbs: the clinical variant of Miyoshi. *Arquivos de Neuropsiquiatria* **61**: 946-949.
- Soderlund, D., Canto, P., de la Chesnaye, E., Ulloa-Aguirre, A. and Mendez, J. P. (2001). A novel homozygous mutation in the second transmembrane domain of the gonadotrophin releasing hormone receptor gene. *Clinical Endocrinology (Oxford)* **54**: 493-498.
- Soheilian, M., Vistamehr, S., Rahmani, B., Ahmadi, H., Azarmina, M., Mashayekhi, A., Sajjadi, H. and Dehghan, M. H. (2002). Outcomes of surgical (pars plicata and limbal lensectomy, vitrectomy) and non-surgical management of persistent fetal vasculature (PFV): an analysis of 54 eyes. *European Journal of Ophthalmology* **12**: 523-533.
- Soliman, A. S., Bondy, M. L., Levin, B., El-Badawry, S., Khaled, H., Hablas, A., Ismail, S., Adly, M., *et al.* (1998). Familial aggregation of colorectal cancer in Egypt. *International Journal of Cancer* **11**: 811-816.
- Soliman, A. T., elZalabany, M. M., Bappal, B., alSalmi, I., de Silva, V. and Asfour, M. (1999). Permanent neonatal diabetes mellitus: epidemiology, mode of presentation, pathogenesis and growth. *Indian Journal of Pediatrics* **66**: 363-373.
- Solis, M. V. (2000). Lafora disease and founder effect in a small neotropical locality. *Revista de Biología Tropical* **48**: 703-706 [In Spanish].
- Sonoda, T. and Kouno, K. (2000). Two brothers with distal arthrogyrosis, peculiar facial appearance, cleft palate, short stature, hydronephrosis, retentio testis, and normal intelligence: a new type of distal arthrogyrosis? *American Journal of Medical Genetics* **91**: 280-285.
- Soylu, A., Turkmen, M., Kavukcu, S., Ozer, E. and Canda, T. (2001). Familial arthropathy with camptodactyly: reports of two families. *Turkish Journal of Pediatrics* **43**: 356-361.

- Spelbrink, J. N., Van Galen, M. J., Zwart, R., Bakker, H. D., Rovio, A., Jacobs, H. T. and Van den Bogert, C. (1998). Familial mitochondrial DNA depletion in liver: haplotype analysis of candidate genes. *Human Genetics* **102**: 327-331.
- Spencer, D. A., Venkatarman, M., Higgins, S., Stevenson, K. and Weller, P. H. (1994). Cystic fibrosis in children from ethnic minorities in the West Midlands. *Respiratory Medicine* **88**: 671-675.
- Sprecher, E., Bergman, R., Richard, G., Lurie, R., Shalev, S., Petronius, D., Shalata, A., Anbinder, Y., *et al.* (2001). Hypotrichosis with juvenile macular dystrophy is caused by a mutation in CDH3, encoding P-cadherin. *Nature Genetics* **29**: 134-136.
- Sprecher, E., Bergman, R., Szargel, R., Friedman-Birnbaum, R. and Cohen, N. (1999). Identification of a genetic defect in the hairless gene in atrichia with papular lesions: evidence for phenotypic heterogeneity among inherited atrichias. *American Journal of Human Genetics* **64**: 1323-1329.
- Sprecher, E., Bergman, R., Szargel, R., Raz, T., Labay, V., Ramon, M., Baruch-Gershoni, R., Friedman-Birnbaum, R., *et al.* (1998). Atrichia with papular lesions maps to 8p in the region containing the human hairless gene. *American Journal of Medical Genetics* **80**: 546-550.
- Sprecher, E., Chavanas, S., DiGiovanna, J. J., Amin, S., Nielsen, K., Prendiville, J. S., Silverman, R., Esterly, N. B., *et al.* (2001). The spectrum of pathogenic mutations in SPINK5 in 19 families with Netherton syndrome: implications for mutation detection and first case of prenatal diagnosis. *Journal of Investigative Dermatology* **117**: 179-187.
- Sprecher, E., Lestringant, G. G., Szargel, R., Bergman, R., Labay, V., Frossard, P. M., Friedman-Birnbaum, R. and Cohen, N. (1999). Atrichia with papular lesions resulting from a nonsense mutation within the human hairless gene. *Journal of Investigative Dermatology* **113**: 687-690.
- Sprecher, E., Molho-Pessach, V., Ingber, A., Sagi, E., Indelman, M. and Bergman, R. (2004). Homozygous splice site mutations in PKP1 result in loss of epidermal plakophilin 1 expression and underlie ectodermal dysplasia/skin fragility syndrome in two consanguineous families. *Journal of Investigative Dermatology* **122**: 647-651.
- Sprecher, E., Shalata, A., Dabhah, K., Futerman, B., Lin, S., Szargel, R., Bergman, R., Friedman-Birnbaum, R., *et al.* (2000). Androgenetic alopecia in heterozygous carriers of a mutation in the human hairless gene. *Journal of the American Academy of Dermatology* **42**: 978-982.
- Spronk, H. M., Farah, R. A., Buchanan, G. R., Vermeer, C. and Soute, B. A. (2000). Novel mutation in the gamma-glutamyl carboxylase gene resulting in congenital combined deficiency of all vitamin K-dependent blood coagulation factors. *Blood* **96**: 3650-3652.

- Steiner, C., Ehtesham, N., Taylor, K. D., Sebald, E., Cantor, R., King, L. M., Guo, X., Hang, T., *et al.* (2004). A locus for spondylcarpotarsal synostosis syndrome at chromosome 3p14. *Journal of Medical Genetics* **41**: 266-269.
- Stelzer, C., Winterpacht, A., Spranger, J. and Zabel, B. (2003). Grebe dysplasia and the spectrum of CDMP1 mutations. *Pediatric Pathology and Molecular Medicine* **22**: 77-85.
- Stern, C. and Charles, D. R. (1945). The Rhesus gene and the effect of consanguinity. *Science* **101**: 305-307.
- Stevenson, A. C., Davidson, B. C. C., Say, B., Ustuoplu, S., Liya, D., Abdul-Einen, M. and Topozada, H. K. (1971). Contribution of feto-maternal incompatibility to aetiology of pre-eclamptic toxemia. *Lancet* **ii**: 1286-1289.
- Stevenson, A. C., Johnston, H. A., Stewart, M. I. P. and Golding, D. R. (1966). Congenital malformations: A report of a study of series of consecutive births in 24 centres. *Bulletin of the World Health Organization* **34**: 1-125.
- Stevenson, A. C., Say, B., Ustaoglu, S. and Durmas, Z. (1976). Aspects of pre-eclamptic toxemia of pregnancy, consanguinity and twinning in Ankara. *Journal of Medical Genetics* **13**: 1-8.
- Stocco dos Santos, R., Castro, N. H. C., Pereira Ferraz, O., Walter-Moura, J., Mustachi, Z., Pagnan, N. A. B. and Gollop, T. R. (1992). Ophthalmological, skeletal, and cardiac abnormalities in sibs born to consanguineous parents: a new syndrome. *American Journal of Medical Genetics* **43**: 946-948.
- Stockton, D. W., Lewis, R. A., Abboud, E. B., Al-Rajhi, A., Jabak, M., Anderson, K. L. and Lupski, J. R. (1998). A novel locus for Leber congenital amaurosis on chromosome 14q24. *Human Genetics* **103**: 328-333.
- Stoll, C., Alembik, Y. and Dott, B. (1995). Complex congenital heart disease, microcephaly, pheochromocytoma and neurofibromatosis type 1 in a girl born from consanguineous parents. *Genetic Counselling* **6**: 217-220.
- Stoll, C., Alembik, Y., Dott, B. and Feingold, J. (1994). Parental consanguinity as a cause of increased incidence of birth defects in a study of 131,760 consecutive births. *Annales de Génétique* **49**: 114-117.
- Stoll, C., Alembik, Y., Dott, B. and Roth, M. P. (1992). Epidemiology of congenital eye malformations in 131,760 consecutive births. *Ophthalmic Paediatrics and Genetics* **13**: 179-186.
- Stoll, C., Alembik, Y., Dott, B. and Roth, M. P. (1998). Study of Down syndrome in 238,942 consecutive births. *Annales de Génétique* **41**: 44-51.
- Stoll, C., Alembik, Y. and Lutz, P. (1994). A syndrome of facial dysmorphism, birth defects, myelodysplasia and immunodeficiency in three sibs of consanguineous parents. *Genetic Counseling* **5**: 161-165.

- Stoll, C., Alembik, Y., Roth, M. P. and Dott, B. (1997). Risk factors in congenital anal atresias. *Annales de Génétique* **40**: 197-204.
- Stoll, C., Alembik, Y., Roth, M. P. and Dott, B. (1999). Parental consanguinity as a cause for increased incidence of birth defects in a study of 238,942 consecutive births. *Annales de Génétique* **42**: 133-139.
- Stoll, C., Alembik, Y., Roth, M. P., Dott, B. and De Geeter, B. (1989). Risk factors in congenital heart disease. *European Journal of Epidemiology* **5**: 382-391.
- Stoll, C., Alembik, Y., Roth, M. P., Dott, B. and Sauvage, P. (1990). Risk factors in internal urinary system malformations. *Pediatric Nephrology* **4**: 319-323.
- Stoll, C., Calzolari, E., Cornel, M., Garcia-Minaur, S., Garne, E. and Nevin, N. (1996). A study on limb reduction defects in six European regions. *Annales de Génétique* **39**: 99-104.
- Stoll, C., Pennerath, A. and Poirat, P. (1995). Autosomal recessive omodyplasia. *Annales de Génétique* **38**: 97-101.
- Stoltenberg, C., Magnus, P., Lie, R. T., Dalveit, A. K. and Irgens, L. M. (1997). Birth defects and parental consanguinity in Norway. *American Journal of Epidemiology* **145**: 439-448.
- Stoltenberg, C., Magnus, P., Skrondal, A. and Lie, R. T. (1999). Consanguinity and birth defects: a population-based study. *American Journal of Medical Genetics* **82**: 423-428.
- Stoltenberg, C., Magnus, P., Skrondal, A. and Lie, R. T. (1999). Consanguinity and recurrence risk of birth defects: a population-based study. *American Journal of Medical Genetics* **82**: 423-428.
- Stoltenberg, C., Magnus, P., Skrondal, A. and Lie, R. T. (1999). Consanguinity and recurrence risk of stillbirth and infant death. *American Journal of Public Health* **89**: 517-523.
- Stover, E. H., Borthwick, K. J., Bavalia, C., Eady, N., Fritz, D. M., Rungroj, N., Giersch, A. B., Morton, C. C., *et al.* (2002). Novel ATP6V1B1 and ATP6V0A4 mutations in autosomal recessive distal renal tubular acidosis with new evidence for hearing loss. *Journal of Medical Genetics* **39**: 796-803.
- Straussberg, R., Kornreich, L., Harel, L. and Varsano, I. (1998). Autosomal recessive microcephaly with neonatal myoclonic seizures: clinical and MRI findings. *American Journal of Medical Genetics* **80**: 136-139.
- Straussberg, R., Shorer, Z., Weitz, R., Basel, L., Kornreich, L., Corie, C. I., Harel, L., Djaldetti, R., *et al.* (2002). Familial infantile bilateral striatal necrosis: clinical features and response to biotin treatment. *Neurology* **59**: 983-989.

- Strijks, E., Poort, S. R., Renier, W. O., Gabreels, F. J. and Bertina, R. M. (1999). Hereditary prothrombin deficiency presenting as intracranial haematoma in infancy. *Neuropediatrics* **30**: 320-324.
- Subramanyan, R., Joy, J., Venugopalan, P., Sapru, A. and al Khusaiby, S. M. (2000). Incidence and spectrum of congenital heart disease in Oman. *Annals of Tropical Paediatrics* **20**: 337-341.
- Sueldo, G. and Fernandes, M. C. (1993). Fronto-nasal dysostosis, callosal agenesis, crossed-fused ectopia, tribal hemimelia, and preaxial polydactyly of feet: severe expression of the acrocallosal syndrome? *American Journal of Medical Genetics* **46**: 355-357.
- Suga, Y., Tsuboi, R., Hashimoto, Y., Yaguchi, H. and Ogawa, H. (2000). A Japanese case of Kindler syndrome. *International Journal of Dermatology* **39**: 284-286.
- Sundstrom, R. A., van Laer, L., van Camp, G. and Smith, R. J. H. (1999). Autosomal recessive nonsyndromic hearing loss. *American Journal Medical Genetics* **89**: 123-129.
- Sunthornthepvarakul, T., Churesigaew, S. and Ngowngarmratana, S. (1999). A novel mutation of the signal peptide of the preproparathyroid hormone gene associated with autosomal recessive familial isolated hypoparathyroidism. *Journal of Clinical Endocrinology and Metabolism* **84**: 3792-3796.
- Suresh, G. and Lucey, J. F. (1997). Lack of deafness in Crigler-Najjar syndrome type 1: a patient survey. *Pediatrics* **100**: E9.
- Sutter, J. and Tabah, L. (1954). Fréquence et nature des anomalies dans les familles consanguines. *Population (Paris)* **9**: 425-450 [In French].
- Swaving, J., Groenewegen, A., Kamstra, A., te Meerman, G. J. and ten Kate, L. P. (1991). Family distances as a measure of hidden consanguinity - a reappraisal. *Human Heredity* **41**: 12-16.
- Sztriha, L., Al-Gazali, L., Dawodu, A., Bakir, M. and Chandran, P. (1998). Agyria-pachygyria and agenesis of the corpus callosum: autosomal recessive inheritance with neonatal death. *Neurology* **50**: 1466-1469.
- Sztriha, L., Al-Gazali, L., Varady, E., Nork, M. and Varughese, M. (1998). Microlissencephaly. *Pediatric Neurology* **18**: 362-365.
- Sztriha, L., Al-Gazali, L. I., Varady, E., Goebel, H. H. and Nork, M. (1999). Autosomal recessive micrencephaly with simplified gyral pattern, abnormal myelination and arthrogryposis. *Neuropediatrics* **30**: 141-145.
- Sztriha, L., Gururaj, A., Vreken, P., Nork, M. and Lestringant, G. (2002). L-2-hydroxyglutaric aciduria in two siblings. *Pediatric Neurology* **27**: 141-144.

- Tabbara, K. F. and Badr, I. A. (1985). Changing patterns of childhood blindness in Saudi Arabia. *British Journal of Ophthalmology* **69**: 312-315.
- Tabori, U., Mark, Z., Amariglio, N., Etzioni, A., Golan, H., Biloray, B., Toren, A., Rechavi, G., *et al.* (2004). Detection of RAG mutations and prenatal diagnosis in families presenting with either T-B- severe combined immunodeficiency or Omenn's syndrome. *Clinical Genetics* **65**: 322-326.
- Tadmouri, G. O., Bilenoglu, O., Kutlar, F., Markowitz, R. B., Kutlar, A. and Basak, A. N. (1999). Identification of the Chinese IVS-II-654 (C-->T) beta-thalassemia mutation in an immigrant Turkish family: recurrence or migration? *Human Biology* **71**: 295-302.
- Takemura, T., Yanagida, H., Yagi, K., Moriwaki, K. and Okada, M. (2003). Alport syndrome and benign familial hematuria (thin basement membrane disease) in two brothers of a family with hematuria. *Clinical Nephrology* **60**: 195-200.
- Talim, B., Ferreira, A., Cormand, B., Vignier, N., Oto, A., Gogus, S., Cila, A., Lehesjoki, A. E., *et al.* (2000). Merosin-deficient congenital muscular dystrophy with mental retardation and cerebellar cysts unlinked to the LAMA2, FCMD and MEB loci. *Neuromuscular Disorders* **10**: 548-552.
- Tamary, H., Dgany, O., Toledano, H., Shalev, Z., Krasnov, T., Shalmon, L., Schechter, T., Bercovich, D., *et al.* (2004). Molecular characterization of three novel Fanconi anemia mutations in Israeli Arabs. *European Journal of Haematology* **72**: 330-335.
- Tamary, H., Shalmon, L., Shalev, H., Halil, A., Dobrushin, D., Ashkenazi, N., Zoldan, M., Resnitzky, P., *et al.* (1998). Localization of the gene for congenital dyserythropoietic anemia type I to a <1-cM interval on chromosome 15q15.1-15.3. *American Journal of Human Genetics* **62**: 1062-1069.
- Tanaka, A., Kimura, M., Lan, H. T., Takaura, N. and Yamano, T. (2002). Molecular analysis of the alpha-N-acetylglucosaminidase gene in seven Japanese patients from six unrelated families with mucopolysaccharidosis IIIB (Sanfilippo type B), including two novel mutations. *Journal of Human Genetics* **47**: 484-487.
- Tanizawa, Y., Matsuda, K., Matsuo, M., Ohta, Y., Ochi, N., Adachi, M., Koga, M., Mizuno, S., *et al.* (2000). Genetic analysis of Japanese patients with persistent hyperinsulinemic hypoglycemia of infancy: nucleotide-binding fold-2 mutation impairs cooperative binding of adenine nucleotides to sulfonylurea receptor 1. *Diabetes* **49**: 114-120.
- Targovnik, H. M., Rivolta, C. M., Mendive, F. M., Moya, C. M., Vono, J. and Medeiros-Neto, G. (2001). Congenital goiter with hypothyroidism caused by a 5' splice site mutation in the thyroglobulin gene. *Thyroid* **11**: 685-690.
- Tarp, B. D. and Obel, N. (2000). [Familial Mediterranean fever with pseudodominant inheritance]. *Ugeskrift for Laeger* **162**: 6261-6262 [In German].

- Tassin, J., Durr, A., de Broucker, T., Abbas, N., Bonifati, V., De Michele, G., Bonnet, A. M., Broussoel, E., *et al.* (1998). Chromosome 6-linked autosomal recessive early-onset Parkinsonism: linkage in European and Algerian families, extension of the clinical spectrum, and evidence of a small homozygous deletion in one family. *American Journal of Human Genetics* **63**: 88-94.
- Taylor, C. M., Chua, C., Howie, A. J. and Risdon, R. A. (2004). Clinico-pathological findings in diarrhoea-negative haemolytic uraemic syndrome. *Pediatric Nephrology* **19**: 419-425.
- Tazir, M., Azzedine, H., Assami, S., Sindou, P., Nouioua, S., Zemmouri, R., Hamadouche, T., Chaouch, M., *et al.* (2004). Phenotypic variability in autosomal recessive axonal Charcot-Marie-Tooth disease due to the R298C mutation in lamin A/C. *Brain* **127**: 154-163.
- Tazir, M., Vallat, J. M., Bomont, P., Zemmouri, R., Sindou, P., Assami, S., Nouioua, S., Hammadouche, T., *et al.* (2002). Genetic heterogeneity in giant axonal neuropathy: an Algerian family not linked to chromosome 16q24.1. *Neuromuscular Disorders* **12**: 849-852.
- Tchen, P., Bois, E., Feingold, J., Feingold, N. and Kaplan, J. (1977). Inbreeding in recessive diseases. *Human Genetics* **38**: 163-167.
- Teebi, A. and Al Awadi, S. A. (1991). Kuwait type faciodigitogenital syndrome. *Journal of Medical Genetics* **28**: 805.
- Teebi, A. S. (1994). Autosomal recessive disorders among Arabs: an overview from Kuwait. *Journal of Medical Genetics* **31**: 224-233.
- Teebi, A. S., Al Awadi, S. A., Farag, T. I., Naguib, K. K. and El-Khalifa, M. Y. (1987). Phenylketonuria in Kuwait and Arab countries. *European Journal of Pediatrics* **146**: 59-60.
- Teebi, A. S. and Druker, H. A. (2001). Brachycephaly, cutis aplasia congenita, blue sclerae, hypertelorism, polydactyly, hypoplastic nipples, failure to thrive, and developmental delay: a distinct autosomal recessive syndrome? *Clinical Dysmorphology* **10**: 69-70.
- Teebi, A. S., Dupuis, L., Wherrett, D., Khoury, A. and Zucker, K. J. (2004). Alopecia congenita universalis, microcephaly, cutis marmorata, short stature and XY gonadal dysgenesis: variable expression of El-Shanti syndrome. *European Journal of Pediatrics* **163**: 170-172.
- Teebi, A. S. and Farag, T. I. (1997). *Genetic Disorders among Arab Populations*. (Oxford University Press, New York).
- Teebi, A. S., Lambert, D. M., Kaye, G. M., Al-Fifi, S., Tewfik, T. L. and Azouz, E. M. (1998). Keutel syndrome: further characterization and review. *American Journal of Medical Genetics* **30**: 182-187.

- Teebi, A. S., Miller, S., Ostrer, H., Eydoux, P., Colomb-Brockmann, C., Oudjhane, K. and Watters, G. (1998). Spastic paraplegia, optic atrophy, microcephaly with normal intelligence, and XY sex reversal: a new autosomal recessive syndrome? *Journal of Medical Genetics* **35**: 759-762.
- Teitsson, I., Thorsteinsson, J., Arnason, A. and Valdimarsson, H. (1985). Rheumatic diseases in an Icelandic family. Clinical and immunological survey. *Scandinavian Journal of Rheumatology* **14**: 109-118.
- Tekin, M., Dogu, F., Tacyildiz, N., Akar, E., Ikinciogullari, A., Ogur, G., Yavuz, G., Babacan, E., *et al.* (2002). 657del5 mutation in the NBS1 gene is associated with Nijmegen breakage syndrome in a Turkish family. *Clinical Genetics* **62**: 84-88.
- Tekinalp, G., Yükselen, A., Balkanci, F., Coskun, T. and Yurdakök, M. (1995). Hypophosphatasia in a newborn infant. *Turkish Journal of Pediatrics* **37**: 61-65.
- Temtamy, S. A., Aglan, M. S., Nemat, A. and Eid, M. (2003). Expanding the phenotypic spectrum of the Baller-Gerold syndrome. *Genetic Counselling* **14**: 299-312.
- Temtamy, S. A., Ismail, S. I. and Meguid, N. A. (2000). Lenz microphthalmia syndrome: three additional cases with rare associated anomalies. *Genetic Counseling* **11**: 147-152.
- Ten Berg, K. and Lindhout, D. (2002). Concordance as well as discordance for congenital malformations in valproate-exposed half-siblings with parental consanguinity may indicate a specific gene-teratogen interaction. *Clinical Dysmorphology* **11**: 227-228.
- Ten Kate, L. P., Scheffer, H., Cornel, M. C. and Campagne, J. G. (1991). Consanguinity sans-reproche. *Human Genetics* **86**: 295-296.
- ter Heide, H., Bulstra, S. K., Reekers, A., Schrandt, J. J. and Schrandt-Stumpel, C. T. (2002). Auditory canal atresia, humeroscapular synostosis, and other skeletal abnormalities: confirmation of the autosomal recessive "SAMS" syndrome. *American Journal of Medical Genetics* **110**: 359-364.
- Thakur, S., Pal, L. and Phadke, S. R. (2004). Lethal arthrogryposis with ichthyosis: overlap with Neu-Laxova syndrome, restrictive dermopathy and harlequin fetus. *Clinical Dysmorphology* **13**: 117-119.
- Thalji, A. A., Abu Osba, Y. K., Hann, R. W., Shamma'a, J. and Handan, J. (1986). Incidence of neural tube defects in the eastern province of Saudi Arabia. *Journal of the Kuwait Medical Association* **20**: 99-104.
- Thappa, D. M., Sethuraman, G., Kumar, G. R. and Elangovan, S. (2000). Primary pachydermoperiostosis: a case report. *Journal of Dermatology* **27**: 106-109.
- Thauvin-Robinet, C., El Ghouzzi, V., Chemaitilly, W., Dagoneau, N., Boute, O., Viot, G., Megarbane, A., Sefiani, A., *et al.* (2002). Homozygosity mapping of a

- Dyggve-Melchior-Clausen syndrome gene to chromosome 18q21.1. *Journal of Medical Genetics* **39**: 714-717.
- Thomas, C. P., Zhou, J., Liu, K. Z., Mick, V. E., MacLaughlin, E. and Knowles, M. (2002). Systemic pseudohypoaldosteronism from deletion of the promoter region of the human Beta epithelial na(+) channel subunit. *American Journal of Respiratory Cell and Molecular Biology* **27**: 314-319.
- Thomas, J. D., Doucette, M. M., Thomas, D. C. and Stoeckle, J. D. (1987). Disease, lifestyle and consanguinity in 58 American Gypsies. *Lancet* **ii**: 377-379.
- Tibrewala, N. S. and Pai, P. M. (1974). Congenital malformations in the newborn period. *Indian Pediatrics* **11**: 403-407.
- Tiosano, D., Pannain, S., Vassart, G., Parma, J., Gershoni-Baruch, R., Mandel, H., Lotan, R., Zaharan, Y., *et al.* (1999). The hypothyroidism in an inbred kindred with congenital thyroid hormone and glucocorticoid deficiency is due to a mutation producing a truncated thyrotropin receptor. *Thyroid* **9**: 887-894.
- Tips, R. L. and Lynch, H. T. (1962). Malignant congenital osteopetrosis resulting from a consanguineous marriage. *Acta Paediatrica* **51**: 585-588.
- Titomanlio, L., Della Casa, R., Lecora, M., Farina, V., Sebastio, G., Andria, G. and Parenti, G. (1999). Geleophysic dysplasia: 7-year follow-up study of a patient with an intermediate form. *American Journal of Medical Genetics* **86**: 82-85.
- Tonetti, C., Burtscher, A., Bories, D., Tulliez, M. and Zittoun, J. (2000). Methylenetetrahydrofolate reductase deficiency in four siblings: a clinical, biochemical, and molecular study of the family. *American Journal of Medical Genetics* **91**: 363-367.
- Toomes, C., James, J., Wood, A. J., Wu, C. L., McCormick, D., Lench, N., Hewitt, C., Moynihan, L., *et al.* (1999). Loss-of-function mutations in the cathepsin C gene result in periodontal disease and palmoplantar keratosis. *Nature Genetics* **23**: 421-424.
- Topaloğlu, H., Talim, B., Vignier, N., Helbling-Leclerc, A. H., Yetuk, M., Afsin, I. E., Caglar, M., Kale, G., *et al.* (1998). Merosin-deficient congenital muscular dystrophy with severe mental retardation and normal cranial MRI: a report of two siblings. *Neuromuscular Disorders* **8**: 169-174.
- Topçu, M., Coskun, T., Haliloglu, G. and Saatci, I. (2001). Molybdenum cofactor deficiency: Molybdenum cofactor deficiency encephalopathy. *Journal of Child Neurology* **16**: 264-270.
- Topçu, M., Saatci, I., Apak, R. A. and Soylemezoglu, F. (2000). A case of leukoencephalopathy with vanishing white matter. *Neuropediatrics* **31**: 100-103.

- Topçu, M., Saatci, I., Topcuoglu, M. A., Kose, G. and Kunak, B. (1998). Megalencephaly and leukodystrophy with mild clinical course: a report on 12 new cases. *Brain Development* **20**: 142-153.
- Topçu, M., Tan, H., Yalnizoglu, D., Usubutun, A., Saatci, I., Aynaci, M., Anlar, B., Topaloglu, H., *et al.* (2004). Evaluation of 36 patients from Turkey with neuronal ceroid lipofuscinosis: clinical, neurophysiological, neuroradiological and histopathologic studies. *Turkish Journal of Pediatrics* **46**: 1-10.
- Topley, J. M., Varady, E. and Lestringant, G. G. (1994). Larsen syndrome in siblings with consanguineous parents. *Clinical Dysmorphology* **3**: 263-265.
- Torra, R., Badenas, C., Cofan, F., Callis, L., Perez-Oller, L. and Darnell, A. (1999). Autosomal recessive Alport syndrome: linkage analysis and clinical features in two families. *Nephrology, Dialysis, Transplantation* **14**: 627-630.
- Tozum, T. F., Berker, E., Ersoy, F., Tezcan, I. and Sanal, O. (2003). The relationship between periodontal status and peripheral levels of neutrophils in two consanguineous siblings with severe congenital neutropenia: case reports. *Quintessence International* **34**: 221-226.
- Traboulsi, E. I., Lee, B. A., Mousawi, A., Khamis, A. R. and Engle, E. C. (2000). Evidence of genetic heterogeneity in autosomal recessive congenital fibrosis of the extraocular muscles. *American Journal of Ophthalmology* **129**: 658-662.
- Tranebjaerg, L., Teslovich, T. M., Jones, M., Barmada, M. M., Fagerheim, T., Dahl, A., Escolar, D. M., Trent, J. M., *et al.* (2003). Genome-wide homozygosity mapping localizes a gene for autosomal recessive non-progressive infantile ataxia to 20q11-q13. *Human Genetics* **113**: 293-295.
- Tredano, M., Griese, M., de Blic, J., Lorant, T., Houdayer, C., Schumacher, S., Cartault, F., Capron, F., *et al.* (2003). Analysis of 40 sporadic or familial neonatal and pediatric cases with severe unexplained respiratory distress: relationship to SFTP. *American Journal of Medical Genetics* **119A**: 324-339.
- Trioche, P., Francoual, J., Audibert, F., Chalas, J., Lindenbaum, A., Odievre, M. and Labrune, P. (1998). Prenatal diagnosis of glycogen storage disease type Ia by restriction enzyme digestion. *Prenatal Diagnosis* **18**: 629-631.
- Trop, I., Schloss, M. D., Polomeno, R. and Der Kaloustain, V. (1995). Usher syndrome in four siblings from a consanguineous family of Pakistani origin. *Journal of Otolaryngology* **47**: 102-104.
- Tsujikawa, M., Kurahashi, H., Tanaka, T., Okada, M., Yamamoto, S., Maeda, N., Watanabe, H., Inoue, Y., *et al.* (1998). Homozygosity mapping of a gene responsible for gelatinous drop-like corneal dystrophy to chromosome 1p. *American Journal of Human Genetics* **63**: 1073-1077.
- Tsur, M. (1987). Hypospadias in a consanguineous family (letter). *American Journal of Medicine* **27**: 487.

- Tudisco, C., Canepa, G., Novelli, G. and Dallapiccola, B. (2000). Familial mandibuloacral dysplasia: report of an additional Italian patient. *American Journal of Medical Genetics* **94**: 237-241.
- Tullio-Pelet, A., Salomon, R., Hadj-Rabia, S., Mugnier, C., de Laet, M. H., Chaouachi, B., Bakiri, F., Brottier, P., *et al.* (2000). Mutant WD-repeat protein in triple-A syndrome. *Nature Genetics* **26**: 332-335.
- Turnpenny, P. D., Bulman, M. P., Frayling, T. M., Abu-Nasra, T. K., Garrett, C., Hattersley, A. T. and Ellard, S. (1999). A gene for autosomal recessive spondylocostal dysostosis maps to 19q13.1-q13.3. *American Journal of Human Genetics* **65**: 175-182.
- Turnpenny, P. D., Thwaites, R. J. and Boulos, F. N. (1991). Evidence for variable gene expression in a large, inbred kindred with autosomal recessive spondylocostal dysostosis. *Journal of Medical Genetics* **28**: 27-33.
- Tuson, M., Marfany, G. and Gonzalez-Duarte, R. (2004). Mutation of CERKL, a novel human ceramide kinase gene, causes autosomal recessive retinitis pigmentosa (RP26). *American Journal of Human Genetics* **74**: 128-138.
- Tuysuz, B., Arapoglu, M., Ilikkan, B., Demirkesen, C. and Perk, Y. (2003). Congenital cutis laxa syndrome: type II autosomal recessive inheritance. *Turkish Journal of Pediatrics* **45**: 265-268.