

Clinical Outcomes, Physical Disorders (U-Z)

- Ucakhan, O. O., Atmaca, L., Sayli, B. S., Sayar, C. and Firat, E. (1999). Bilateral abortive cryptophthalmos associated with oculocutaneous albinism. *Acta Ophthalmologica Scandinavica* **77**: 238-240.
- Uchino, T., Snyderman, S. E., Lambert, M., Qureshi, I. A., Shapira, S. K., Sansaricq, C., Smit, L. M. E., Jakobs, C., *et al.* (1995). Molecular basis of phenotypic variations in patients with argininemia. *Human Genetics* **96**: 255-260.
- Ugrasbul, F., Wiens, T., Rubinstein, P., New, M. I. and Wilson, R. C. (1999). Prevalence of mild apparent mineralocorticoid excess in Mennonites. *Journal of Clinical Endocrinology and Metabolism* **84**: 4735-4738.
- ul Haque, M. F., King, L. M., Krakow, D., Cantor, R. M., Rusiniak, M. E., Swank, R. T., Superti-Furga, A., Haque, S., *et al.* (1998). Mutations in orthologous genes in human spondyloepimetaphyseal dysplasia and brachymorphic mouse. *Nature Genetics* **20**: 157-162.
- Ulbrich, A. G., Florido, M. P., Nudelman, V., Reis, E. S., Baracho, G. V. and Isaac, L. (2001). Hereditary human complement C3 deficiency owing to reduced levels of C3 mRNA. *Scandinavian Journal of Immunology* **53**: 622-626.
- Usha, H. N., Prabhu, P. D., Sridevi, M., Baidur, K. and Balakrishnan, C. M. (1994). Chediak-Higashi syndrome. *Indian Pediatrics* **31**: 1115-1119.
- Uyama, E., Uchino, M., Chateau, D. and Tome, F. M. (1998). Autosomal recessive oculopharyngodistal myopathy in light of distal myopathy with rimmed vacuoles and oculopharyngeal muscular dystrophy. *Neuromuscular Disorders* **8**: 119-125.
- Vainzof, M., Passos-Bueno, M. R., Pavanello, R. C., Marie, S. K., Oliveira, A. S. and Zatz, M. (1999). Sarcoglycanopathies are responsible for 68% of severe autosomal recessive limb-girdle muscular dystrophy in the Brazilian population. *Journal of the Neurological Sciences* **164**: 44-49.
- Valente, E. M., Abou-Sleiman, P. M., Caputo, V., Muqit, M. M., Harvey, K., Gispert, S., Ali, Z., Del Turco, D., *et al.* (2004). Hereditary early-onset Parkinson's disease caused by mutations in PINK1. *Science* **304**: 1158-1160.
- Valente, E. M., Brancati, F., Caputo, V., Graham, E. A., Davis, M. B., Ferraris, A., Breteler, M. M., Gasser, T., *et al.* (2002). PARK6 is a common cause of familial parkinsonism. *Neurological Sciences* **23**: S117-S118.
- Valente, E. M., Salpietro, D. C., Brancati, F., Bertini, E., Galluccio, T., Tortorella, G., Briuglia, S. and Dallapiccola, B. (2003). Description, nomenclature, and mapping of a novel cerebello-renal syndrome with the molar tooth malformation. *American Journal of Human Genetics* **73**: 663-670.

- Valerio, G., Franzese, A., Poggi, V. and Tenore, A. (1998). Long-term follow-up of diabetes in two patients with thiamine-responsive megaloblastic anemia syndrome. *Diabetes Care* **21**: 38-41.
- Vallette-Kasic, S., Barlier, A., Teinturier, C., Diaz, A., Manavela, M., Berthezene, F., Bouchard, P., Chaussain, J. L., *et al.* (2001). PROP1 gene screening in patients with multiple pituitary hormone deficiency reveals two sites of hypermutability and a high incidence of corticotroph deficiency. *Journal of Clinical Endocrinology and Metabolism* **86**: 4529-4535.
- Valnot, I., von Kleist-Retzow, J. C., Barrientos, A., Gorbatyuk, M., Taanman, J. W., Mehaye, B., Rustin, P., Tzagoloff, A., *et al.* (2000). A mutation in the human heme A:farnesyltransferase gene (COX10) causes cytochrome c oxidase deficiency. *Human Molecular Genetics* **9**: 1245-1249.
- Valverde, D., Solans, T., Grinberg, D., Balcells, S., Vilageliu, L., Bayes, M., Chivelet, P., Besmond, C., *et al.* (1996). A novel mutation in exon 17 of the beta-subunit of rod phosphodiesterase in two RP sisters of a consanguineous family. *Human Genetics* **97**: 35-38.
- Valverde, D., Vazquez-Gundin, F., del Rio, E., Calaf, M., Fernandez, J. L. and Baiget, M. (1998). Analysis of the IRBP gene as a cause of RP in 45 ARRP Spanish families. *Ophthalmic Genetics* **19**: 197-202.
- Van Coster, R., Seneca, S., Smet, J., Van Hecke, R., Gerlo, E., Devreese, B., Van Beeumen, J., Leroy, J. G., *et al.* (2003). Homozygous Gly555Glu mutation in the nuclear-encoded 70 kDa flavoprotein gene causes instability of the respiratory chain complex II. *American Journal of Medical Genetics* **120A**: 13-18.
- van den Ende, J. J., van Bever, Y., Rodini, E. S. and Richieri-Costa, A. (1992). Marden-Walker-like syndrome without psychomotor retardation: report of a Brazilian girl born to consanguineous parents. *American Journal of Medical Genetics* **42**: 467-469.
- van der Burg, M., de Groot, R., Comans-Bitter, W. M., den Hollander, J. C., Hooijkaas, H., Neijens, H. J., Berger, R. M., Oranje, A. P., *et al.* (2000). Autoimmune lymphoproliferative syndrome (ALPS) in a child from consanguineous parents: a dominant or recessive disease? *Pediatric Research* **47**: 336-343.
- van Der Burgt, I. and Brunner, H. (2000). Genetic heterogeneity in Noonan syndrome: evidence for an autosomal recessive form. *American Journal of Medical Genetics* **94**: 46-51.
- van der Kooi, A. J., de Visser, M., van Meegen, M., Ginjaar, H. B., van Essen, A. J., Jennekens, F. G., Jongen, P. J., Leschot, N. J., *et al.* (1998). A novel gamma-sarcoglycan mutation causing childhood onset, slowly progressive limb girdle muscular dystrophy. *Neuromuscular Disorders* **8**: 305-308.

- van Haelst, M. M., Hoogeboom, J., Galjaard, R. J., Kleijer, W. J., den Hollander, N. S., de Krijger, R. R., Hennekam, R. C. and Niermeijer, M. F. (2001). Lymphangiectasia with persistent Mullerian derivatives: confirmation of autosomal recessive Urioste syndrome. *American Journal of Medical Genetics* **104**: 65-68.
- van Hauwe, P., Everett, L. A., Coucke, P., Scott, D. A., Kraft, M. L., Ris-Stalpers, C., Bolder, C., Otten, B., *et al.* (1998). Two frequent missense mutations in Pendred syndrome. *Human Molecular Genetics* **7**: 1099-1104.
- Van Hul, W., Balemans, W., Van Hul, E., Dikkers, F. G., Obee, H., Stokroos, R. J., Hilderling, P., Vanhoenacker, F., *et al.* (1998). Van Buchem disease (hyperostosis corticalis generalista) maps to chromosome 17q12-q21. *American Journal of Human Genetics* **62**: 391-399.
- Van Soest, S., Van Den Born, L. I., Gal, A., Farrar, G. J., Bleeker-Wagemakers, L. M. and Westerveld, A. (1994). Assignment of a gene for autosomal recessive retinitis pigmentosa (RP12) to chromosome 1q31-q32.1 in an inbred and genetically heterogeneous disease population. *Genomics* **22**: 499-504.
- Vanden Eijnden, S., Blum, D., Clercx, A., Goyens, P., De Laet, C. and Vamos, E. (2000). Cutaneous porphyria in a neonate with tyrosinaemia type 1. *European Journal of Pediatrics* **159**: 503-506.
- Vanita Singh, J. R. and Singh, D. (1999). Genetic and segregation analysis of congenital cataract in the Indian population. *Clinical Genetics* **56**: 389-393.
- Vargel, I., Cil, B. E., Er, N., Ruacan, S., Akarsu, A. N. and Erk, Y. (2002). Hereditary intraosseous vascular malformation of the craniofacial region: an apparently novel disorder. *American Journal of Medical Genetics* **109**: 22-35.
- Vasudevan, P. C. and Stewart, H. (2004). A case of Fryns syndrome without diaphragmatic hernia and review of the literature. *Clinical Dysmorphology* **13**: 179-182.
- Vazken, M., Derkaloustain, D., Naffah, J. and Loiselet, J. (1980). Genetic diseases in Lebanon. *American Journal of Medical Genetics* **7**: 187-203.
- Vazza, G., Zortea, M., Boaretto, F., Micaglio, G. F., Sartori, V. and Mostacciolo, M. L. (2000). A new locus for autosomal recessive spastic paraplegia associated with mental retardation and distal motor neuropathy, SPG14, maps to chromosome 3q27-q28. *American Journal of Human Genetics* **67**: 504-509.
- Vedanarayanan, V. V., Smith, S., Subramony, S. H., Bock, G. O. and Evans, O. B. (1998). Lethal neonatal autosomal recessive axonal sensorimotor polyneuropathy. *Muscle and Nerve* **21**: 1473-1477.
- Vemuganti, G. K., Sridhar, M. S., Edward, D. P. and Singh, S. (2002). Subepithelial amyloid deposits in congenital hereditary endothelial dystrophy: a histopathologic study of five cases. *Cornea* **21**: 524-529.

- Venugopalan, P., Agarwal, A. K. and de Bono, D. (2001). Low proportion of familial dilated cardiomyopathy in an Arab population with a high prevalence of consanguineous marriages. *Acta Paediatrica* **90**: 1267-1270.
- Verhallen-Dantuma, J. T. and Buysse, C. M. (2003). [Diagnostic image (137) An infant with fever and pancytopenia. Hemophagocytic lymphohistiocytosis] *Nederlands Tijdschrift Voor Geneeskunde* **147**: 861 [In Dutch].
- Verloes, A., Dresse, M. F., Keutgen, H., Asplund, C. and Smith, C. I. (2001). Microphthalmia, facial anomalies, microcephaly, thumb and hallux hypoplasia, and agammaglobulinemia. *American Journal of Medical Genetics* **101**: 209-212.
- Verma, I. C. and Bijarnia, S. (2002). The burden of genetic disorders in India and a framework for community control. *Community Genetics* **5**: 192-196.
- Verma, I. C., Prema, A. and Puri, R. K. (1992). Health effects of consanguinity in Pondicherry. *Indian Pediatrics* **29**: 685-692.
- Veske, A., Oehlmann, R., Younus, F., Mohyuddin, A., Müller-Myhsok, B., Mehdi, S. Q. and Gal, A. (1996). Autosomal recessive non-syndromic deafness locus (DFNB8) maps on chromosome 21q22 in a large consanguineous kindred from Pakistan. *Human Molecular Genetics* **5**: 165-168.
- Vesterhus, P., Holland, S. M., Abrahamsen, T. G. and Bjercknes, R. (1998). Familial disseminated infection due to atypical mycobacteria with childhood onset. *Clinical Infectious Diseases* **27**: 822-825.
- Vieira, T. C., Dias da Silva, M. R., Cerutti, J. M., Brunner, E., Borges, M., Arnaldi, L. T., Kopp, P. and Abucham, J. (2003). Familial combined pituitary hormone deficiency due to a novel mutation R99Q in the hot spot region of Prophet of Pit-1 presenting as constitutional growth delay. *Journal of Clinical Endocrinology and Metabolism* **88**: 38-44.
- Vierhapper, H., Vierhapper, M. S., Kapelari, K., Baumgartner-Parzer, S. and Kofler, R. (1996). Consanguinity in two seemingly unrelated patients with congenital adrenal hyperplasia. *Lancet* **347**: 699.
- Vijaikumar, M., Thappa, D. M. and Jeevankumar, B. (2001). An Indian case of keratoderma hereditarium mutilans (Vohwinkel's syndrome) associated with ichthyosiform dermatosis. *Journal of Dermatology* **28**: 560-563.
- Virtaneva, K., Miao, J., Träskelin, A., Stone, N., Warrington, J. A., Weissenbach, J., Myers, R. M., Cox, D. R., *et al.* (1996). Progressive myoclonus epilepsy EPM1 locus maps to a 175-kb interval in distal 21q. *American Journal of Human Genetics* **58**: 1247-1253.
- Vishnupriya, S., Ahuja, Y. R., Reddy, Y. R., Reddy, G. D., Rao, V. S. and Rao, P. N. (1981). Inbreeding, mortality and genetic load in families with congenital heart diseases. *Acta Anthropogenetica* **5**: 151-155.

- Voit, T., Cohn, R. D., Sperner, J., Leube, B., Sorokin, L., Toda, T. and Herrmann, R. (1999). Merosin-positive congenital muscular dystrophy with transient brain dysmyelination, pontocerebellar hypoplasia and mental retardation. *Neuromuscular Disorders* **9**: 95-101.
- Voit, T., Parano, E., Straub, V., Schroder, J. M., Schaper, J., Pavone, P., Falsaperla, R., Pavone, L., *et al.* (2002). Congenital muscular dystrophy with adducted thumbs, ptosis, external ophthalmoplegia, mental retardation and cerebellar hypoplasia: a novel form of CMD. *Neuromuscular Disorders* **12**: 623-630.
- Vollmer, M., Jeck, N., Lemmink, H. H., Vargas, R., Feldmann, D., Konrad, M., Beekmann, F., van Den Heuvel, L. P., *et al.* (2000). Antenatal Bartter syndrome with sensorineural deafness: refinement of the locus on chromosome 1p31. *Nephrology, Dialysis, Transplantation* **15**: 970-974.
- von Kleist-Retzow, J., Cormier-Daire, V., de Lonlay, P., Parfait, B., Chretien, D., Rustin, P., Feingold, J., Rötig, A., *et al.* (1998). A high rate (20%-30%) of parental consanguinity in cytochrome-oxidase deficiency. *American Journal of Human Genetics* **63**: 428-435.
- Voskoboeva, E., Krasnopol'skaia, K. D., Peters, K. and von Figura, K. (2000). Identification of mutations in the arylsulfatase B gene in Russian mucopolysaccharidosis type VI patients. *Genetika* **36**: 837-843.
- Vuissoz, J. M., Deladoey, J., Buyukgebiz, A., Cemeroglu, P., Gex, G., Gallati, S. and Mullis, P. E. (2001). New autosomal recessive mutation of the TSH-beta subunit gene causing central isolated hypothyroidism. *Journal of Clinical Endocrinology and Metabolism* **86**: 4468-4471.
- Wajid, M., Abbasi, A. A., Ansar, M., Pham, T. L., Yan, K., Haque, S., Ahmad, W. and Leal, S. M. (2003). DFNB39, a recessive form of sensorineural hearing impairment, maps to chromosome 7q11.22-q21.12. *European Journal of Human Genetics* **11**: 812-815.
- Wallgren-Pettersson, C., Pelin, K., Hilpela, P., Donner, K., Porfirio, B., Graziano, C., Swoboda, K. J., Fardeau, M., *et al.* (1999). Clinical and genetic heterogeneity in autosomal recessive nemaline myopathy. *Neuromuscular Disorders* **9**: 564-572.
- Wallot, M., Wagenvoort, C., deMello, D., Muller, K. M., Floros, J. and Roll, C. (1999). Congenital alveolar proteinosis caused by a novel mutation of the surfactant protein B gene and misalignment of lung vessels in consanguineous kindred infants. *European Journal of Pediatrics* **158**: 513-518.
- Walter-Nicolet, E., Coeslier, A., Joriot, S., Kacet, N., Moerman, A. and Manouvrier-Hanu, S. (1999). The Richieri-Costa and Pereira form of acrofacial dysostosis: first case in a non-Brazilian infant. *American Journal of Medical Genetics* **87**: 430-433.

- Wang, K., Pugh, E. W., Griffen, S., Doheny, K. F., Mostafa, W. Z., al-Aboosi, M. M., el-Shanti, H. and Gitschier, J. (2001). Homozygosity mapping places the acrodermatitis enteropathica gene on chromosomal region 8q24.3. *American Journal of Human Genetics* **68**: 1055-1060.
- Wang, K., Zhou, B., Kuo, Y. M., Zemansky, J. and Gitschier, J. (2002). A novel member of a zinc transporter family is defective in acrodermatitis enteropathica. *American Journal of Human Genetics* **71**: 66-73.
- Wang, S. M., Zwaan, J., Mullaney, P. B., Jabak, M. H., Al-Awad, A., Beggs, A. H. and Engle, E. C. (1998). Congenital fibrosis of the extraocular muscles type 2, an inherited exotropic strabismus fixus, maps to distal 11q13. *American Journal of Human Genetics* **63**: 517-525.
- Wang, Y., Kanegane, H., Sanal, O., Ersoy, F., Tezcan, I., Futatani, T., Tsukada, S. and Miyawaki, T. (2001). Bruton tyrosine kinase gene mutations in Turkish patients with presumed X-linked agammaglobulinemia. *Human Mutation* **18**: 356.
- Warburton, D. and Fraser, F. C. (1964). Spontaneous abortion risks in man: Data from reproductive histories collected in a medical genetics unit. *Human Genetics* **16**: 1-25.
- Wasant, P., Matsumoto, I., Naylor, E. and Liammongkolkul, S. (2002). Mitochondrial fatty acid oxidation disorders in Thai infants: a report of 3 cases. *Journal of the Medical Association of Thailand* **85**: S710-S719.
- Wasant, P., Srisomsap, C., Liammongkolkul, S. and Svasti, J. (2002). Urea cycle disorders in Thai infants: a report of 5 cases. *Journal of the Medical Association of Thailand* **85**: S720-S731.
- Wasant, P., Wattanaweeradej, S., Raksadawan, N. and Kolodny, E. H. (1995). Lysosomal storage disorders in Thailand: the Siriraj experience. *Southeast Asian Journal of Tropical Medicine and Public Health* **26**: 54-58.
- Wattenhofer, M., Di Iorio, V., Rabionet, R., Dougherty, L., Pampanos, A., Schwede, T., Montserrat-Sentis, B., Arbones, L., *et al.* (2002). Mutations in the TMPRSS3 gene are a rare cause of childhood nonsyndromic deafness in Caucasian patients. *Journal of Molecular Medicine* **80**: 124-131.
- Waye, J. S., Patterson, M., Eng, B. and Scully, M.-F. (1994). β -Thalassemia intermedia in a Lebanese child due to homozygosity for the -88 (C \rightarrow T) mutation. *Hemoglobin* **18**: 383-388.
- Weber, S., Hoffmann, K., Jeck, N., Saar, K., Boeswald, M., Kuwertz-Broeking, E., Meij, II, Knoers, N. V., *et al.* (2000). Familial hypomagnesaemia with hypercalciuria and nephrocalcinosis maps to chromosome 3q27 and is associated with mutations in the PCLN-1 gene. *European Journal of Human Genetics* **8**: 414-422.

- Webster, A. R., Richards, F. M., MacRonald, F. E., Moore, A. T. and Maher, E. R. (1998). An analysis of phenotypic variation in the familial cancer syndrome von Hippel-Lindau disease: evidence for modifier effects. *American Journal of Human Genetics* **63**: 1025-1035.
- Weil, D., El-Amraoui, A., Masmoudi, S., Mustapha, M., Kikkawa, Y., Laine, S., Delmaghani, S., Adato, A., *et al.* (2003). Usher syndrome type I G (USH1G) is caused by mutations in the gene encoding SANS, a protein that associates with the USH1C protein, harmonin. *Human Molecular Genetics* **12**: 463-471.
- Welshimer, K. and Swift, M. (1982). Congenital malformations and developmental disabilities in ataxia-telangiectasia, Fanconi anaemia and Xeroderma Pigmentosum families. *American Journal of Human Genetics* **34**: 781-793.
- Wendel, T. D. (2000). The beneficial effect of donor-specific transfusions: a review of existing explanations and a new hypothesis based on a relatively unapplied theory of T cell immunoregulation. A regulatory hypothesis in progress. *Medical Hypotheses* **54**: 922-943.
- Wexler, I., Kerr, D., Du, Y., Kaung, M., Stephenson, W., Lusk, M., Wappner, R. and Higgins, J. (1998). Molecular characterization of pyruvate carboxylase deficiency in two consanguineous families. *Pediatric Research* **43**: 579-584.
- White, J., Byrne, M., Richards, R., Buchanan, T., Katsoulis, E. and Weerasingh, K. (1986). Red cell genetic abnormalities in Peninsular Arabs: sickle haemoglobin, G6PD deficiency and B thalassaemia. *Journal of Medical Genetics* **23**: 245-251.
- Whitlock, N. V., Sher, C., Gold, I., Libman, V. and Reish, O. (2003). A founder COL17A1 splice site mutation leading to generalized atrophic benign epidermolysis bullosa in an extended inbred Palestinian family from Israel. *Genetic Medicine* **5**: 435-439.
- Whitlock, N. V., Sparrow, D. B., Wouters, M. A., Sillence, D., Ellard, S., Dunwoodie, S. L. and Turnpenny, P. D. (2004). Mutated MESP2 causes spondylocostal dysostosis in humans. *American Journal of Human Genetics* **74**: 1249-1254.
- Wijmenga, C., Hansen, R. S., Gimelli, G., Bjorck, E. J., Davies, E. G., Valentine, D., Belohradsky, B. H., van Dongen, J. J., *et al.* (2000). Genetic variation in ICF syndrome: evidence for genetic heterogeneity. *Human Mutation* **16**: 509-517.
- Wijmenga, C., van den Heuvel, L. P., Strengman, E., Luyten, J. A., van der Burgt, I. J., de Groot, R., Smeets, D. F., Draaisma, J. M., *et al.* (1998). Localization of the ICF syndrome to chromosome 20 by homozygosity mapping. *American Journal of Human Genetics* **63**: 803-809.
- Wilcox, E. R., Burton, Q. L., Naz, S., Riazuddin, S., Smith, T. N., Ploplis, B., Belyantseva, I., Ben-Yosef, T., *et al.* (2001). Mutations in the gene encoding tight junction claudin-14 cause autosomal recessive deafness DFNB29. *Cell* **104**: 165-172.

- Willems, P. J. (2000). Genetic causes of hearing loss. *New England Journal of Medicine* **342**: 1101-1109.
- Williams, E. M. and Harper, P. S. (1977). Genetic study of Welsh gypsies. *Journal of Medical Genetics* **14**: 172-176.
- Williams, E. M., Nicholls, A. C., Daw, S. C. M., Mitchell, N., Levin, L. S., Green, B., Mackenzie, J., Evans, D.-R., *et al.* (1989). Phenotypical features of a unique Irish family with severe autosomal recessive osteogenesis imperfecta. *Clinical Genetics* **35**: 181-190.
- Wilson, R. C., Dave-Sharma, S., Wei, J. Q., Obeyesekere, V. R., Li, K., Ferrari, P., Krozowski, Z. S., Shackleton, C. H., *et al.* (1998). A genetic defect resulting in mild low-renin hypertension. *Proceedings of the National Academy of Science USA* **18**: 10200-10205.
- Wilson, R. C., Harbison, M. D., Krozowski, Z. S., Funder, J. W., Shackleton, C. H., Hanauske-Abel, H. M., Wei, J. Q., Hertecant, J., *et al.* (1995). Several homozygous mutations in the gene for 11 beta-hydroxysteroid dehydrogenase type 2 in patients with apparent mineralocorticoid excess. *Journal of Clinical Endocrinology and Metabolism* **80**: 3145-3150.
- Winter, S. T. and Dar, H. (1967). Deafness among children in northern Israel: incidence and etiology. *Israeli Journal of Medical Science* **3**: 894-898.
- Witters, I., Devriendt, K., Moerman, P., Caudron, J., Van Hole, C. and Fryns, J. P. (2001). Bilateral tibial agenesis with ectrodactyly (OMIM 119100): further evidence for autosomal recessive inheritance. *American Journal of Medical Genetics* **104**: 209-213.
- Wolff, G., Müller, C. R. and Grimm, T. (1989). Benign muscular dystrophy: risk calculation in families with consanguinity. *Journal of Medical Genetics* **26**: 299-304.
- Wollenberg, A., Geiger, E., Schaller, M. and Wolff, H. (2000). Dorfman-Chanarin syndrome in a Turkish kindred: conductor diagnosis requires analysis of multiple eosinophils. *Acta Dermato-Venereologica* **80**: 39-43.
- Wollnik, B., Tukel, T., Uyguner, O., Ghanbari, A., Kayserili, H., Emiroglu, M. and Yuksel-Apak, M. (2003). Homozygous and heterozygous inheritance of PAX3 mutations causes different types of Waardenburg syndrome. *American Journal of Medical Genetics* **122A**: 42-45.
- Woolf, C. M. and Dukepoo, F. C. (1969). Hopi Indians, inbreeding, and albinism. *Science* **164**: 30-37.
- Wu, Y., Li, G. and Zhu, X. (2002). A novel homozygous point mutation in the COL17A1 gene in a Chinese family with generalized atrophic benign epidermolysis bullosa. *Journal of Dermatology and Science* **28**: 181-186.

- Xenophontos, S. L., Pierides, A., Demetriou, K., Avraamides, P., Manoli, P., Ayrton, N., Skordis, N., Anastasiadou, V., *et al.* (2000). Geographical clustering of low density lipoprotein receptor gene mutations (C292X; Q363X; D365E & C660X) in Cyprus. *Human Mutation* **15**: 380.
- Yahata, K., Tanaka, I., Kotani, M., Mukoyama, M., Ogawa, Y., Goto, M., Nakagawa, M., Sugawara, A., *et al.* (1999). Identification of a novel R642C mutation in Na/Cl cotransporter with Gitelman's syndrome. *American Journal of Kidney Diseases* **34**: 845-853.
- Yamasaki, T., Taniwaki, T., Kikuchi, H., Araki, E., Arakawa, K., Iwaki, T., Yamada, T. and Kira, J. (1999). [A case of congenital non-progressive cerebellar ataxia with pigmentary retinal degeneration, fiber type disproportion and hypercreatinemia]. *Rinsho Shinkeigaku* **39**: 925-929 [In Japanese].
- Yamashiro, Y., Chodirker, B. N., Hobson, D. and Kryger, M. H. (1995). A familial awake movement disorder mimicking restless legs in a sleep apnoea patient. *Sleep* **18**: 604-607.
- Yang, C., Chen, J. Y., Lai, C. C., Lin, H. C., Yeh, G. C. and Hsu, H. H. (2004). Clinical, biochemical and molecular investigations of three Taiwanese children with Laron syndrome. *Journal of Pediatric Endocrinology and Metabolism* **17**: 165-171.
- Yang, L. X., Toda, K., Miyahara, K., Kinoshita, E., Nomoto, E., Baba, T., Yoshimoto, M., Araki, K., *et al.* (1995). Classic steroid 11 beta-hydroxylase deficiency caused by a C--> transversion in exon 7 of CYP11B1. *Biochemistry and Biophysics Research Communications* **216**: 723-728.
- Yano, S., Oda, K. and Watanabe, Y. (1998). Two sib cases of Leber congenital amaurosis with cerebellar vermis hypoplasia and multiple systemic anomalies. *American Journal of Medical Genetics* **6**: 429-432.
- Yaqoob, M., Cnattingius, S., Jalil, F., Zaman, S., Iselius, L. and Gustavson, K. H. (1998). Risk factors for mortality in young children living under various socio-economic conditions in Lahore, Pakistan: with particular reference to inbreeding. *Clinical Genetics* **54**: 426-434.
- Yasuda, T., Yamaguchi, N., Kobayashi, K., Nishi, I., Horinouchi, H., Jalil, M. A., Li, M. X., Ushikai, M., *et al.* (2000). Identification of two novel mutations in the SLC25A13 gene and detection of seven mutations in 102 patients with adult-onset type II citrullinemia. *Human Genetics* **107**: 537-545.
- Yatuv, R., Rosenberg, N., Dardik, R., Brenner, B. and Seligsohn, U. (1998). Glanzmann thrombasthenia in two Iraqi-Jewish siblings is caused by a novel splice junction mutation in the glycoprotein IIb. *Blood Coagulation and Fibrinolysis* **9**: 258-288.
- Ying, L., Katz, Y., Schlesinger, M., Carmi, R., Shalev, H., Haider, N., Beck, G., Sheffield, V. C., *et al.* (1999). Complement factor H gene mutation associated

- with autosomal recessive atypical hemolytic uremic syndrome. *American Journal of Human Genetics* **65**: 1538-1546.
- Yonemitsu, N., Mori, K., Mitsuoka, M., Toda, S., Miyabara, S., Funatsumaru, S. and Sugihara, H. (1988). Testicular tumours in non-twin brothers from a consanguineous marriage. *Acta Pathologica Japonica* **38**: 1077-1086.
- Yordam, N., Kandemir, N., Erkul, I., Kurdoglu, S. and Hatun, S. (1995). Review of Turkish patients with growth hormone insensitivity (Laron type). *European Journal of Endocrinology* **133**: 539-542.
- Yoshimura, K., Hamada, F., Tomoda, T., Wakiguchi, H. and Kurashige, T. (1998). Focal pachypolymicrogyria in three siblings. *Pediatric Neurology* **18**: 435-438.
- Yoshioka, M. and Kuroki, S. (1994). Clinical spectrum and genetic studies of Fukuyama Congenital Muscular Dystrophy. *American Journal of Medical Genetics* **53**: 245-250.
- Yosipovitch, G., Mevorah, B., David, M., Feinmesser, M., Hodak, E., Gabay, B., Ammash, J. and Elias, P. M. (1999). Migratory ichthyosiform dermatosis with type 2 diabetes mellitus and insulin resistance. *Archives of Dermatology* **135**: 1237-1242.
- Yotsumoto, S., Setoyama, M., Hozumi, H., Mizoguchi, S., Fukumaru, S., Kobayashi, K., Saheki, T. and Kanzaki, T. (1999). A novel point mutation affecting the tyrosine kinase domain of the TRKA gene in a family with congenital insensitivity to pain with anhidrosis. *Journal of Investigative Dermatology* **112**: 810-814.
- Young, I. D. and Moore, J. R. (1985). Severe pseudoachondroplasia with parental consanguinity. *Journal of Medical Genetics* **22**: 150-153.
- Yuce, A., Kocak, N., Gurakan, F. and Ozen, H. (2000). Wilson's disease with hepatic presentation in childhood. *Indian Pediatrics* **37**: 31-36.
- Yuksel, A., Seven, M., Deviren, A., Soylemez, M. A., Hacıhanefioglu, S., Ulutin, T. and Cenani, A. (1999). Two female siblings with a previously unreported MCA/MR syndrome: pre- and postnatal growth retardation, iris colobomata, spasticity, facial dysmorphism and dilated ventricles. *Genetic Counseling* **10**: 265-269.
- Yuval, Y., Hemo-Zisser, M., Zemer, D., Sohar, E. and Pras, M. (1995). Dominant inheritance in two families with Familial Mediterranean Fever (FMF). *American Journal of Medical Genetics* **57**: 455-457.
- Zack, P. and Beighton, P. (1995). Spondyloenchondromatosis: Syndromic identity and evolution of the phenotype. *American Journal of Medical Genetics* **55**: 478-482.

- Zaki, M. S., el Sabbagh, M. H. and Aglan, M. S. (2004). Familial congenital brachial palsy: a report of two affected Egyptian families. *Genetic Counselling* **15**: 27-36.
- Zakzouk, S., El-Sayed, Y. and Bafaqeh, S. A. (1993). Consanguinity and hereditary hearing impairment among Saudi population. *Annals of Saudi Medicine* **13**: 447-450.
- Zakzouk, S. M., Abul Fadle, K. and Al Anazy, F. H. (1995). Familial hereditary progressive sensorineural hearing loss among Saudi population. *International Journal of Pediatric Otorhinolaryngology* **32**: 247-255.
- Zakzouk, S. M., Jamal, T. S. and Daghistani, K. J. (2002). Epidemiology of acute otitis media among Saudi children. *International Journal of Pediatric Otorhinolaryngology* **62**: 219-222.
- Zakzouk, S. M., Sobki, S. H., Mansour, F. and Al-Anazy, F. H. (1995). Hearing impairment in association with distal renal tubular acidosis among Saudi children. *Journal of Laryngology and Otology* **109**: 930-934.
- Zalloua, P. A., Terwedow, H., Shbaklo, H., Halaby, G., Xu, X. and Azar, S. T. (2003). Host and environmental factors defining the epidemiology of type 1 diabetes mellitus in a group of Lebanese children and young adults. *Journal of Pediatric Endocrinology and Metabolism* **16**: 759-769.
- Zanoteli, E., Oliveira, A. S., Schmidt, B. and Gabbai, A. A. (1998). Centronuclear myopathy: clinical aspects of ten Brazilian patients with childhood onset. *Journal of the Neurological Sciences* **158**: 76-82.
- Zantour, B., Messaoud, R., Zouali, M., Ladjimi, A., Braham, H., Hamza, H., Zebidi, A. and Sfar, M. H. (2003). [Werner's syndrome and endocrine disorders] [In French]. *Annales d'Endocrinologie (Paris)* **64**: 205-209.
- Zaoui, S. and Biemont, C. (2002). [Frequency of consanguineous unions in the Tlemcen area (West Algeria)]. *Sante* **12**: 289-295.
- Zbar, R. I., Ramesh, A., Srisailapathy, C. R., Fukushima, K., Wayne, S. and Smith, R. J. (1998). Passage to India: the search for genes causing autosomal recessive nonsyndromic hearing loss. *Otolaryngology, Head and Neck Surgery* **118**: 333-337.
- Zemmouri, R., Azzedine, H., Assami, S., Kitouni, N., Vallat, J. M., Maisonobe, T., Hamadouche, T., Kessaci, M., *et al.* (2000). Charcot-Marie-Tooth 2-like presentation of an Algerian family with giant axonal neuropathy. *Neuromuscular Disorders* **10**: 592-598.
- Zhu, W., Malloy, P. J., Delvin, E., Chabot, G. and Feldman, D. (1998). Hereditary 1,25-dihydroxyvitamin D-resistant rickets due to an opal mutation causing premature termination of the vitamin D receptor. *Journal of Bone and Mineral Research* **31**: 259-264.

- Zielenski, J., Markiewicz, D., Lin, S. P., Huang, F. Y., Yang-Feng, T. L. and Tsui, L. C. (1995). Skipping of exon 12 as a consequence of a point mutation (1898 + 5G-->T) in the cystic fibrosis transmembrane conductance regulator gene found in a consanguineous Chinese family. *Clinical Genetics* **47**: 125-132.
- Zinchenko -Mamedova, R. A., El'chinova, G. I., Gavrilina, S. G. and Ginter, E. K. (2001). [Analysis of diversity of autosomal-recessive diseases in Russian populations]. *Genetika* **37**: 1559-1570 [In Russian].
- Zinchenko, R. A., El'chinova, G. I., Balanovskaia, E. V., Nurbaev, S. D. and Ginter, E. K. (2000). [Influence of population's genetic structure on the load size of monogenic hereditary diseases in Russia]. *Vestnik Rossiiskoi Akademii Meditsinskikh Nauk*: 5-11 [In Russian].
- Ziv, Y. (1992). Ataxia-telangiectasia: linkage analysis in highly inbred Arab and Druze families and differentiation from an ataxia-microcephaly-cataract syndrome. *Human Genetics* **88**: 619-626.
- Zlotogora, J. (1991). Problems in diagnosis and delineation of inherited disorders in highly inbred populations. *American Journal of Medical Genetics* **41**: 451-453.
- Zlotogora, J. (1993). Is the presence of two different Tay-Sachs disease mutations in a Cajun population an unexpected observation? *American Journal of Human Genetics* **52**: 1014-1015.
- Zlotogora, J. (1995). Major gene is responsible for anencephaly among Iranian Jews. *American Journal of Medical Genetics* **56**: 87-89.
- Zlotogora, J. (1997). Genetic disorders among Palestinian Arabs: I. Effects of consanguinity. *American Journal of Medical Genetics* **68**: 472-475.
- Zlotogora, J. (1998). On the inheritance of "new" syndromes. *American Journal of Medical Genetics* **78**: 304-305.
- Zlotogora, J. (1998). Recessive or dominant? Reclassification in the molecular age. *Clinical Genetics* **53**: 423-425.
- Zlotogora, J. (2002). Molecular basis of autosomal recessive diseases among the Palestinian Arabs. *American Journal of Medical Genetics* **109**: 176-182.
- Zlotogora, J. (2002). What is the birth defect risk associated with consanguineous marriages? *American Journal of Medical Genetics* **109**: 70-71.
- Zlotogora, J. (2002). What is the birth defect risk associated with consanguineous marriages? *American Journal of Medical Genetics* **109**: 70-71.
- Zlotogora, J., Shalev, S., Habiballah, H. and Barjes, S. (2000). Genetic disorders among Palestinian Arabs: III. Autosomal recessive disorders in a single village. *American Journal of Medical Genetics* **92**: 343-345.

- Zlotogora, J. and Shapiro, M. S. (1992). Polyglandular autoimmune syndrome type I among Iranian Jews. *Journal of Medical Genetics* **29**: 824-826.
- Zorai, A., Harteveld, C. L., Rachdi, R., Dellagi, K., Abbes, S., Delbini, P. and Giordano, P. C. (2003). Frequency and spectrum of hemochromatosis mutations in Tunisia. *Hematology Journal* **4**: 433-435.
- Zortea, M., Vettori, A., Trevisan, C. P., Bellini, S., Vazza, G., Armani, M., Simonati, A. and Mostacciuolo, M. L. (2002). Genetic mapping of a susceptibility locus for disc herniation and spastic paraplegia on 6q23.3-q24.1. *Journal of Medical Genetics* **39**: 387-390.
- Zschocke, J., Schulze, A., Lindner, M., Fiesel, S., Olgemoller, K., Hoffmann, G. F., Penzien, J., Ruiter, J. P., *et al.* (2001). Molecular and functional characterisation of mild MCAD deficiency. *Human Genetics* **108**: 404-408.
- Zubairu, A. M., Wright, N. B. and Wynn, R. F. (2001). Bilateral subdural effusions related to disease activity in familial hemophagocytic lymphohistiocytosis in an 8-month-old infant. *Journal of Pediatric Hematology and Oncology* **23**: 328-330.
- Zvulunov, A., Cagnano, E., Kachko, L., Shorer, Z., Elbedour, K. and Stevens, H. (2002). A new variant of autosomal recessive exfoliative ichthyosis. *Pediatric Dermatology* **19**: 382-387.
- Zwaenepoel, I., Mustapha, M., Leibovici, M., Verpy, E., Goodyear, R., Liu, X. Z., Nouaille, S., Nance, W. E., *et al.* (2002). Otoancorin, an inner ear protein restricted to the interface between the apical surface of sensory epithelia and their overlying acellular gels, is defective in autosomal recessive deafness DFNB22. *Proceedings of the National Academy of Sciences of the United States of America* **99**: 6240-6245.