

Clinical Outcomes, Physical Disorders (H-K)

- Habib, Z. and Böök, J. A. (1983). Consanguinity and the incidence of thalassemia in Egypt. *Hereditas* **99**: 215-217.
- Haddad, J., Dandach, A., Gebran, S., Rhayel, L. and Aftimos, G. (1997). Juvenile hyaline fibromatosis. *Archives de Pediatrie* **4**: 1200-1203 [In French].
- Hadj-Rabia, S., Salomon, R., Pelet, A., Penet, C., Rotschild, A., de Laet, M. H., Chaouachi, B., Hannachi, R., *et al.* (2000). Linkage disequilibrium in inbred North African families allows fine genetic and physical mapping of triple A syndrome. *European Journal of Human Genetics* **8**: 613-620.
- Haider, N. B., Carmi, R., Shalev, H., Sheffield, V. C. and Landau, D. (1998). A Bedouin kindred with infantile nephronophthisis demonstrates linkage to chromosome 9 by homozygosity mapping. *American Journal of Human Genetics* **63**: 1404-1410.
- Hall, S. K., Hutchesson, A. C. and Kirk, J. M. (1999). Congenital hypothyroidism, seasonality and consanguinity in the West Midlands, England. *Acta Paediatrica* **88**: 212-215.
- Hallett, K. B. and Hall, R. K. (1995). Congenital adrenal hyperplasia and enamel hypoplasia: case report. *American Academy of Pediatric Dentistry* **17**: 54-59.
- Hamada, T., McLean, W. H., Ramsay, M., Ashton, G. H., Nanda, A., Jenkins, T., Edelstein, I., South, A. P., *et al.* (2002). Lipoid proteinosis maps to 1q21 and is caused by mutations in the extracellular matrix protein 1 gene (ECM1). *Human Molecular Genetics* **11**: 833-840.
- Hamdani, M., El Kettani, A., Rais, L., Benhaddou, M., Hda, N., Rachid, R., El Belhadji, M., Laouissi, N., *et al.* (2000). [Cockayne's syndrome with unusual retinal involvement (report of one family)]. *Journal Francais d'Ophthalmologie* **23**: 52-56 [In French].
- Hamed, R. M. (2002). The spectrum of chronic renal failure among Jordanian children. *Journal of Nephrology* **15**: 130-135.
- Hamed, R. M. and Shomaf, M. (2001). Congenital nephrotic syndrome: a clinicopathologic study of thirty children. *Canadian Journal of Ophthalmology* **14**: 104-109.
- Hameed, A., Abid, A., Aziz, A., Ismail, M., Mehdi, S. Q. and Khaliq, S. (2003). Evidence of RPGRIP1 gene mutations associated with recessive cone-rod dystrophy. *Journal of Medical Genetics* **40**: 616-619.
- Hameed, A., Khaliq, S., Ismail, M., Anwar, K., Ebenezer, N. D., Jordan, T., Mehdi, S. Q., Payne, A. M., *et al.* (2000). A novel locus for Leber congenital amaurosis (LCA4) with anterior keratoconus mapping to chromosome 17p13. *Investigative Ophthalmology & Visual Science* **41**: 629-633.

- Hameed, A., Khaliq, S., Ismail, M., Anwar, K., Mehdi, S. Q., Bessant, D., Payne, A. M. and Bhattacharya, S. S. (2001). A new locus for autosomal recessive RP (RP29) mapping to chromosome 4q32-q34 in a Pakistani family. *Investigative Ophthalmology & Visual Science* **42**: 1436-1438.
- Hamide, A., Singh, B., Dutta, T. K. and Sridhar, M. G. (2002). Congenital erythropoietic porphyria. *Journal of the Indian Medical Association* **100**: 248-250.
- Hand, C. K., Harmon, D. L., Kennedy, S. M., FitzSimon, J. S., Collum, L. M. and Parfrey, N. A. (1999). Localization of the gene for autosomal recessive congenital hereditary endothelial dystrophy (CHED2) to chromosome 20 by homozygosity mapping. *Genomics* **61**: 1-4.
- Hand, C. K., Harmon, D. L., Kennedy, S. M., FitzSimon, J. S., Collum, L. M. T. and Parfrey, N. A. (1999). Localization of the gene for autosomal recessive congenital hereditary endothelial dystrophy (CHED2) to chromosome 20 by homozygosity mapping. *Genomics* **61**: 1-4.
- Hanein, S., Perrault, I., Gerber, S., Tanguy, G., Barbet, F., Ducroq, D., Calvas, P., Dollfus, H., *et al.* (2004). Leber congenital amaurosis: comprehensive survey of the genetic heterogeneity, refinement of the clinical definition, and genotype-phenotype correlations as a strategy for molecular diagnosis. *Human Mutation* **23**: 306-317.
- Hansson, G. and Redin, B. (1963). Familial neonatal hypoglycemia. A syndrome resembling foetopathy diabetica. *Acta Paediatrica* **52**: 145-152.
- Hara, A., Uyama, E., Uchino, M., Shimmoto, M., Utsumi, K., Itoh, K., Kase, R., Naito, M., *et al.* (1998). Adult Sandhoff's disease: R505Q and 1207V substitutions in the HEXB gene of the first Japanese case. *Journal of Neurological Science* **18**: 86-91.
- Harlap, S., Davies, A. M., Haber, M., Rossman, H., Prywes, R. and Samueloff, N. (1971). Congenital malformation in the Jerusalem perinatal study. *Israeli Journal of Medical Science* **7**: 1520-1528.
- Harper, P. S. (1976). Genetic variation in Wales. *Journal of the Royal College of Physicians* **10**: 321-332.
- Harper, P. S. and Williams, E. M. (1975). Genetic disorders in gypsies. *Lancet* **i**: 1041.
- Harper, P. S., Williams, E. M. and Sunderland, E. (1977). Genetic markers in Welsh gypsies. *Journal of Medical Genetics* **14**: 177-182.
- Harpey, J. P., Heron, D., Prudent, M., Charpentier, C., Rustin, P., Ponsot, G. and Cormier-Daire, V. (1998). Diffuse leukodystrophy in an infant with cytochrome-c oxidase deficiency. *Journal of Inherited Metabolic Disease* **21**: 748-752.

- Hart, T. C., Bowden, D. W., Ghaffar, K. A., Wang, W., Cutler, C. W., Cebeci, I., Efeoglu, A. and Firatli, E. (1998). Sublocalization of the Papillon-Lefevre syndrome locus on 11q14-q21. *American Journal of Medical Genetics* **79**: 134-139.
- Hart, T. C., Hart, P. S., Bowden, D. W., Michalec, M. D., Callison, S. A., Walker, S. J., Zhang, Y. and Firatli, E. (1999). Mutations of the cathepsin C gene are responsible for Papillon-Lefevre syndrome. *Journal of Medical Genetics* **36**: 881-887.
- Hart, T. C., Hart, P. S., Gorry, M. C., Michalec, M. D., Ryu, O. H., Uygur, C., Ozdemir, D., Firatli, S., *et al.* (2003). Novel ENAM mutation responsible for autosomal recessive amelogenesis imperfecta and localised enamel defects. *Journal of Medical Genetics* **40**: 900-906.
- Hart, T. C., Hart, P. S., Michalec, M. D., Zhang, Y., Firatli, E., Van Dyke, T. E., Stabholz, A., Zlotogorski, A., *et al.* (2000). Haim-Munk syndrome and Papillon-Lefevre syndrome are allelic mutations in cathepsin C. *Journal of Medical Genetics* **37**: 88-94.
- Hart, T. C., Hart, P. S., Michalec, M. D., Zhang, Y., Marazita, M. L., Cooper, M., Yassin, O. M., Nusier, M., *et al.* (2000). Localisation of a gene for prepubertal periodontitis to chromosome 11q14 and identification of a cathepsin C gene mutation. *Journal of Medical Genetics* **37**: 95-101.
- Hashishe, M. M. (1992). Genetic study of phenylketonuria. *Journal of the Egyptian Public Health Association* **67**: 443-463.
- Hashmi, M. A. (1997). Frequency of consanguinity and its effect on congenital malformation - a hospital-based study. *Journal of the Pakistan Medical Association* **47**: 75-78.
- Hashmi, M. I., Khan, M. J., Abbasi, N., Cheema, I. A. and Qasim, G. (2003). Pendred's syndrome. *Journal of the College of Physicians and Surgeons, Pakistan* **13**: 463-464.
- Hassan, M. O., Al Kharusi, W. and Ziada, A. (2001). Blood pressure and its reactivity in the offspring of first cousin hypertensive and first cousin normotensive parents: a preliminary report. *Journal of Human Hypertension* **15**: 869-872.
- Hattab, F. N., Rawashdeh, M. A., Yassin, O. M., Al-Momani, A. S. and Al-Ubosi, M. M. (1995). Papillon-Lefèvre syndrome: a review of the literature and report of 4 cases. *Journal of Periodontology* **66**: 413-420.
- Hattab, F. N., Yassin, O. M. and Sasa, I. S. (1998). Oral manifestations of Ellis-van Creveld syndrome: report of two siblings with unusual dental anomalies. *Journal of Pediatric Dentistry* **22**: 159-165.

- Hattori, N., Matsumine, H., Asakawa, S., Kitada, T., Yoshino, H., Elibol, B., Brookes, A. J., Yamamura, Y., *et al.* (1998). Point mutations (THR240ARF and Gln311Stop) [correction of Thr240ARG and Ala311Stop] in the Parkin gene. *Biochemistry and Biophysics Research Communications* **251**: 666.
- Haut, S., Brivet, M., Touati, G., Rustin, P., Lebon, S., Garcia-Cazorla, A., Saudubray, J. M., Boutron, A., *et al.* (2003). A deletion in the human QP-C gene causes a complex III deficiency resulting in hypoglycaemia and lactic acidosis. *Human Genetics* **113**: 118-122.
- Heaney, C., Shalev, H., Elbedour, K., Carmi, R., Staack, J. B., Sheffield, V. C. and Beier, D. R. (1998). Human autosomal recessive osteopetrosis maps to 11q13, a position predicted by comparative mapping of the murine osteosclerosis (oc) mutation. *Human Molecular Genetics* **7**: 1407-1410.
- Hearne, C. M., Aitman, T. J., Prins, J. B., Rodriguez, N., Love, J. M., Bain, S. C. and Todd, J. A. (1991). Tri and tetranucleotide microsatellites for linkage analysis of type 1 diabetes. *Cytogenetics and Cell Genetics* **758**: 1962.
- Heathcote, K., Rajab, A., Magre, J., Syrris, P., Besti, M., Patton, M., Delepine, M., Lathrop, M., *et al.* (2002). Molecular analysis of Berardinelli-Seip congenital lipodystrophy in Oman: evidence for multiple loci. *Diabetes* **51**: 1291-1293.
- Hegde, R. and Reddy, R. (2002). Papillon-Lefevre syndrome: a report of two cases. *Journal of the Indian Society of Pedodontics and Preventative Dentistry* **20**: 9-11.
- Hegele, R. A., Brunt, J. H. and Connelly, P. W. (1995). Genetic variation on chromosome 1 associated with variation in body fat distribution in men. *Circulation* **92**: 1089-1093.
- Heinisch, U., Zlotogora, J., Kafert, S. and Gieselmann, V. (1995). Multiple mutations are responsible for the high frequency of metachromatic leukodystrophy in a small geographic area. *American Journal of Human Genetics* **56**: 51-57.
- Hellemans, J., Coucke, P. J., Giedion, A., De Paepe, A., Kramer, P., Beemer, F. and Mortier, G. R. (2003). Homozygous mutations in IHH cause acrocapitofemoral dysplasia, an autosomal recessive disorder with cone-shaped epiphyses in hands and hips. *American Journal of Human Genetics* **72**: 1040-1046.
- Henneveld, H. T., van Lingen, R. A., Hamel, B. C., Stolte-Dijkstra, I. and van Essen, A. J. (1999). Perlman syndrome: four additional cases and review. *American Journal of Medical Genetics* **86**: 439-446.
- Hennies, H. C., Raghunath, M., Wiebe, V., Vogel, M., Velten, F., Traupe, H. and Reis, A. (1998). Genetic and immunohistochemical detection of mutations inactivating the keratinocyte transglutaminase in patients with lamellar ichthyosis. *Human Genetics* **102**: 314-318.

- Hernández, A., Reynoso, M. C., Soto, F., Quiñonos, D., Nazará, Z. and Fragoso, R. (1989). Achalasia microcephaly syndrome in a patient with consanguineous parents: support for a.m. being distinct autosomal recessive condition. *Clinical Genetics* **36**: 456-458.
- Hernández, D., McConville, C. M. and Taylor, M. A. (1991). Failure to map the AT gene to 11q 22-23 in a large inbred family. *Cytogenetics and Cell Genetics* **58**: 1962-1963.
- Héron, D., Billette-de-Villemeur, T., Munnich, A. and Lyonnet, S. (1995). Filippi syndrome: a new case with skeletal abnormalities. *Journal of Medical Genetics* **32**: 659-661.
- Hershkovitz, E., Shalitin, S., Levy, J., Leiberman, E., Weinshtock, A., Varsano, I. and Gorodischer, R. (1995). The new syndrome of congenital hypoparathyroidism associated with dysmorphism, growth retardation, and developmental delay - a report of six patients. *Israeli Journal of Medical Science* **31**: 293-297.
- Hijazi, Z. and Haider, M. Z. (2001). Influence of consanguinity and IgE receptor genotypes on clinical manifestations of asthma in Kuwaiti children. *Journal of Tropical Pediatrics* **47**: 13-16.
- Hilderink, B. G. and Brunner, H. G. (1995). Nevo syndrome. *Clinical Dysmorphology* **4**: 319-323.
- Hillaire, D., Leclerc, A., Fauré, S., Topaloglu, H., Chiannikulchai, N., Guicheney, P., Grinas, L., Legos, P., *et al.* (1994). Localization of merosin-negative congenital muscular dystrophy to chromosome 6q2 by homozygosity mapping. *Human Molecular Genetics* **3**: 1657-1661.
- Hishinuma, A., Kasai, K., Masawa, N., Kanno, Y., Arimura, M., Shimoda, S. I. and Ieiri, T. (1998). Missense mutation (C1263R) in the thyroglobulin gene causes congenital goiter with mild hypothyroidism by impaired intracellular transport. *Endocrinology Journal* **45**: 315-327.
- Hmani, M., Ghorbel, A., Boulila-Elgaied, A., Ben Zina, Z., Kammoun, W., Drira, M., Chaabouni, M., Petit, C., *et al.* (1999). A novel locus for Usher syndrome type II, USH2B, maps to chromosome 3 at p23-24.2. *European Journal of Human Genetics* **7**: 363-367.
- Holder-Espinasse, M., de Blois, M. C., Faivre, L., Romana, S., Uteza, Y., Munnich, A., Lyonnet, S., Cormier-Daire, V., *et al.* (2001). Absent lacrimal ducts, distichiasis, dysmorphic features, and brachydactyly: a case report. *Clinical Dysmorphology* **10**: 253-255.
- Holmes, L. B., Redline, R. W., Brown, D. L., Williams, A. J. and Collins, T. (1995). Absence/hypoplasia of tibia, polydactyly, retrocerebellar arachnoid cyst, and other anomalies: an autosomal recessive disorder. *Journal of Medical Genetics* **32**: 896-900.

- Holzinger, A., Roschinger, W., Lagler, F., Mayerhofer, P. U., Lichtner, P., Kattenfeld, T., Thuy, L. P., Nyhan, W. L., *et al.* (2001). Cloning of the human MCCA and MCCB genes and mutations therein reveal the molecular cause of 3-methylcrotonyl-CoA: carboxylase deficiency. *Human Molecular Genetics* **10**: 1299-1306.
- Hoodfar, E. and Teebi, A. S. (1996). Genetic referrals of Middle Eastern origin in a western city: inbreeding and disease profile. *Journal of Medical Genetics* **33**: 212-215.
- Hoorntje, T., Alders, M., van Tintelen, P., van der Lip, K., Sreeram, N., van der Wal, A., Mannens, M. and Wilde, A. (1999). Homozygous premature truncation of the HERG protein : the human HERG knockout. *Circulation* **100**: 1264-1267.
- Horev, L., Glaser, B., Metzker, A., Ben-Amitai, D., Vardy, D. and Zlotogorski, A. (2000). Monilethrix: mutational hotspot in the helix termination motif of the human hair basic keratin 6. *Human Heredity* **50**: 325-330.
- Horn, D., Kresova, A., Kunze, J. and Reis, A. (2000). Homozygosity mapping in a family with microcephaly, mental retardation, and short stature to a Cohen syndrome region on 8q21.3-8q22.1: redefining a clinical entity. *American Journal of Medical Genetics* **92**: 285-292.
- Horn, M., Stutte, H. J. and Schlote, W. (2002). Familial erythrophagocytic lymphohistiocytosis (Farquhar's disease): involvement of the central nervous system. *Clinical Neuropathology* **21**: 139-144.
- Hornby, S. J., Dandona, L., Foster, A., Jones, R. B. and Gilbert, C. E. (2001). Clinical findings, consanguinity, and pedigrees in children with anophthalmos in southern India. *Developmental Medicine and Child Neurology* **43**: 392-398.
- Hornby, S. J., Dandona, L., Jones, R. B., Stewart, H. and Gilbert, C. E. (2003). The familial contribution to non-syndromic ocular coloboma in south India. *British Journal of Ophthalmology* **87**: 336-340.
- Hornby, S. J., Ward, S. J., Gilbert, C. E., Dandona, L., Foster, A. and Jones, R. B. (2002). Environmental risk factors in congenital malformations of the eye. *Annals of Tropical Paediatrics* **22**: 67-77.
- Hoshida, R., Matsuura, T., Haraguchi, Y., Endo, F., Yoshinaga, M. and Matsuda, I. (1993). Carbonyl phosphate synthetase 1 deficiency. One base substitution in an exon of the CPS1 gene causes a 9-basepair deletion due to aberrant splicing. *Journal of Clinical Investigation* **91**: 1884-1887.
- Hou, D. C., Kure, S., Suzuki, Y., Hasegawa, Y., Hara, Y., Inoue, T., Kida, Y., Matsubara, Y., *et al.* (1999). Glycogen storage disease type Ib: structural and mutational analysis of the microsomal glucose-6-phosphate transporter gene. *American Journal of Medical Genetics* **86**: 253-257.

- Houstek, J., Klement, P., Floryk, D., Antonicka, H., Hermanska, J., Kalous, M., Hansikova, H., Hout'kova, H., *et al.* (1999). A novel deficiency of mitochondrial ATPase of nuclear origin. *Human Molecular Genetics* **8**: 1967-1974.
- Hoveyda, N., Shield, J. P., Garrett, C., Chong, W. K., Beardsall, K., Bentsi-Enchill, E., Mallya, H. and Thompson, M. H. (1999). Neonatal diabetes mellitus and cerebellar hypoplasia/agenesis: report of a new recessive syndrome. *Journal of Medical Genetics* **36**: 700-704.
- How, A. C. and Koh, A. H. (2003). Gyrate atrophy of the choroid: two cases. *Annals of the Academy of Medicine, Singapore* **32**: 408-410.
- Howard, F. M. and Young, I. D. (1988). Unknown syndrome: microcephaly, facial clefting, and preaxial polydactyly. *Journal of Medical Genetics* **25**: 272-273.
- Hoyer, J. D., Allen, S. L., Beutler, E., Kubik, K., West, C. and Fairbanks, V. F. (2004). Erythrocytosis due to bisphosphoglycerate mutase deficiency with concurrent glucose-6-phosphate dehydrogenase (G-6-PD) deficiency. *American Journal of Hematology* **75**: 205-208.
- Hsiao, K., Meiner, Z., Kahana, E., Cass, C., Kahana, I., Avrahami, D., Prusiner, S. B. and Gabizon, R. (1991). Mutation of the prion protein in Libyan Jews with Creutzfeldt-Jakob disease. *New England Journal of Medicine* **324**: 1091-1097.
- Hsu, B. Y., Iacobazzi, V., Wang, Z., Harvie, H., Chalmers, R. A., Saudubray, J. M., Palmieri, F., Ganguly, A., *et al.* (2001). Aberrant mRNA splicing associated with coding region mutations in children with carnitine-acylcarnitine translocase deficiency. *Molecular Genetics and Metabolism* **74**: 248-255.
- Hu, D.-N. (1982). Genetic aspects of retinitis pigmentosa in China. *American Journal of Medical Genetics* **12**: 51-56.
- Hu, D.-N., Li, J.-H., Chen, H.-Y., Chang, H.-S., Wu, B.-X., Lu, Z.-K., Wang, D.-Z. and Liu, X.-G. (1982). Genetics of cleft lip and cleft palate in China. *American Journal of Human Genetics* **34**: 999-1002.
- Huang, C., Cheng, G. J., Reid, M. E. and Chen, Y. (1999). Rhmod syndrome: a family study of the translation-initiator mutation in the Rh50 glycoprotein gene. *American Journal of Human Genetics* **64**: 108-117.
- Hulskamp, G., Wiczorek, D., Rieder, H., Louwen, F., Hornig-Franz, I., Rickert, C. H., Horst, J., Harms, E., *et al.* (2003). Raine syndrome: report of a family with three affected sibs and further delineation of the syndrome. *Clinical Dysmorphology* **12**: 153-160.
- Hunter, M., Heyer, E., Austerlitz, F., Angelicheva, D., Nedkova, V., Briones, P., Gata, A., de Pablo, R., *et al.* (2002). The P28T mutation in the GALK1 gene accounts for galactokinase deficiency in Roma (Gypsy) patients across Europe. *Pediatric Research* **51**: 602-606.

- Hurford, M. T., Marshall-Taylor, C., Vicki, S. L., Zhou, J. Z., Silverman, L. M., Rezuke, W. N., Altman, A. and Tsongalis, G. J. (2002). A novel mutation in exon 5 of the ALAS2 gene results in X-linked sideroblastic anemia. *Clinica Chimica Acta* **321**: 49-53.
- Hutchesson, A. C. J., Bunday, S., Preece, M. A., Hall, S. K. and Green, A. (1998). A comparison of disease and gene frequencies of inborn errors of metabolism among different ethnic groups in the West Midlands. *Journal of Medical Genetics* **35**: 366-370.
- Iacobazzi, V., Pasquali, M., Singh, R., Matern, D., Rinaldo, P., Amat di San Filippo, C., Palmieri, F. and Longo, N. (2004). Response to therapy in carnitine/acylcarnitine translocase (CACT) deficiency due to a novel missense mutation. *American Journal of Medical Genetics* **126A**: 150-155.
- Ianakiev, P., Kilpatrick, M. W., Daly, M. J., Zolindaki, A., Bagley, D., Beighton, G., Beighton, P. and Tsipouras, P. (2000). Localization of an acromesomelic dysplasia on chromosome 9 by homozygosity mapping. *Clinical Genetics* **57**: 278-283.
- Ibi, T., Oguri, C., Liqun, R., Nakao, N. and Sahashi, K. (1998). [Clinico-pathological analysis of vesiculotubular myopathy of adult onset]. *Rinsho Shinkeigaku* **38**: 904-909 [In Japanese].
- Inaloz, H. S., Harman, M., Akdeniz, S., Inaloz, S. S. and Isik, A. G. (2001). Atypical familial Papillon-Lefevre syndrome. *Journal of the European Academy of Dermatology and Venereology* **15**: 48-50.
- Indelman, M., Bergman, R., Lurie, R., Richard, G., Miller, B., Petronius, D., Ciubutaro, D., Leibu, R., *et al.* (2002). A missense mutation in CDH3, encoding P-cadherin, causes hypotrichosis with juvenile macular dystrophy. *Journal of Investigative Dermatology* **119**: 1210-1213.
- Ippel, P. F., Breslau-Siderius, E. J., Hack, W. W., van der Blij, H. F., Bouve, S. and Bijlsma, J. B. (1998). Atelencephalic microcephaly: a case report and review of the literature. *European Journal of Pediatrics* **157**: 493-497.
- Irrthum, A., Devriendt, K., Chitayat, D., Matthijs, G., Glade, C., Steijlen, P. M., Fryns, J. P., Van Steensel, M. A., *et al.* (2003). Mutations in the transcription factor gene SOX18 underlie recessive and dominant forms of hypotrichosis-lymphedema-telangiectasia. *American Journal of Human Genetics* **72**: 1470-1478.
- Ishii, E., Ohga, S., Tanimura, M., Imashuku, S., Sako, M., Mizutani, S. and Miyazaki, S. (1998). Clinical and epidemiological studies of familial hemophagocytic lymphohistiocytosis in Japan. *Medical and Pediatric Oncology* **30**: 276-283.
- Iughetti, P., Alonso, L. G., Wilcox, W., Alonso, N. and Passos-Bueno, M. R. (2000). Mapping of the autosomal recessive (AR) cranio-metaphyseal dysplasia locus to chromosome region 6q21-22 and confirmation of genetic heterogeneity for mild

- AR spondylocostal dysplasia. *American Journal of Medical Genetics* **95**: 482-491.
- Ivanov, V. P., Churnosov, M. I. and Kirilenko, A. I. (1998). Genetic-demographic structure and prevalence of congenital malformations in rural regions of the Kursk district. *Genetika* **34**: 857-859 [In Russian].
- Iwasa, S., Fujiwara, M., Nagata, M. and Watanabe, T. (2001). Three autopsied cases of cystic fibrosis in Japan. *Pathology International* **51**: 467-472.
- Jaber, L., Halpern, G. J. and Shohat, M. (1998). The impact of consanguinity worldwide. *Community Genetics* **1**: 12-17.
- Jaber, L., Merlob, P., Bu, X., Rotter, J. I. and Shohat, M. (1992). Marked parental consanguinity as a cause for increased major malformations in an Israeli Arab community. *American Journal of Medical Genetics* **44**: 1-6.
- Jaber, L., Merlob, P., Gabriel, R. and Shohat, M. (1997). Effects of consanguineous marriage on reproductive outcome in an Arab community in Israel. *Journal of Medical Genetics* **34**: 1000-1002.
- Jaber, L., Merlob, P. and Shohat, M. (1994). High incidence of central nervous system malformations associated with marked parental consanguinity in an Israeli Arab community. *Biomedicine and Pharmacotherapy* **48**: 351-354.
- Jaber, L., Shohat, T., Rotter, J. I. and Shohat, M. (1997). Consanguinity and common adult diseases in Israeli Arab communities. *American Journal of Medical Genetics* **70**: 346-348.
- Jaber, L., Weitz, R., Bu, X., Fischel-Ghodsian, N., Rotter, J. I. and Shohat, M. (1995). Arthrogryposis multiplex congenita in an Arab kindred: update. *American Journal of Medical Genetics* **55**: 331-334.
- Jackson, A. P., McHale, D. P., Campbell, D. A., Jafri, H., Hashid, Y., Mannan, J., Karbani, G., Corry, P., *et al.* (1998). Primary autosomal recessive microcephaly (MCPH1) maps to chromosome 8q22-pter. *American Journal of Human Genetics* **63**: 541-546.
- Jain, P. K., Lalwani, A. K., Li, X. C., Singleton, T. L., Smith, T. N., Chen, A., Deshmukh, D., Verma, I. C., *et al.* (1998). A gene for recessive nonsyndromic sensorineural deafness (DFNB18) maps to the chromosomal region 11p14-p15.1 containing the Usher syndrome type 1C gene. *Genomics* **50**: 290-292.
- Jain, V. K., Nalini, P., Chandra, R. and Srinivasan, S. (1993). Congenital malformations, reproductive wastage and consanguineous mating. *Australian and New Zealand Journal of Obstetrics and Gynaecology* **33**: 33-36.
- Jaksch, M., Hofmann, S., Kleinle, S., Liechti-Gallati, S., Pongratz, D. E., Muller-Hocker, J., Jedele, K. B., Meitinger, T., *et al.* (1998). A systematic mutation screen of 10 nuclear and 25 mitochondrial candidate genes in 21 patients with

- cytochrome c oxidase (COX) deficiency shows tRNA (Ser) (UCN) mutations in a subgroup with syndromal encephalopathy. *Journal of Medical Genetics* **35**: 895-900.
- Jalili, A. K. and Smith, N. J. D. (1988). A progressive cone-rod dystrophy and amelogenesis imperfecta: a new syndrome. *Journal of Medical Genetics* **25**: 738-740.
- Janecke, A. R., Muller, T., Gassner, I., Kreczy, A., Schmid, E., Kronenberg, F., Utermann, B. and Utermann, G. (2004). Joubert-like syndrome unlinked to known candidate loci. *Journal of Pediatric Dentistry* **144**: 264-269.
- Janecke, A. R., Unsinn, K., Kreczy, A., Baldissera, I., Gassner, I., Neu, N., Utermann, G. and Muller, T. (2001). Adducted thumb-club foot syndrome in sibs of a consanguineous Austrian family. *Journal of Medical Genetics* **38**: 265-269.
- Janssen, H. C., Schaap, C., Vandevijver, N., Moerman, P., de Die-Smulders, C. E. and Frysns, J. P. (1999). Two sibs with microcephaly, hygroma colli, renal dysplasia, and cutaneous syndactyly: a new lethal MCA syndrome? *Journal of Medical Genetics* **36**: 481-484.
- Jarisch, A., Giunta, C., Zielen, S., König, R. and Steinmann, B. (1998). Sibs affected with both Ehlers-Danlos syndrome type VI and cystic fibrosis. *American Journal of Medical Genetics* **78**: 455-460.
- Jay, B. (1987). Causes of blindness in school children. *British Medical Journal* **294**: 1183-1184.
- Jen, J., Coulin, C. J., Bosley, T. M., Salih, M. A., Sabatti, C., Nelson, S. F. and Baloh, R. W. (2002). Familial horizontal gaze palsy with progressive scoliosis maps to chromosome 11q23-25. *Neurology* **59**: 432-435.
- Jobard, F., Bouadjar, B., Caux, F., Hadj-Rabia, S., Has, C., Matsuda, F., Weissenbach, J., Lathrop, M., *et al.* (2003). Identification of mutations in a new gene encoding a FERM family protein with a pleckstrin homology domain in Kindler syndrome. *Human Molecular Genetics* **12**: 925-935.
- Jorge, A. A., Souza, S. C., Arnhold, I. J. and Mendonca, B. B. (2004). The first homozygous mutation (S226I) in the highly-conserved WSXWS-like motif of the GH receptor causing Laron syndrome: suppression of GH secretion by GnRH analogue therapy not restored by dihydrotestosterone administration. *Clinical Endocrinology (Oxford)* **60**: 36-40.
- Joshi, S. N., Hashim, J. and Venugopalan, P. (2002). Pattern of inborn errors of metabolism in an Omani population of the Arabian Peninsula. *Annals of Tropical Paediatrics* **22**: 93-96.
- Jung, A., Main, K. M., Scheibel, E., Peitersen, B., Clausen, N., Erichsen, G., Schmiegelow, K. and Illum, N. (2002). [Beta-thalassemia major in children and adolescents in Denmark] *Ugeskrift for Laeger* **164**: 5803-5806 [In Danish].

- Jungbluth, H., Muller, C. R., Halliger-Keller, B., Brockington, M., Brown, S. C., Feng, L., Chattopadhyay, A., Mercuri, E., *et al.* (2002). Autosomal recessive inheritance of RYR1 mutations in a congenital myopathy with cores. *Neurology* **59**: 284-287.
- Kabarity, A., Al-Awadi, S. A., Farag, T. I. and Mallalah, G. (1981). Autosomal recessive "uncomplicated" profound childhood deafness in an Arabic family with high consanguinity. *Human Genetics* **57**: 444-446.
- Kabra, S. K., Kabra, M., Lodha, R., Shastri, S., Ghosh, M., Pandey, R. M., Kapil, A., Aggarwal, G., *et al.* (2003). Clinical profile and frequency of delta f508 mutation in Indian children with cystic fibrosis. *Indian Pediatrics* **40**: 612-619.
- Kakkar, N., Vasishta, R. K., Banerjee, A. K., Marwaha, R. K. and Thapa, B. R. (2003). Familial hemophagocytic lymphohistiocytosis: an autopsy study. *Pediatric Pathology and Molecular Medicine* **22**: 229-242.
- Kaler, S., Garrity, A., Stern, H., Rosenbaum, K., Orrison, B., Marini, J., Bernardini, I. and Saal, H. (1992). New autosomal recessive syndrome of sparse hair, osteopenia, and mental retardation in Mennonite sisters. *American Journal of Medical Genetics* **43**: 983-988.
- Kalinsky, H., Funes, A., Zeldin, A., Pel-or, Y., Korostidhevsky, M., Gershoni-Baruch, R., Farrer, L. A. and Bonn -Tamir, B. (1998). Novel ATP7B mutations causing Wilson disease in several Israeli ethnic groups. *Human Mutation* **11**: 145-151.
- Kamble, M. and Chatruvedi, P. (2000). Epidemiology of sickle cell disease in a rural hospital of central India. *Indian Pediatrics* **37**: 391-396.
- Kambouris, M., Bohlega, S., Al-Tahan, A. and Meyer, B. F. (2000). Localization of the gene for a novel autosomal recessive neurodegenerative Huntington-like disorder to 4p15.3. *American Journal of Human Genetics* **66**: 445-452.
- Kandemir, N. and Yordam, N. (1997). Congenital adrenal hyperplasia in Turkey: a review of 273 patients. *Acta Paediatrica* **86**: 22-25.
- Kanis, A. B., Al-Rajhi, A. A., Taylor, C. M., Mathers, W. D., Folberg, R. Y., Nishimura, D. Y., Sheffield, V. C. and Stone, E. M. (1999). Exclusion of ARCHED from the chromosome 20 region containing the PPMD and AD-CHED loci. *Ophthalmic Genetics* **20**: 243-249.
- Kant, S. G., Polinkovsky, A., Mundlos, S., Zabel, B., Thomeer, R. T., Zonderland, H. M., Shih, L., van Haeringen, A., *et al.* (1998). Acromesomelic dysplasia Maroteaux type maps to human chromosome 9. *American Journal of Human Genetics* **63**: 155-162.
- Kapoor, S. and Kapoor, M. (1977). Congenital ocular anomalies in Pondicherry. *Journal of Pediatric Ophthalmology* **14**: 382-389.

- Kar, B., John, S. and Kumaramanickavel, G. (1995). Retinitis pigmentosa in India: a genetic and segregation analysis. *Clinical Genetics* **47**: 75-79.
- Karaplis, A. C., He, B., Nguyen, M. T., Young, I. D., Semeraro, D., Ozawa, H. and Amizuka, N. (1998). Inactivating mutation in the human parathyroid hormone receptor type 1 gene in Blomstrand chondrodysplasia. *Endocrinology* **139**: 5255-5258.
- Karcioglu, Z. A., Abboud, E. B., Al-Mesfer, S. A., Al-Rashed, W. and Pilapil, D. H. (2002). Retinoblastoma in older children. *Journal of the American Association for Pediatric Ophthalmology and Strabismus/American Association for Pediatric Ophthalmology and Strabismus* **6**: 26-32.
- Karol, R. A., Eng, J., Cooper, J. B., Dennison, D. K., Sawyer, M. K., Lawrence, E. C., Marcus, D. M. and Shearer, W. T. (1983). Imbalances in subsets of T lymphocytes in an inbred pedigree with Omenn's Syndrome. *Clinical Immunology and Immunopathology* **27**: 412-427.
- Kasirga, E., Özkınay, F., Tütüncüoğlu, S., Aydogdu, S., Colakoglu, Z., Musoglu, A., Yaguci, A., Tameli, B., *et al.* (1996). Four siblings with achalasia, alacrimia and neurological abnormalities in a consanguineous family. *Clinical Genetics* **49**: 296-299.
- Katsanis, N., Lewis, R. A., Stockton, D. W., Mai, P. M., Baird, L., Beales, P. L., Leppert, M. and Lupski, J. R. (1999). Delineation of the critical interval of Bardet-Biedl syndrome 1 (BBS1) to a small region of 11q13, through linkage and haplotype analysis of 91 pedigrees. *American Journal of Human Genetics* **65**: 1672-1679.
- Katsanis, N., Shroyer, N. F., Lewis, R. A., Cavender, J. C., Al-Rajhi, A. A., Jabak, M. and Lupski, J. R. (2001). Fundus albipunctatus and retinitis punctata albescens in a pedigree with an R150Q mutation in RLBP1. *Clinical Genetics* **59**: 424-429.
- Kavaslar, G. N., Onengut, S., Derman, O., Kaya, A. and Tolun, A. (2000). The novel genetic disorder microhydranencephaly maps to chromosome 16p13.3-12.1. *American Journal of Human Genetics* **66**: 1705-1709.
- Kayes-Wandover, K. M., Tannin, G. M., Shulman, D., Peled, D., Jones, K. L., Karaviti, L. and White, P. C. (2001). Congenital hyperreninemic hypoadosteronism unlinked to the aldosterone synthase (CYP11B2) gene. *Journal of Clinical Endocrinology & Metabolism* **86**: 5379-5382.
- Kedar, P. S., Colah, R. B., Ghosh, K. and Mohanty, D. (2002). Congenital methemoglobinemia due to NADH-methemoglobin reductase deficiency in three Indian families. *Haematologia (Budapest)* **32**: 543-549.
- Keeler, L. C., Marsh, S. E., Leeflang, E. P., Woods, C. G., Sztriha, L., Al-Gazali, L., Gururaj, A. and Gleeson, J. G. (2003). Linkage analysis in families with Joubert syndrome plus oculo-renal involvement identifies the CORS2 locus on chromosome 11p12-q13.3. *American Journal of Human Genetics* **73**: 656-662.

- Keen, T. J., Mohamed, M. D., McKibbin, M., Rashid, Y., Jafri, H., Maumenee, I. H. and Inglehearn, C. F. (2003). Identification of a locus (LCA9) for Leber's congenital amaurosis on chromosome 1p36. *European Journal of Human Genetics* **11**: 420-423.
- Kelly, A. L., Lunt, P. W., Rodrigues, F., Berry, P. J., Flynn, D. M., McKiernan, P. J., Kelly, D. A., Mieli-Vergani, G., *et al.* (2001). Classification and genetic features of neonatal haemochromatosis: a study of 27 affected pedigrees and molecular analysis of genes implicated in iron metabolism. *Journal of Medical Genetics* **38**: 599-610.
- Kemahli, S., Alhenc-Gelas, M., Grandrille, S., Aiach, M., Akar, N. and Cin, S. (1998). Homozygous protein C deficiency with a double variant His 202 to Tyr and Ala 346 to Thr. *Blood Coagulation and Fibrinolysis* **9**: 351-354.
- Kende, G., Toren, A., Mandel, M., Neumann, Y., Kenet, G., Brok-Simoni, F., Ramot, B., Ben-Bassat, I., *et al.* (1994). Familial leukemia: description of two kindreds and a review of the genetic aspects of the disease. *Acta Haematologica* **92**: 208-211.
- Kerr, B., Smith, V., Patel, R., Ladusans, E. and Sillence, D. O. (2000). Spondylometaphyseal dysplasia Sedaghatian type associated with lethal arrhythmia and normal intrauterine growth in three siblings. *Clinical Dysmorphology* **9**: 167-172.
- Kerrigan, J. F., Aleck, K. A., Tarby, T. J., Bird, C. R. and Heidenreich, R. A. (2000). Fumaric aciduria: clinical and imaging features. *Annals of Neurology* **47**: 583-538.
- Kesavan, P., Nataraja, U., Murugesan, K. and Ramakrishnan, M. S. (1978). Congenital malformations and consanguinity, In *Medical Genetics in India* (eds. Verma, I. C.) 65-69 (Auroma, Pondicherry).
- Keser, I., Lüleci, G. and Gündüz, G. (1996). Premature centromere division in three unrelated families. *Annales de Génétique* **39**: 87-90.
- Khadir, K., Habibeddine, S., Azzouzi, S., Lakhdar, H. and Van Neste, D. (2001). Loose anagen hair syndrome: a familial case with fetal hair in meconium. *Annales de Dermatologie et de Venereologie* **128**: 52-54.
- Khaliq, S., Hameed, A., Ismail, M., Anwar, K., Leroy, B., Payne, A. M., Bhattacharya, S. S. and Mehdi, S. Q. (2001). Locus for autosomal recessive nonsyndromic persistent hyperplastic primary vitreous. *Investigative Ophthalmology & Visual Science* **42**: 2225-2228.
- Khaliq, S., Hameed, A., Ismail, M., Anwar, K., Leroy, B. P., Mehdi, S. Q., Payne, A. M. and Bhattacharya, S. S. (2000). Novel locus for autosomal recessive cone-rod dystrophy CORD8 mapping to chromosome 1q12-Q24. *Investigative Ophthalmology & Visual Science* **41**: 3709-3712.

- Khaliq, S., Hameed, A., Ismail, M., Anwar, K. and Mehdi, S. Q. (2002). A novel locus for autosomal dominant nuclear cataract mapped to chromosome 2p12 in a Pakistani family. *Investigative Ophthalmology and Visual Science* **43**: 2083-2087.
- Khan, N. L., Graham, E., Critchley, P., Schrag, A. E., Wood, N. W., Lees, A. J., Bhatia, K. P. and Quinn, N. (2003). Parkin disease: a phenotypic study of a large case series. *Brain* **126**: 1279-1292.
- Khan, N. L., Wood, N. W. and Bhatia, K. P. (2003). Autosomal recessive, DYT2-like primary torsion dystonia: a new family. *Neurology* **61**: 1801-1803.
- Khan, S. A. (2000). A retrospective study of low-vision cases in an Indian tertiary eye-care hospital. *Indian Journal of Ophthalmology* **48**: 201-207.
- Khatri, M. L., Bemghazil, M., Shafi, M. and Machina, A. (1999). Xeroderma pigmentosum in Libya. *International Journal of Dermatology* **38**: 520-524.
- Khoury, M. J., Cohen, B. H., Diamond, E. L., Chase, G. A. and McKusick, V. A. (1987). Inbreeding and prereproductive mortality in the Old Order Amish. III. Direct and indirect effects of inbreeding. *American Journal of Epidemiology* **125**: 473-483.
- Khrouf, N., Spång, R., Podgorna, T., Miled, S. B., Moussaoui, M. and Chibaru, M. (1986). Malformations in 10,000 consecutive births in Tunis. *Acta Paediatrica Scandinavica* **75**: 534-539.
- Kida, Y., Kurome, H. and Hayasaka, S. (1995). Bilateral microphthalmos with poor visual acuity, high hyperopia and papillomacular retinal folds in siblings. *Japanese Journal of Ophthalmology* **39**: 177-179.
- Kilic, I., Kilic, B., Ergin, H., Aygun, M. and Aksit, M. (1998). Camptodactyly, myopia, and fibrosis of the medial rectus of the eye in two sibs born to consanguineous parents: autosomal recessive entity? *American Journal of Medical Genetics* **77**: 28-30.
- Kilinc, M. O., Ninis, V. N., Ugur, S. A., Tuysuz, B., Seven, M., Balci, S., Goodship, J. and Tolun, A. (2003). Is the novel SCKL3 at 14q23 the predominant Seckel locus? *European Journal of Human Genetics* **11**: 851-857.
- Kirby, D. M., Crawford, M., Cleary, M. A., Dahl, H. H., Dennett, X. and Thorburn, D. R. (1999). Respiratory chain complex I deficiency: an underdiagnosed energy generation disorder. *Neurology* **52**: 1255-1264.
- Klevering, B. J., van Driel, M., van de Pol, D. J., Pinckers, A. J., Cremers, F. P. and Hoyng, C. B. (1999). Phenotypic variations in a family with retinal dystrophy as result of different mutations in the ABCR gene. *British Journal of Ophthalmology* **83**: 914-918.

- Klingberg, M. A., Chen, R., Chenke, J. and Levin, S. (1971). An epidemiologic study of congenital malformations among different ethnic and social groups in Israel. *Developmental Medicine and Child Neurology* **13**: 735-745.
- Klupp, N., Simonitsch, I., Mannhalter, C. and Amann, G. (2000). Emergence of an unusual bone marrow precursor B-cell population in fatal Shwachman-Diamond syndrome. *Archives of Pathology and Laboratory Medicine* **124**: 1379-1381.
- Kobayashi, K., Sinasac, D. S., Iijima, M., Boright, A. P., Begum, L., Lee, J. R., Yasuda, T., Ikeda, S., *et al.* (1999). The gene mutated in adult-onset type II citrullinaemia encodes a putative mitochondrial carrier protein. *Nature Genetics* **22**: 159-163.
- Koç, A., Pronk, J. C., Alikasifoglu, M., Joenje, H. and Altay, C. (1999). Variable pathogenicity of exon 43del (FAA) in four Fanconi anaemia patients within a consanguineous family. *British Journal of Haematology* **104**: 127-130.
- Koçak, N., Gürakan, F., Yüce, A., Çağlar, M., Gülsev, K. and Göğus, S. (1997). Nonsyndromic paucity of interlobular bile ducts: clinical and laboratory findings of 10 cases. *Journal of Pediatric Gastroenterology and Nutrition* **24**: 44-48.
- Kodama, K., Kobayashi, H., Abe, R., Ohkawara, A., Yoshii, N., Yotsumoto, S., Fukushige, T., Nagatsuka, Y., *et al.* (2001). A new case of alpha-N-acetylgalactosaminidase deficiency with angiokeratoma corporis diffusum, with Meniere's syndrome and without mental retardation. *British Journal of Dermatology* **144**: 363-368.
- Koiwai, O., Yasui, Y., Hasada, K., Aono, S., Sato, H., Fujikake, M. and Aoki, T. (1995). Three Japanese patients with Crigler-Najjar syndrome type 1 carry an identical nonsense mutation in the gene for UDP-glucuronosyltransferase. *Japanese Journal of Human Genetics* **40**: 253-257.
- Kone-Paut, I., Hesse, S., Palix, C., Rey, R., Remediani, K., Garnier, J. and Berbis, P. (1998). Keratitis, ichthyosis, and deafness (KID) syndrome in half sibs. *Pediatric Dermatology* **15**: 219-221.
- Koochmeshgi, J., Bagheri, A. and Hosseini-Mazinani, S. M. (2002). Incidence of phenylketonuria in Iran estimated from consanguineous marriages. *Journal of Inherited Metabolic Disease* **25**: 80-81.
- Kopp, P., Arseven, O. K., Sabacan, L., Kotlar, T., Dupuis, J., Cavaliere, H., Santos, C. L., Jameson, J. L., *et al.* (1999). Phenocopies for deafness and goiter development in a large inbred Brazilian kindred with Pendred's syndrome associated with a novel mutation in the PDS gene. *Journal of Clinical Endocrinology and Metabolism* **84**: 336-341.
- Kornak, U., Schulz, A., Friedrich, W., Uhlhaas, S., Kremens, B., Voit, T., Hasan, C., Bode, U., *et al.* (2000). Mutations in the $\alpha 3$ subunit of the vacuolar H(+)-ATPase cause infantile malignant osteopetrosis. *Human Molecular Genetics* **9**: 2059-2063.

- Kosugi, S., Bhayana, S. and Dean, H. J. (1999). A novel mutation in the sodium/iodide symporter gene in the largest family with iodide transport defect. *Journal of Clinical Endocrinology and Metabolism* **84**: 3248-3253.
- Kotone-Miyahara, Y., Takaori-Kondo, A., Fukunaga, K., Goto, M., Hayashino, Y., Miki, M., Takayama, H., Sasada, M., *et al.* (2004). E148Q/M694I mutation in 3 Japanese patients with familial Mediterranean fever. *International Journal of Hematology* **79**: 235-237.
- Krebsova, A., Kuster, W., Lestringant, G. G., Schulze, B., Hinz, B., Frossard, P. M., Reis, A. and Hennies, H. C. (2001). Identification, by homozygosity mapping, of a novel locus for autosomal recessive congenital ichthyosis on chromosome 17p, and evidence for further genetic heterogeneity. *American Journal of Human Genetics* **69**: 216-222.
- Kremli, M. K., Alshahid, A. H., Khoshhal, K. I. and Zamzam, M. M. (2003). The pattern of developmental dysplasia of the hip. *Saudi Medical Journal* **24**: 1118-1120.
- Kriegsmann, J., Coerdts, W., Kommos, F., Beetz, R., Hallermann, C. and Muntefering, H. (2000). Renal tubular dysgenesis (RTD) - an important cause of the oligohydramnion-sequence. Report of 3 cases and review of the literature. *Pathology, Research and Practice* **196**: 861-865.
- Kromberg, J. G. R. and Jenkins, T. (1982). Prevalence of albinism in the South African Negro. *South African Medical Journal* **61**: 383-386.
- Kuliev, A. M. (1994). Thalassaemia in Azerbaijan. *Journal of Medical Genetics* **31**: 209-212.
- Kulkarni, M. L., Kumar, B., Nassar, A. and Kulkarni, B. M. (1995). Grebe syndrome: a very severely affected case. *Journal of Medical Genetics* **32**: 326-327.
- Kulkarni, M. L., Mathew, M. A. and Reddy, V. (1989). The range of neural tube defects in Southern India. *Archives of Diseases Childhood* **64**: 201-204.
- Kumar, D., Duggan, M. B., Mueller, R. F. and Karbani, G. (1997). Familial aplasia/hypoplasia of pelvis, femur, fibular and ulna with abnormal digits in an inbred Pakistani Muslim family. *American Journal of Medical Genetics* **70**: 107-113.
- Kumar, D., Moss, G., Primhak, R. and Coombs, R. (1997). Congenital renal tubular dysplasia and skull ossification defects similar to teratogenic effects of angiotensin converting enzyme (ACE) inhibitors. *Journal of Medical Genetics* **34**: 541-545.
- Kumar, D., Primhak, R. A. and Kumar, A. (1998). Variable phenotype in Kaufman-McKusick syndrome: report of an inbred Muslim family and review of the literature. *Clinical Dysmorphology* **7**: 163-170.

- Kumar, D., Rittey, C., Cameron, A. H. and Variend, S. (1998). Recognizable inherited syndrome of progressive central nervous system degeneration and generalized intracranial calcification with overlapping phenotype of the syndrome of Aicardi and Goutieres. *American Journal of Medical Genetics* **75**: 508-515.
- Kumar, P., Rao, K. S., Shashikala, P., Chandrashekar, H. R. and Banapurmath, C. R. (2000). Chediak-Higashi syndrome. *Indian Journal of Pediatrics* **67**: 595-597.
- Kumaramanickavel, G., Joseph, B., Vidhya, A., Arokiasamy, T. and Shridhara Shetty, N. (2002). Consanguinity and ocular genetic diseases in South India: analysis of a five-year study. *Community Genetics* **5**: 182-185.
- Kupfer, G., Naf, D., Garcia-Higuera, I., Wasik, J., Cheng, A., Yamashita, T., Tipping, A., Morgan, N., *et al.* (1999). A patient-derived mutant form of the Fanconi anemia protein, FANCA, is defective in nuclear accumulation. *Experimental Hematology* **27**: 587-593.
- Kurian, M. A., O'Mahoney, E. S., Rustin, P., Brown, G., Treacy, E. P. and King, M. D. (2004). Neonatal seizures and limb malformations associated with liver-specific complex IV respiratory chain deficiency. *European Journal of Paediatric Neurology* **8**: 55-59.
- Kury, S., Kharfi, M., Kamoun, R., Taieb, A., Mallet, E., Baudon, J. J., Glastre, C., Michel, B., *et al.* (2003). Mutation spectrum of human SLC39A4 in a panel of patients with acrodermatitis enteropathica. *Human Mutation* **22**: 337-338.
- Kuwertz-Broking, E., Frund, S., Bulla, M., Kleta, R., August, C. and Kisters, K. (2001). Familial hypomagnesemia-hypercalciuria in 2 siblings. *Clinical Nephrology* **56**: 155-1561.